

Time Constraints and Productivity in Health Care

Miguel Alquézar-Yus

August 22, 2022

Motivation

- ◇ Having sufficient time per task is one of the key determinants of its successful completion
- ◇ 10% of the EU workers do not have sufficient time for completing their duties (Eurofound, 2017)
- ◇ Healthcare workers *enjoy* the highest share (14%)

What do I do?

- ◇ Estimate how reviewing time affects the diagnostic intensity and input provision

How do I do it?

- ◇ Exploit on-the-day cancellations as random time shocks to the physicians' upcoming visits.
- ◇ Unique setting: First visits in the Spanish outpatient system
 - No prior contact physician-patient
 - No walk-outs/ins
- ◇ Compare the visiting intensity and outcome of visits just affected by a cancellation with those not.

Literature Review

- ◇ Effect of time pressure/workload on physician's behavior (Neprash, 2016; Shurtz et al., 2019; Freedman et al., 2021)

- ◇ Effect of reviewing time on workers' decisions (Frakes and Wasserman, 2017; Song et al., 2022)

Spanish healthcare system

- ◇ Universal and free of charge
- ◇ Composed by Primary and Specialized care units
Population is sorted based on their residence location
- ◇ Outpatient department is at the core of Specialized care.
- ◇ Limited patient choice when referred to the outpatient department.

Hospital management flow

- ◇ Production line approach
- ◇ Physicians work as single units in a given fixed location
- ◇ Physicians have complete information at any point in time

Schedule

- ◇ Panel data with the universe of visits to a Spanish outpatient department from January 2016 to June 2018 Hospital Distributions
- ◇ High frequency information on the visiting, appointment, referral, and cancellation times
- ◇ Information on prescriptions and clinical analyses

My sample

- ◇ Universe of 67,530 realized first visits
- ◇ 86 outpatient physicians in 19 different specializations

My sample

- ◇ Universe of 67,530 realized first visits
- ◇ 86 outpatient physicians in 19 different specializations
- ◇ The average patient is a middle-aged Spanish woman living in an area adjacent to the hospital and with public coverage.
- ◇ The average first visit takes 12 minutes, with an average waiting list of 30 days, and an 8% likelihood of receiving a diagnosis.

S. Stat.

Outcome variables

- ◇ Diagnosis provision
- ◇ Treatment choice
 - Tests
 - Number of tests
 - Testing cost
 - Drugs
 - Number of drugs (DDD)

Second Stage

$$Y_{i,j,s} = \beta_0 + \beta_1 \text{Length}_{i,j,s} + \theta T_s + \omega_j + \psi X_{i,s} + \epsilon_{i,j,s}$$

Second Stage

$$Y_{i,j,s} = \beta_0 + \beta_1 \text{Length}_{i,j,s} + \theta T_s + \omega_j + \psi X_{i,s} + \epsilon_{i,j,s}$$

First Stage

$$\text{Length}_{i,j,s} = \gamma_0 + \gamma_1 \text{Prior Cancel}_{i,j,s} + \Theta T_s + \Omega_j + \Psi X_{i,s} + \nu_{i,j,s}$$

Instrument - Prior Cancel

- ◇ Identify whether the previous visit was cancelled using the real cancellation time
 - takes value 1 if the prior appointment did no show up
 - takes value 1 if during the current visit a future visit was withdrawn
 - 0, otherwise
- ◇ Lower bound effect of cancellations, but easy interpretation.

1Stage Dist

Distribution Dist

ITT

Instrument - Prior Cancel

- ◇ Identify whether the previous visit was cancelled using the real cancellation time
 - takes value 1 if the prior appointment did no show up
 - takes value 1 if during the current visit a future visit was withdrawn
 - 0, otherwise
- ◇ Lower bound effect of cancellations, but easy interpretation.

1Stage Dist

Distribution Dist

ITT

Validity checks:

- ✓ Cancellations as random time shocks to next patients Cov. Test
- ✓ Exclusion restriction Excl. Res.

How do physicians react to an exogenous increase in reviewing time?

I find that:

- ◇ Visiting time is used effectively to provide diagnoses, specially uncommon ones [Table](#)
- ◇ Extra time is used as a complement of testing, specially more expensive ones [Table](#)
- ◇ Extra time leads to a reduction in the prescription dose

Intertemporal Input Substitution

Does the increase of reviewing time lead to a differential input utilization in the next follow-up visit?

I find:

- ◇ No intertemporal input substitution [Table](#) [F. Cov. Test](#)
- ◇ Suggestive evidence of physician satisfaction [Table](#)

Heterogeneous effects

- ◇ Which patients' characteristics are driving these effects?
- ◇ Effect driven by:
 - Female patients [Table](#)
 - Patients not sharing the physician's gender [Table](#)
 - National patients [Table](#)
 - Urgent patients [Table](#)
 - Internal medicine specializations [Table](#)

Role of physicians' contracts

- ◇ Exploit within specialization variation, driven by senior physicians having better schedules. [S. Cov. Test](#)
- ◇ Despite senior physicians having higher experience, and likely being more efficient, the hospital retains them by providing them better visiting conditions (wage is publicly regulated).
- ◇ Result:
 - Visiting workload negatively evolves with tenure [S. Intensity](#)
 - Extra visiting time **only** influences junior physicians [Table](#)
 - Room for a welfare improving schedule reshuffling [Quant. Ex.](#)

Conclusion

- ◇ Builds a unique dataset to causally study how reviewing time affects diagnostic intensity and outcomes.
- ◇ Shows that physicians' reviewing time is insufficient to efficiently provide a diagnostic outcome.
- ◇ Highlights that policies in favor of improving the reviewing process should look at the underlying incentives

Thank you!

With only seven minutes per visit, it's impossible for doctors to listen well to patients.

We suffer from lots of mental fatigue, together with anxiety if you're mistaken due to insufficient assessment time.

⇒ General healthcare strike in Catalonia (November 2018)

✓ Reduction in the ratio of patients per hour (15th Feb. 2019)

Back

Sample Schedule at 10 a.m.


Appointment Time	Patient ID	Patient	Basic Health Zone	Status	Arrival time	Visit type
8:30	1	Antonio García Gracia	Barcelona 2-B	Completed	8:25	Follow-up
9:00	2	Jordi Bosch Fernández	Barcelona 3-A	Not present	-	Follow-up
9:10	3	Montserrat Muñoz Sánchez	Barcelona 4-D	Completed	9:05	First Visit
9:15	4	María del Carmen González Serra	Barcelona 5-D	Completed	9:00	First Visit
9:30	5	Anna Solé Pérez	Barcelona 1-C	Completed	9:10	Follow-up
9:40	6	José Giménez Sánchez	Barcelona 2-E	Completed	9:00	Long Cure
10:00	7	Wei Wang	Barcelona 8-B	Completed	9:40	Injection
10:15	8	María José Pérez Iglesias	Barcelona 4-C	Pending	9:45	First Visit
10:25	9	Montserrat Batlle Figueres	Barcelona 5-C	Pending	-	Follow-up
10:43	10	María del Mar Cardel Pérez	Barcelona 3-E	Cancelled	-	First Visit
11:00	11	Mohammed Alaoui	Barcelona 5-A	Pending	-	Follow-up

[Back](#)


Hospital Specificities

- ◇ Contracted hospital with primarily patients with public insurance (SNS).
- ◇ Present in the neighbourhood of Sant Gervasi
 - 3rd wealthiest neighbourhood in Barcelona $\approx 70.000\text{€}$ per household
- ◇ High emphasis on quality control and patients satisfaction.
- ◇ Lower bound for other public hospitals

[Back](#)



(a) Distribution by visit type



(b) Share of cancellations


Back

Summary Statistics


	Mean	SD	Min	Max	N
<i>Patient characteristics</i>					
Male	0.45	0.50	0	1	67530
Age	58.85	19.55	0	106	67530
Reference BHZ	0.60	0.49	0	1	67530
Distance from BHZ (km)	4.37	12.87	0	1979	67530
Born in Spain	0.68	0.47	0	1	67530
Public coverage	0.98	0.12	0	1	67530
Chronic condition	0.06	0.23	0	1	67530
<i>Physician characteristics</i>					
Physician: Male	0.59	0.49	0	1	66350
Physician: Age	49.78	9.32	32	65	58301
<i>Visit characteristics</i>					
Visit length (mins)	12.58	9.59	1	120	67530
Out of agenda	0.15	0.35	0	1	67530
Internal referral	0.11	0.32	0	1	67530
Waiting list (days)	29.73	52.02	0	770	67530
Waiting room (mins)	27.22	32.62	0	545	67530
Tests	0.29	0.75	0	15	67530
Test cost	12.67	50.58	0	2019	67530
Drugs	2.04	27.34	0	2600	67530
Diagnosis	0.08	0.27	0	1	67530

[Back](#)

First stage with multiple distances




(a) All shifts




(b) Shifts with 0 or 1 cancellations

[Back](#)



(a) Distances to prior cancellation



(b) Unconditional means

Back

	(1)	(2)	(3)	(4)	(5)	(6)	(7)
	Diagnosis	Test	Num. Tests	Test Cost	Drug	Num. Drugs	Follow-up
Prior Cancel	0.0058* (0.0029)	0.0105** (0.0041)	0.0155** (0.0072)	1.3050** (0.5999)	-0.0016 (0.0017)	-0.6661* (0.3433)	0.0149*** (0.0052)
Month-Year FE	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Hour FE	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Physician FE	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Controls	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Observations	67530	67530	67530	67530	67530	67530	67530
Dep. Var. Mean	0.0819	0.181	0.286	12.67	0.0333	2.043	0.280

[Back](#)

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
	Male	Age	Ref. BHZ	Dist. BHZ	Chronic	Pub. Cov	Spanish	Waiting list	Same sex	Same age
Prior Cancel	-0.0039 (0.0045)	0.2213 (0.1812)	0.0057 (0.0056)	-0.0434 (0.1492)	0.0032 (0.0023)	0.0003 (0.0012)	-0.0052 (0.0047)	1.0568 (0.7029)	-0.0030 (0.0046)	0.0046 (0.0043)
Month-Year FE	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Hour FE	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Physician FE	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Observations	67530	67530	67530	67530	67530	67530	67530	67530	66350	58301
Dep. Var. Mean	0.447	58.85	0.598	4.365	0.0582	0.984	0.677	29.73	0.517	0.152

[Back](#)

Test on the exclusion restriction

- ◇ Prior to a given visit, physicians suffering from a cancellation decide on how fast to call the next patient (change the schedule pressure).
- ◇ Use a second instrument to account for the physician induced lower delay: Prior realized visit got late to her appointment time (Neprash, 2016)
- ◇ No clear evidence that physicians' workload pressure is relevant for the care provided, once taking into account reviewing time.

	(1) Length	(2) Delay	(3) Diagnosis	(4) Tests	(5) Num. Tests	(6) Test Cost	(7) Drugs	(8) Num. Drugs	(9) Follow-up
Length			0.0036** (0.0017)	0.0062*** (0.0024)	0.0095** (0.0045)	0.7484** (0.3344)	-0.0005 (0.0009)	-0.3482** (0.1726)	0.0105*** (0.0032)
Delay			-0.0000 (0.0006)	-0.0003 (0.0006)	-0.0001 (0.0010)	-0.0686 (0.0802)	0.0006* (0.0003)	0.0764 (0.0686)	0.0016* (0.0008)
Prior Cancel	1.6256*** (0.1595)	-1.1688** (0.4783)							
Prior Late	0.1356 (0.1120)	6.1898*** (0.6744)							
Month-Year FE	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Hour FE	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Physician FE	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Controls	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Observations	67530	67530	67530	67530	67530	67530	67530	67530	67530
Dep. Var. Mean	12.58	16.20	0.0819	0.181	0.286	12.67	0.0333	2.043	0.280
F - Stat	-	-	42.39	42.39	42.39	42.39	42.39	42.39	42.39

Back

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
	Length	Diagnosis	Test	Num. Tests	Testing cost	Drug	Num. Drugs	Follow-up
Length		0.0036** (0.0018)	0.0065*** (0.0023)	0.0096** (0.0042)	0.8045** (0.3470)	-0.0010 (0.0011)	-0.4106* (0.2166)	0.0092*** (0.0032)
Prior Cancel	1.6222*** (0.1598)							
Month-Year FE	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Hour FE	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Physician FE	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Controls	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Observations	67530	67530	67530	67530	67530	67530	67530	67530
Dep. Var. Mean	12.58	0.0819	0.181	0.286	12.67	0.0333	2.043	0.280
F - Stat	-	104.3	104.3	104.3	104.3	104.3	104.3	104.3

Back

	(1)	(2)	(3)
	Diagnosis	Common Diagnosis	Uncommon Diagnosis
Length	0.0036** (0.0018)	0.0001 (0.0008)	0.0034** (0.0014)
Month-Year FE	Yes	Yes	Yes
Hour FE	Yes	Yes	Yes
Physician FE	Yes	Yes	Yes
Controls	Yes	Yes	Yes
Observations	67530	67530	67530
Dep. Var. Mean	0.0819	0.0123	0.0695
F - Stat	104.3	104.3	104.3

Back

	(1)	(2)	(3)	(4)	(5)	(6)	(7)
	Length	F. Length	F. Tests	F. Num. Tests	F. Drugs	F. Num. Drugs	Same Physician
Length		0.0953 (0.1848)	0.0008 (0.0034)	-0.0013 (0.0055)	0.0008 (0.0008)	0.5331 (0.4414)	0.0105*** (0.0037)
Prior Cancel	1.8596*** (0.2439)						
Month-Year FE	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Hour FE	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Physician FE	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Controls	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Observations	14350	14350	14350	14350	14350	14350	14350
Dep. Var. Mean	14.39	11.19	0.143	0.195	0.00613	0.552	0.656
F - Stat		58.82	58.82	58.82	58.82	58.82	58.82

Back

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
	Male	Age	Ref. BHZ	Dist. BHZ	Chronic	Pub. Cov	Spanish	Waiting list	Same sex	Same age
Prior Cancel	-0.0071 (0.0096)	0.2368 (0.4141)	0.0158 (0.0113)	0.2433 (0.3040)	0.0045 (0.0051)	0.0031 (0.0023)	-0.0226** (0.0108)	1.9820 (1.2038)	0.0043 (0.0095)	0.0072 (0.0087)
Month-Year FE	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Hour FE	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Physician FE	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Observations	14350	14350	14350	14350	14350	14350	14350	14350	14266	12530
Dep. Var. Mean	0.432	62.16	0.663	4.078	0.0702	0.977	0.696	27.09	0.523	0.134

Back

	Length (1)	Next visit cancelled		
		All (2)	By patient (3)	By physician (4)
Length		-0.0001 (0.0048)	0.0036 (0.0043)	-0.0037** (0.0018)
Prior Cancel	1.8328*** (0.1947)			
Month-Year FE	Yes	Yes	Yes	Yes
Hour FE	Yes	Yes	Yes	Yes
Physician FE	Yes	Yes	Yes	Yes
Controls	Yes	Yes	Yes	Yes
Dep. Var. Mean	14.34	0.240	0.211	0.0287
F - Stat		89.65	89.65	89.65

Back

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
	Male	Age	Ref. BHZ	Dist. BHZ	Chronic	Pub. Cov	Spanish	Waiting list
Senior Physician	-0.0115 (0.0093)	0.5690 (0.3451)	0.0243 (0.0306)	-0.0957 (0.5525)	-0.0007 (0.0027)	-0.0237 (0.0157)	0.0099 (0.0168)	-3.8768* (2.0910)
Month-Year FE	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Hour FE	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Specialty FE	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Observations	58301	58301	58301	58301	58301	58301	58301	58301
Dep. Var. Mean	0.447	58.85	0.598	4.365	0.0582	0.984	0.677	29.73

[Back](#)

	(1)	(2)	(3)	(4)
	Exp. Visit Length	Overbook	Visits/hour	Overloaded day
Senior Physician	-0.2446 (0.1983)	-0.0367*** (0.0115)	-0.2967*** (0.0955)	-0.0829*** (0.0268)
Month-Year FE	Yes	Yes	Yes	Yes
Hour FE	Yes	Yes	Yes	Yes
Specialty FE	Yes	Yes	Yes	Yes
Observations	58301	58301	58301	58301
Dep. Var. Mean	14.93	0.212	4.255	0.240

[Back](#)

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
	Length	Length Senior	Diagnosis	Test	Num. Tests	Test Cost	Drug	Num. Drugs
Length			0.0073** (0.0030)	0.0068* (0.0036)	0.0130*** (0.0049)	1.2940** (0.5066)	-0.0017 (0.0016)	-0.6812* (0.4093)
Length × Senior			-0.0075* (0.0042)	-0.0029 (0.0046)	-0.0071 (0.0091)	-1.1112* (0.6618)	0.0009 (0.0021)	0.4865 (0.3965)
Senior	-0.7348*** (0.2682)	11.1466*** (1.0392)	0.0473 (0.0523)	0.0473 (0.0558)	0.1047 (0.1189)	17.6521** (7.9696)	-0.0135 (0.0239)	-6.2473 (4.9516)
Prior Cancel	1.7592*** (0.2560)	-0.0574** (0.0274)						
Prior Cancel × Senior	-0.1712 (0.3677)	1.7390*** (0.2621)						
Month-Year FE	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Hour FE	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Physician FE	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Controls	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Observations	58301	58301	58301	58301	58301	58301	58301	58301
Joint Length p-value	-	-	0.949	0.223	0.443	0.680	0.598	0.0720
Dep. Var. Mean	-	-	0.0763	0.169	0.266	11.97	0.0384	2.363
F - Stat	-	-	22.05	22.05	22.05	22.05	22.05	22.05

Back

Quantification exercise

- What would be the direct labor cost of increasing diagnosis rate by 1p.p. ($\approx 12\%$ on the sample)?
- Two approaches:
 - i) Broad increase in visit length
 - General increase in all first visits by 2.77 minutes
 - Overall cost for the economy of €206m
 - ii) Tailored increase only to junior physicians
 - Increase of 1.37 minutes per patient only to junior physicians
 - Overall cost for the economy of €74m

[Back](#)

	(1)	(2)	(3)	(4)	(5)	(6)	(7)
	Male	Age	Dist. BIIZ	Chronic	Pub. Cov	Spanish	Waiting list
Ref. BHZ	-0.0158** (0.0065)	3.2686*** (0.3905)	-4.5500*** (0.2746)	0.0178*** (0.0030)	0.0145*** (0.0038)	0.0266** (0.0109)	-5.6983*** (1.7308)
Month-Year FE	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Hour FE	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Physician FE	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Observations	67530	67530	67530	67530	67530	67530	67530
Dep. Var. Mean	0.447	58.85	4.365	0.0582	0.984	0.677	29.73

Back

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
	Length	Length No Local	Diagnosis	Test	Num. Tests	Test Cost	Drug	Num. Drugs
Length			0.0076*** (0.0024)	0.0099*** (0.0032)	0.0140** (0.0055)	0.8109* (0.4435)	-0.0011 (0.0015)	-0.4693** (0.2269)
Length × No Local			-0.0105*** (0.0032)	-0.0091* (0.0053)	-0.0116 (0.0092)	-0.0167 (0.7398)	0.0003 (0.0032)	0.1531 (0.1929)
No Local	-0.1479 (0.2799)	11.9651*** (0.5335)	0.1440*** (0.0391)	0.0741 (0.0649)	0.0633 (0.1127)	-3.4796 (9.3176)	0.0034 (0.0393)	-1.6733 (2.3540)
Prior Cancel	1.7039*** (0.1845)	0.0017 (0.0727)						
Prior Cancel × No Local	-0.2013 (0.2337)	1.5259*** (0.2508)						
Month-Year FE	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Hour FE	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Physician FE	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Controls	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Observations	67530	67530	67530	67530	67530	67530	67530	67530
Joint Length p-value	–	–	0.224	0.828	0.731	0.170	0.737	0.205
Dep. Var. Mean	–	–	0.0819	0.181	0.286	12.67	0.0333	2.043
F - Stat	–	–	23.92	23.92	23.92	23.92	23.92	23.92

Back

Barcelona sample

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
	Length	Length No Local	Diagnosis	Test	Num. Tests	Test Cost	Drug	Num. Drugs
Length			0.0101*** (0.0032)	0.0141** (0.0056)	0.8372* (0.4472)	-0.0011 (0.0015)	-0.4799** (0.2306)	0.0074*** (0.0023)
Length × No Local			-0.0146** (0.0061)	-0.0182* (0.0103)	-0.4772 (0.7995)	0.0009 (0.0028)	0.0807 (0.2492)	-0.0068** (0.0029)
No Local	0.0334 (0.3234)	12.0912*** (0.5981)	0.1380* (0.0750)	0.1345 (0.1287)	1.4118 (10.1495)	-0.0057 (0.0333)	-0.6690 (3.0773)	0.0837** (0.0357)
Prior Cancel	1.6885*** (0.1827)	0.0010 (0.0699)						
Prior Cancel × No Local	-0.3247 (0.2268)	1.4267*** (0.2634)						
Month-Year FE	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Hour FE	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Physician FE	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Controls	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Observations	59254	59254	59254	59254	59254	59254	59254	59254
Joint Length p-value	–	–	0.351	0.620	0.587	0.896	0.183	0.798
Dep. Var. Mean	–	–	0.183	0.292	13.12	0.0334	2.109	0.0812
F - Stat	–	–	18.43	18.43	18.43	18.43	18.43	18.43

Back

Sample with follow-up visits

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
	Length	Length No Local	Diagnosis	Test	Num. Tests	Test Cost	Drug	Num. Drugs
Length			0.0122** (0.0054)	0.0211* (0.0124)	1.6396* (0.8481)	-0.0013 (0.0015)	-0.1433* (0.0833)	0.0044 (0.0041)
Length × No Local			-0.0147* (0.0075)	-0.0213 (0.0184)	-0.7884 (1.5948)	0.0004 (0.0021)	0.0468 (0.0857)	-0.0069 (0.0048)
No Local	-0.0226 (0.2464)	13.5178*** (0.6886)	0.1915* (0.1040)	0.2692 (0.2488)	9.9272 (21.7621)	-0.0006 (0.0300)	-0.5640 (1.1492)	0.0925 (0.0646)
Prior Cancel	1.8686*** (0.2708)	-0.0162 (0.0800)						
Prior Cancel × No Local	-0.0278 (0.4705)	1.9984*** (0.4211)						
Month-Year FE	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Hour FE	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Physician FE	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Controls	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Observations	14350	14350	14350	14350	14350	14350	14350	14350
Joint Length p-value	-	-	0.683	0.993	0.481	0.662	0.149	0.323
Dep. Var. Mean	-	-	0.256	0.428	17.73	0.0124	0.607	0.0808
F - Stat	-	-	17.45	17.45	17.45	17.45	17.45	17.45

Back

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
	Length	Length Male	Diagnosis	Test	Num. Tests	Test Cost	Drug	Num. Drugs
Length			0.0033 (0.0022)	0.0081** (0.0034)	0.0107 (0.0067)	1.4358*** (0.4917)	-0.0019 (0.0019)	-0.5883** (0.2329)
Length × Male			0.0005 (0.0028)	-0.0033 (0.0044)	-0.0024 (0.0088)	-1.3088* (0.7509)	0.0020 (0.0025)	0.3682 (0.2928)
Male	-0.0163 (0.1029)	12.3993*** (0.5845)	-0.0052 (0.0352)	0.0315 (0.0565)	0.0138 (0.1139)	16.6131* (9.6802)	-0.0232 (0.0313)	-4.0772 (3.6727)
Prior Cancel	1.5313*** (0.1754)	0.0901 (0.0844)						
Prior Cancel × Male	0.2067 (0.1656)	1.5743*** (0.2835)						
Month-Year FE	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Hour FE	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Physician FE	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Controls	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Observations	67530	67530	67530	67530	67530	67530	67530	67530
Joint Length p-value	-	-	0.0949	0.106	0.120	0.810	0.995	0.446
Dep. Var. Mean	-	-	0.0819	0.181	0.286	12.67	0.0333	2.043
F - Stat	-	-	19.15	19.15	19.15	19.15	19.15	19.15

Back

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
	Length	Length Male	Diagnosis	Test	Num. Tests	Test Cost	Drug	Num. Drugs
Length			0.0046** (0.0021)	0.0103*** (0.0036)	0.0220*** (0.0064)	1.4593*** (0.4992)	0.0008 (0.0016)	-0.3642 (0.2773)
Length × Same sex			-0.0021 (0.0027)	-0.0073* (0.0044)	-0.0242*** (0.0091)	-1.2207* (0.7327)	-0.0036 (0.0026)	-0.0894 (0.2728)
Same sex	-0.0772 (0.1067)	12.3465*** (0.5926)	0.0292 (0.0332)	0.0940* (0.0561)	0.3127*** (0.1161)	16.4118* (9.2885)	0.0428 (0.0319)	0.6551 (3.4255)
Prior Cancel	1.6723*** (0.1621)	0.0824 (0.1057)						
Prior Cancel × Same sex	-0.0264 (0.1727)	1.4853*** (0.2761)						
Month-Year FE	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Hour FE	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Physician FE	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Controls	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Observations	66350	66350	66350	66350	66350	66350	66350	66350
Joint Length p-value	–	–	0.261	0.288	0.718	0.639	0.116	0.0506
Dep. Var. Mean	–	–	0.0819	0.181	0.286	12.67	0.0333	2.043
F - Stat	–	–	17.44	17.44	17.44	17.44	17.44	17.44

Back

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
	Length	Length Spanish	Diagnosis	Test	Num. Tests	Test Cost	Drug	Num. Drugs
Length			0.0044** (0.0021)	0.0054* (0.0030)	0.0095* (0.0057)	0.9784** (0.4856)	-0.0000 (0.0014)	-0.5015 (0.3364)
Length × Non-Spanish			-0.0024 (0.0035)	0.0031 (0.0059)	0.0001 (0.0096)	-0.5006 (0.8946)	-0.0028 (0.0042)	0.2617 (0.4364)
Non-Spanish	0.1674 (0.1450)	12.2274*** (0.5984)	0.0243 (0.0465)	-0.0395 (0.0754)	-0.0079 (0.1228)	5.6797 (11.1152)	0.0300 (0.0487)	-3.5730 (5.5017)
Prior Cancel	1.6390*** (0.1748)	0.0538 (0.0677)						
Prior Cancel × Non-Spanish	-0.0507 (0.2392)	1.5372*** (0.2804)						
Month-Year FE	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Hour FE	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Physician FE	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Controls	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Observations	67530	67530	67530	67530	67530	67530	67530	67530
Joint Length p-value	-	-	0.501	0.0629	0.178	0.468	0.392	0.269
Dep. Var. Mean	-	-	0.0819	0.181	0.286	12.67	0.0333	2.043
F - Stat	-	-	20.59	20.59	20.59	20.59	20.59	20.59

Back

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
	Length	Length WaitLong	Diagnosis	Test	Num. Tests	Test Cost	Drug	Num. Drugs
Length			0.0061** (0.0025)	0.0109*** (0.0033)	0.0153*** (0.0058)	0.7824* (0.4064)	-0.0023 (0.0016)	-0.4661** (0.2311)
Length × WaitLong			-0.0091** (0.0037)	-0.0149** (0.0061)	-0.0191** (0.0097)	0.0976 (0.5968)	0.0042 (0.0035)	0.1840 (0.2255)
WaitLong	-0.7258** (0.3084)	11.6228*** (0.5002)	0.1012** (0.0494)	0.1604** (0.0768)	0.1836 (0.1196)	-4.6967 (7.3844)	-0.0540 (0.0408)	-2.7691 (2.8035)
Prior Cancel	1.6671*** (0.1834)	0.0187 (0.0498)						
Prior Cancel × WaitLong	-0.1346 (0.2117)	1.3745*** (0.2154)						
Month-Year FE	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Hour FE	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Physician FE	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Controls	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Observations	67530	67530	67530	67530	67530	67530	67530	67530
Joint Length p-value	-	-	0.221	0.370	0.593	0.0860	0.432	0.274
Dep. Var. Mean	-	-	0.0819	0.181	0.286	12.67	0.0333	2.043
F - Stat	-	-	25.17	25.17	25.17	25.17	25.17	25.17

Back

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
	Length	Diagnosis	Tests	Num. Tests	Test Cost	Drugs	Num. Drugs	Follow-up
<i>Panel A: Internal medicine specialization</i>								
Length		0.0055*** (0.0015)	0.0060 (0.0039)	0.0110** (0.0055)	1.1976** (0.5922)	0.0003 (0.0011)	-0.6096 (0.5049)	0.0136*** (0.0034)
Prior Cancel	2.2361*** (0.3030)							
Observations	23339	23339	23339	23339	23339	23339	23339	23339
Dep. Var. Mean	15.65	0.0747	0.197	0.278	14.07	0.0295	2.840	0.343
F - Stat	-	55.86	55.86	55.86	55.86	55.86	55.86	55.86
<i>Panel B: Surgical specialization</i>								
Length		0.0022 (0.0028)	0.0063** (0.0028)	0.0087 (0.0061)	0.4616 (0.3715)	-0.0020 (0.0016)	-0.2617** (0.1070)	0.0065 (0.0048)
Prior Cancel	1.3514*** (0.1691)							
Observations	44141	44141	44141	44141	44141	44141	44141	44141
Dep. Var. Mean	10.95	0.0857	0.172	0.291	11.94	0.0353	1.624	0.248
F - Stat	-	65.23	65.23	65.23	65.23	65.23	65.23	65.23
Month-Year FE	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Hour FE	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Physician FE	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Controls	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
	Length	Diagnosis	Tests	Num. Tests	Test Cost	Drugs	Num. Drugs	Follow-up
<i>Panel A: No Show-up</i>								
Length		0.0036** (0.0018)	0.0078*** (0.0027)	0.0111** (0.0047)	0.7637* (0.3910)	-0.0010 (0.0010)	-0.3939* (0.2106)	0.0084*** (0.0032)
Prior No Show-up	1.6082*** (0.1594)							
Observations	66320	66320	66320	66320	66320	66320	66320	66320
Dep. Var. Mean	12.53	0.0817	0.181	0.286	12.63	0.0332	2.055	0.280
F - Stat	—	103	103	103	103	103	103	103
<i>Panel B: Notification</i>								
Length		0.0037 (0.0046)	-0.0036 (0.0058)	-0.0022 (0.0097)	1.1875 (0.8695)	-0.0011 (0.0027)	-0.5477 (0.3340)	0.0149 (0.0091)
Prior Notification	1.7260*** (0.2885)							
Observations	57702	57702	57702	57702	57702	57702	57702	57702
Dep. Var. Mean	12.39	0.0816	0.180	0.286	12.59	0.0319	2.055	0.279
F - Stat	—	36.20	36.20	36.20	36.20	36.20	36.20	36.20
Month-Year FE	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Hour FE	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Physician FE	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Controls	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
	Length	Length Retired	Diagnosis	Test	Num. Tests	Test Cost	Drug	Num. Drugs
Length			0.0035 (0.0029)	0.0043 (0.0031)	0.0107 (0.0066)	0.7382 (0.4982)	-0.0010 (0.0013)	-0.4595* (0.2470)
Length × Retired			0.0000 (0.0043)	0.0051 (0.0053)	-0.0019 (0.0095)	0.1852 (0.7283)	-0.0001 (0.0016)	0.1144 (0.2279)
Retired	0.2615 (0.1708)	12.6102*** (0.5866)	-0.0057 (0.0569)	-0.0886 (0.0661)	-0.0202 (0.1227)	-5.4413 (9.4129)	0.0006 (0.0207)	-1.4926 (3.0157)
Prior Cancel	1.5211*** (0.1618)	-0.0264 (0.0627)						
Prior Cancel × Retired	0.2585 (0.1876)	1.7836*** (0.2516)						
Month-Year FE	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Hour FE	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Physician FE	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Controls	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Observations	67530	67530	67530	67530	67530	67530	67530	67530
Joint Length p-value	-	-	0.177	0.0180	0.144	0.0683	0.413	0.142
Dep. Var. Mean	-	-	0.0819	0.181	0.286	12.67	0.0333	2.043
F - Stat	-	-	27.58	27.58	27.58	27.58	27.58	27.58

References

- Eurofound**, “Sixth European Working Conditions Survey – Overview report,” Technical Report, Publications Office of the European Union 2017.
- Frakes, Michael D and Melissa F Wasserman**, “Is the time allocated to review patent applications inducing examiners to grant invalid patents? Evidence from microlevel application data,” *Review of Economics and Statistics*, 2017, 99 (3), 550–563.
- Freedman, Seth, Ezra Golberstein, Tsan-Yao Huang, David Satin, and Laura Barrie Smith**, “Docs with their eyes on the clock? the effect of time pressures on primary care productivity,” *Journal of Health Economics*, 2021, p. 102442.
- Neprash, Hannah T**, “Better late than never? Physician response to schedule disruptions,” 2016.
- Shurtz, Ity, Alon Eizenberg, Adi Alkalay, and Amnon Lahad**, “Physician workload and treatment choice: the case of primary care,” 2019, p. 70.
- Song, Hummy, Elena Andreyeva, and Guy David**, “Time is the wisest counselor of all: The value of provider–patient engagement length in home healthcare,” *Management Science*, 2022, 68 (1), 420–441.