

The Impact of Solar Panel Installation on Electricity Consumption and Production

EEA-ESEM

Natalia D'Agosti¹ & Facundo Danza

August 31, 2023

¹Email: ndagost@ed.ac.uk

Motivation

- ▶ Countries use regulatory and fiscal policies to promote the entrance and deployment of renewable energy production:
 - ▶ feed-in-tariffs (FITs), electric quota obligations (RPS), net metering, tax incentives
- ▶ In 2010 Uruguay foster a "net metering" policy

Research Questions

We analyze how this policy:

1. Alters electricity extracted and injected into the grid
 - ▶ Magnitude is an empirical question

Research Questions

We analyze how this policy:

1. Alters electricity extracted and injected into the grid
 - ▶ Magnitude is an empirical question
2. Back-of-the-envelope calculations on:
 - ▶ CO₂ emissions
 - ▶ Rebound effect

Research Questions

We analyze how this policy:

1. Alters electricity extracted and injected into the grid
 - ▶ Magnitude is an empirical question
2. Back-of-the-envelope calculations on:
 - ▶ CO₂ emissions
 - ▶ Rebound effect
3. Propose an alternative policy: households/firms could store the electricity in batteries and sell it when optimal
 - ▶ Equity problem

Contributions

- ▶ We expand the literature on agents' use of solar panels (Borenstein, 2017; Boccard & Gautier, 2021; Sexton et al., 2021; Feger et al., 2022; Pretnar & Abajian, 2023; Beppler et al., 2023).
 - ▶ We observed electricity extracted and injected into the grid from microgenerators directly instead of inferring it

Contributions

- ▶ We expand the literature on agents' use of solar panels (Borenstein, 2017; Boccard & Gautier, 2021; Sexton et al., 2021; Feger et al., 2022; Pretnar & Abajian, 2023; Beppler et al., 2023).
 - ▶ We observed electricity extracted and injected into the grid from microgenerators directly instead of inferring it
- ▶ We expand the vast literature on calculating the rebound effect, such as (Kattenberg et al., 2023; Beppler et al., 2023; Qiu et al., 2019; Deng & Newton, 2017)


Contributions

- ▶ We expand the literature on agents' use of solar panels (Borenstein, 2017; Boccard & Gautier, 2021; Sexton et al., 2021; Feger et al., 2022; Pretnar & Abajian, 2023; Beppler et al., 2023).
 - ▶ We observed electricity extracted and injected into the grid from microgenerators directly instead of inferring it
- ▶ We expand the vast literature on calculating the rebound effect, such as (Kattenberg et al., 2023; Beppler et al., 2023; Qiu et al., 2019; Deng & Newton, 2017)
- ▶ We expand the literature on equity problems and the misallocation of the electricity injected from microgenerators, as well as the use of batteries (Pretnar & Abajian, 2023; Sexton et al., 2021; Boampong & Brown, 2020; Eid et al., 2014)

Contributions

- ▶ We expand the literature on agents' use of solar panels (Borenstein, 2017; Boccard & Gautier, 2021; Sexton et al., 2021; Feger et al., 2022; Pretnar & Abajian, 2023; Beppler et al., 2023).
 - ▶ We observed electricity extracted and injected into the grid from microgenerators directly instead of inferring it
- ▶ We expand the vast literature on calculating the rebound effect, such as (Kattenberg et al., 2023; Beppler et al., 2023; Qiu et al., 2019; Deng & Newton, 2017)
- ▶ We expand the literature on equity problems and the misallocation of the electricity injected from microgenerators, as well as the use of batteries (Pretnar & Abajian, 2023; Sexton et al., 2021; Boampong & Brown, 2020; Eid et al., 2014)
- ▶ Expand the scope. Most research has been focused entirely on the developed world (Feger et al., 2022; De Groote & Verboven, 2019; Islam & Meade, 2013; Jeong, 2013)

Data and Descriptive statistics



Data and Descriptive statistics

- ▶ Household or firm-level data:
 - ▶ Electricity consumption from the grid 12 months before the solar panel installation
 - ▶ Electricity extracted and injected into the grid 12 months after the solar panel installation
 - ▶ 0.72% of the capacity installed
 - ▶ 1275 Agents
- ▶ CO₂ emission from the thermal electricity generation from monthly data on gas oil, fuel oil, and natural gas consumption from UTEi (2022)

Data and Descriptive statistics

Solar Micro-generators Capacity Install




Figure: Location of Microgenerators (UTEi, 2022)

Data and Descriptive statistics

Solar Micro-generators

Montevideo




Figure: Capital city - Location of Microgenerators (UTEi, 2022)

Data and Descriptive statistics

	Mean	S.D	Min.	Max.
Extractions (KWh)	6096.03	14064.05	0.08	297253.2
Firms	8174.38	16145.46	0.08	297253.2
HH	910.12	1800.41	0.43	33108.8
Injections (KWh)	1545.98	3272.36	0	136844.1
Firms	1449.4	3344.24	0	136844.1
HH	287.91	771.80	0	24405.6
Household	0.29		0	1
Firms	0.71		0	1
N	24,386	24,386	24,386	24,386
CO ₂ emissions kg (Mill)	10.81	10.41	3.44e-06	35.02
N	132	132	132	132

Data obtained from UTEi (2022). CO₂ emissions from UTEi (2022).

Methodology




Figure: Electricity extracted and injected into the grid


Methodology

(Dynamic) Event - study:

$$y_{ist} = \alpha_i + \sum_{\tau=-12}^{-2} \rho_{\tau} D_{is\tau} + \sum_{\tau=1}^{12} \lambda_{\tau} D_{is\tau} + \delta_t + \epsilon_{ist} \quad (1)$$

- ▶ y_{ijt} - Electricity extracted/injected into the grid for agent i , state s , at month t
- ▶ Treatment is at time 0
- ▶ α_i - Agent fixed effect
- ▶ δ_t is - Time fixed effect
 - ▶ month * year or month + year fixed effect
- ▶ ϵ_{ist} - Error term which is cluster at state level

Results: Electricity *extracted* from the grid - Plot



Event study plot using 12 leads/lags before/after the solar panel installation, controlling for ID + month fixed effects.


Electricity extracted from the grid - Heterogeneity by agent

	Panel (a): Electricity taken from the grid - Firms		
Solar panel installation	-1491.19*** (97.51)	-1427.34*** (204.10)	-1439.81*** (200.91)
N	17,409	17,409	17,409

	Panel (b): Electricity taken from the grid - HH		
Solar panel installation	-108.872*** (25.87)	-191.25** (89.55)	-193.71** (89.523)
ID Fixed Effects	Y	Y	Y
month	Y	Y	N
year	N	Y	N
month * year	N	N	Y
N	6,977	6,977	6,977

This table shows the effect of installing a solar panel on the electricity taken from the grid, using different sets of fixed effects and different types of agents. Panel(a) uses only firms, whereas Panel (b) uses only households. Column (1) uses ID + month fixed effects; column (2) uses ID + month +year fixed effects; finally, column (3) uses ID + month * year. Standard errors are cluster at state level. Significance levels: ***0.01 **0.05 *0.1.

Results: Electricity *injected* into the grid - Plot



Event study plot using 12 leads/lags before/after the solar panel installation, controlling for ID + month fixed effects.

Electricity *injected* into the grid - Heterogeneity by agent

	Panel (a): Electricity injected into the grid - Firms		
Solar panel installation	2135.82*** (109.20)	2286.01*** (137.41)	2257.25*** (136.88)
N	13,033	13,033	13,033

	Panel (b): Electricity injected into the grid - HH		
Solar panel installation	455.28*** (33.39)	495.76*** (42.62)	491.71*** (43.02)
ID Fixed Effects	Y	Y	Y
month	Y	Y	N
year	N	Y	N
month * year	N	N	Y
N	5,931	5,931	5,931

This table shows the effect of installing a solar panel on the electricity injected into the grid, using different sets of fixed effects. Column (1) uses ID + month fixed effects; column (2) uses ID + month + year fixed effects; finally, column (3) uses ID + month * year. Standard errors are cluster at state level. Significance levels: ***0.01 **0.05 *0.1.

Value to consumers

Using only the injection estimation

- ▶ Firms: save between 120 and 270 USD (at 2017 prices)
 - ▶ “middle consumers” rate: peak, off-peak, and plain rate
- ▶ Households: save between 25 and 55 USD (base 2017)
 - ▶ “intelligent rate”: peak, off-peak, and plain

Back of the envelope calculations

Detalle de Facturación	
CONCEPTO	IMPORTE
Acuerdo de servicio: 3360746979	
Total de Conceptos Energéticos	83.415,60
Total de Otros Conceptos	0,00

Otros Conceptos de la Cuenta	-7.328,03

SUBTOTALES	
Importe Gravado 22%	83.415,60
IVA Tasa Básica 22%	18.351,43
Saldos a Favor	-7.328,03
Total	94.439,00

Results CO₂


We assume that all the injection and extraction-reduction substitute fossil fuel production:

1. Entirely

- ▶ 0.35 kg of CO₂ is reduced every month by each hh/firm
- ▶ 1275 hh/firms: the total reduction by month is 442 kg of CO₂

2. Proportionally ²

- ▶ 0.03 kg of CO₂ is reduced every month by each hh/firm
- ▶ 1275 hh/firms: the total reduction by month is 39 kg of CO₂

²fossil fuel production accounted for 8.8% of all electricity produced 

Rebound effect

$$Consumption_{\text{before solar panel}} = Extraction_{\text{bsp}} \quad (2)$$

Rebound effect

$$Consumption_{\text{before solar panel}} = Extraction_{\text{bsp}} \quad (2)$$

$$Consumption_{\text{after solar panel}} = (Production - Injection) + (Extraction_{\text{bsp}} - Extraction_{\text{asp}}) \quad (3)$$

Rebound effect

$$Consumption_{\text{before solar panel}} = Extraction_{\text{bsp}} \quad (2)$$

$$Consumption_{\text{after solar panel}} = (Production - Injection) + (Extraction_{\text{bsp}} - Extraction_{\text{asp}}) \quad (3)$$

$$C_{\text{asp}} - C_{\text{bsp}} = (Production - Injection) + (Extraction_{\text{bsp}} - Extraction_{\text{asp}}) - Extraction_{\text{bsp}} \quad (4)$$

Rebound effect

$$Consumption_{\text{before solar panel}} = Extraction_{\text{bsp}} \quad (2)$$

$$Consumption_{\text{after solar panel}} = (Production - Injection) + (Extraction_{\text{bsp}} - Extraction_{\text{asp}}) \quad (3)$$


$$C_{\text{asp}} - C_{\text{bsp}} = (Production - Injection) + (Extraction_{\text{bsp}} - Extraction_{\text{asp}}) - Extraction_{\text{bsp}} \quad (4)$$

$$C_{\text{asp}} - C_{\text{bsp}} = (Production - Injection) - Extraction_{\text{asp}} \quad (5)$$

Rebound effect

	Rebound Effect		
	Total	Firms	Households
Sunlight = 4.52 hours	1338 (20%)	1477 (22%)	1260 (19%)
Sunlight = 5.0 hours	1764 (26%)	2019 (30%)	1454 (22%)
Sunlight = 0	3.01	3.2	1.4

- ▶ 28.5 % Rebound (Beppler et al., 2023)



Linear minimization model

$$\begin{aligned} \min_{q_{th}^i, F_{th}} \quad & \sum_{h=0}^{23} \alpha_{th}^{CO_2} \times F_{th} \\ \text{s.t.} \quad & \sum_{h=0}^{23} q_{th}^i \leq Q^i, \forall i \\ & RD_{th} \leq F_{th} + \sum_i q_{th}^i, \forall h \end{aligned} \tag{6}$$

- ▶ q_{th}^i is the electricity sold to the grid from solar panels for agent i on day t at hour h
- ▶ F_{th} is the fossil-fuel-based electricity production
- ▶ $\alpha_{th}^{CO_2}$ is the CO_2 -emissions-factor
- ▶ Q_i is the total electricity production
- ▶ RD_{th} is the residual demand

Model - Results




Figure: Model solution using CO₂

Model - Results




Figure: Model solution using spot prices

Conclusion

Use a novel dataset to study the effect of net-metering in Uruguay

- ▶ Electricity taken from the grid decreases by 1,100 *kwh* on av.
- constant in time
 - ▶ Represents 18% reduction from the av. electricity consumption
- ▶ Electricity injected into the grid increases by 1,600 *kwh* on av.
- constant in time
- ▶ Reduction in CO2 emissions between 39 and 442 kg of CO2 each month
- ▶ Rebound effect between 20% and 26%
- ▶ Lessen the equity implications - allow HH/firms to install solar panels and batteries.
 - ▶ Best hour to inject electricity is around 9 pm.

Questions?? Recommendations ??

Thank you!

Web page: nataliadagosti.com

Contact: ndagost@ed.ac.uk

Twitter: [@NatiDagosti](https://twitter.com/NatiDagosti)

References I

- Beppler, R. C., Matisoff, D. C., & Oliver, M. E. (2023). Electricity consumption changes following solar adoption: Testing for a solar rebound. *Economic Inquiry*, 61(1), 58–81.
- Boampong, R., & Brown, D. P. (2020). On the benefits of behind-the-meter rooftop solar and energy storage: The importance of retail rate design. *Energy economics*, 86, 104682.
- Boccard, N., & Gautier, A. (2021). Solar rebound: The unintended consequences of subsidies. *Energy Economics*, 100, 105334.
- Borenstein, S. (2017). Private net benefits of residential solar pv: The role of electricity tariffs, tax incentives, and rebates. *Journal of the Association of Environmental and Resource Economists*, 4(S1), S85–S122.

References II

- De Groot, O., & Verboven, F. (2019). Subsidies and time discounting in new technology adoption: Evidence from solar photovoltaic systems. *American Economic Review*, 109(6), 2137–72.
- Deng, G., & Newton, P. (2017). Assessing the impact of solar pv on domestic electricity consumption: Exploring the prospect of rebound effects. *Energy Policy*, 110, 313–324.
- Eid, C., Guillén, J. R., Marín, P. F., & Hakvoort, R. (2014). The economic effect of electricity net-metering with solar pv: Consequences for network cost recovery, cross subsidies and policy objectives. *Energy Policy*, 75, 244–254.
- Feger, F., Pavanini, N., & Radulescu, D. (2022). Welfare and redistribution in residential electricity markets with solar power. *The Review of Economic Studies*, 89(6), 3267–3302.

References III

- Islam, T., & Meade, N. (2013). The impact of attribute preferences on adoption timing: The case of photo-voltaic (pv) solar cells for household electricity generation. *Energy Policy*, 55, 521–530.
- Jeong, G. (2013). Assessment of government support for the household adoption of micro-generation systems in korea. *Energy policy*, 62, 573–581.
- Kattenberg, L., Aydin, E., Brounen, D., & Kok, N. (2023). Converting the converted: Subsidies and solar adoption. *MIT Center for Real Estate Research Paper*(23/12).
- Pretnar, N., & Abajian, A. (2023). Subsidies for close substitutes: Evidence from residential solar systems. *Available at SSRN* 3771496.
- Qiu, Y., Kahn, M. E., & Xing, B. (2019). Quantifying the rebound effects of residential solar panel adoption. *Journal of environmental economics and management*, 96, 310–341.

References IV

- Sexton, S., Kirkpatrick, A. J., Harris, R. I., & Muller, N. Z. (2021). Heterogeneous solar capacity benefits, appropriability, and the costs of suboptimal siting. *Journal of the Association of Environmental and Resource Economists*, 8(6), 1209–1244.
- UTEi. (2022). La administración nacional de usinas y transmisiones eléctricas. Retrieved from <https://www.ute.com.uy/clientes/redes-inteligentes/microgeneracion>