

Limited Monotonicity and the Combined Compliers LATE*

Nadja van 't Hoff

University of Southern Denmark

navh@sam.sdu.dk

Arthur Lewbel

Boston College

lewbel@bc.edu

Giovanni Mellace

University of Southern Denmark

giome@sam.sdu.dk

February 29, 2024

Abstract

We consider a setting with an endogenous binary treatment and multiple valid binary instruments. We propose a novel *limited monotonicity* (LiM) assumption that is generally weaker than alternative monotonicity assumptions and that allows for a great deal of choice heterogeneity. We define and identify (under LiM) the *combined compliers local average treatment effect* (CC-LATE), which is arguably a more policy-relevant parameter than the weighted average of LATEs identified by two-stage least squares (TSLS). Estimating the CC-LATE is simple, requiring running TSLS with one instrument in a subset. We utilize this method to assess how knowledge of HIV status influences protective behaviors.

Keywords: Instrumental variable, Local Average Treatment Effect, monotonicity, multiple instruments.

JEL classification: C14, C21, C26.

*Corresponding author: Nadja van 't Hoff (navh@sam.sdu.dk). This project was made possible through generous funding by Independent Research Fund Denmark (90380031B). We have benefited from discussions with Tymon Sloczyński, Phillip Heiler, Jonathan Roth, Toru Kitagawa, Michael Lechner, Volha Lazuka, and participants at the Nordic Econometric Meeting 2022, the EWMES 2022, ICEEE 2023, the SWETA workshop 2023, IAAE 2023, and the Frankfurt Econometrics Workshop 2023.

1 Introduction

Instrumental variables are commonly used to address endogeneity issues in the treatment variable. Endogeneity arises when the treatment is not randomly assigned and individuals self-select into treatment based on observed and unobserved characteristics. In many settings, it is more realistic that treatment effects vary across individuals based on both observed and unobserved factors. When treatment effects are heterogeneous and multiple valid instruments are available, each instrument separately identifies the effect for the individuals whose treatment status changes in response to the instrument: the compliers. The treatment effect in the subgroup of these compliers is referred to as the local average treatment effect (LATE). The usual practice for combining instruments is to use the two-stage least squares (TSLS) estimator. Imbens and Angrist (1994) show that TSLS converges to a weighted average of the instrument-pair LATEs in the case of multiple binary instruments. They impose a monotonicity assumption which ensures that individuals respond to a change in the instrument values in a monotone way, meaning that two-way flows in response to a change in the instrument values are ruled out. We follow Mogstad et al. (2021) in referring to this monotonicity assumption as Imbens and Angrist monotonicity (IAM).

While treatment effects are commonly allowed to be heterogeneous, choices are not: assuming IAM is equivalent to assuming choice homogeneity. This asymmetry is pointed out by Heckman et al. (2006). Mogstad et al. (2021) relax IAM to the weaker partial monotonicity (PM) assumption that allows for more choice heterogeneity. PM considers a change in a single component of the instrument while holding the values of the other instruments fixed. Put another way, PM implies random coefficients with restricted signs in the selection equation, whereas IAM additionally restricts the magnitude of the coefficients. Mogstad et al. (2021) further show that the TSLS estimand retains the interpretation of a weighted average of LATEs in the case of multiple binary instruments, with the LATEs corresponding to different response groups.

Despite being common practice for combining multiple instruments, using TSLS has several shortcomings. First, PM may still be overly restrictive for certain applications, such as when using twinning and same-sex siblings as exogenous variation for household size (Angrist and Evans, 1998). PM assumes that parents uniformly respond to their first two children being of the same sex when fixing the twinning instrument. While it is commonly believed that parents prefer having children of both genders, this assumption does not hold true in all contexts (De Chaisemartin, 2017; Dahl and Moretti, 2008). This example will be explored in greater detail later in the paper. Second, even if PM holds, the weights of the TSLS estimand are rather counterintuitive. For instance, the weights depend on the instrument distribution and may well be negative. Notice that these weights are not observable and cannot be estimated. When PM

is violated, the interpretation of the TSLS estimand is further complicated and the weighted average of LATEs estimated by TSLS includes the LATEs of defier types.

The purpose of the present paper is to address the shortcomings of using the TSLS estimator when multiple binary instruments are available. We propose a less restrictive monotonicity assumption and provide an estimand with a more intuitive interpretation than the weighted average of LATEs identified by TSLS. The proposed monotonicity assumption is referred to as *limited monotonicity* (LiM). This assumption only imposes that the treatment status of all units when exposed to all instruments simultaneously is greater than or equal to the treatment status when exposed to none of the instruments. This means that defiers with respect to some instrument are allowed, as long as these defier types can be pushed towards compliance by another instrument. In the twinning and same-sex application studied by Angrist and Evans (1998), this always holds since all parents are pushed towards compliance (in this context: having an additional child) by the twinning instrument, even if they defy the same-sex instrument. Another example where we believe LiM is more plausible than PM is our empirical application. Here the treatment is learning HIV status and the two instruments are a randomly assigned cash incentive and distance to the test center. Some individuals might defy the distance instrument because of social stigma, however receive the cash incentive should overcome this issue and push those individuals to compliance as also argued in Thornton (2008). We refer to section 4 for more details.

Since LiM does not impose any restrictions on choice behavior when units are exposed to a subset of the instruments, LiM allows for rich choice heterogeneity. Put differently, LiM requires fewer choice restrictions than PM, allowing for many more response types in the population.

Under LiM, we show that a parameter called the *combined compliers local average treatment effect* (CC-LATE) is identified, and provide a very simple consistent estimator. The CC-LATE is defined as the average treatment effect (ATE) for those individuals who do not take up treatment in the absence of the instruments but whose treatment status changes when exposed to all instruments combined. We refer to this set of individuals as “combined compliers”. The combined compliers represent the target population that is pushed towards the policy by the instruments. It is likely (but not guaranteed) that the larger the group of compliers, the closer the CC-LATE is to the ATE, especially when the treatment effect does not vary much across the population. This is because the larger the set of compliers is, the closer the set of compliers becomes to representing the population as a whole. Since the CC-LATE gives the effect amongst those individuals that are affected by the instruments, it refers to a large complier population.

The CC-LATE is a much more interesting and broadly applicable parameter for a policy-maker than the TSLS estimand for two reasons. Firstly, the CC-LATE is still identified in the presence of a variety of defier types. This is an attractive property of the CC-LATE, since

the number of potential defier types grows rapidly with the number of available instruments. Secondly, even if PM is valid, the CC-LATE is generally more interesting than TSLS, since the interpretation of the CC-LATE is straightforward and intuitive. The CC-LATE can be interpreted as a weighted average over the combined complier LATEs, with the weights equalling the corresponding complier shares. Thus, the weights are non-negative by construction and have an intuitive interpretation. In contrast, under PM, TSLS estimates a weighted average of effects for the same types that constitute the combined compliers. However, the weights assigned to each type are merely proportional to the relative share of each type, rather than being precisely their relative shares. Therefore, TSLS estimates can significantly differ from the CC-LATE, which is arguably its target parameter.

Estimating, the CC-LATE simply requires running TSLS using a single instrument in the sub-sample of observations where all instruments take the same value. Thus, estimating the CC-LATE requires dropping data, but keeps the most informative observations. The remaining observations provide informative insights into the combined complier population, which is notably larger than any alternative complier population. It is crucial to underscore that dropping observations does not necessarily reduce efficiency, as we will argue in more detail. The intuition is that even though our estimator uses fewer observations than TSLS we generally have a larger first stage because of the larger complier population, which generally compensates for the loss in precision caused by discarding observations. Both our simulation studies and our empirical application show that the precision of our estimator is similar to the precision of TSLS. Moreover, the CC-LATE simplifies analysis by effectively reducing to a single instrument context regardless of the number of initial instruments, essentially providing a dimensionality reduction. This also means that many results for the single instrument setting are applicable when estimating the CC-LATE. For example this simplifies the inclusion of covariates when instruments are conditionally valid as we can readily use the several estimators proposed in the literature (see for example Tan (2006), Frölich (2007), Słoczyński et al. (2022), and Ma (2023)).

Our proposed method is suitable for various scenarios involving a binary treatment and multiple instruments. We illustrate our method by estimating the effect of learning of one’s HIV status on protective behavior, such as the purchase of condoms. Thornton (2008) investigates the effect of knowing one’s HIV status on the purchase of contraceptives in rural Malawi, countering selection issues by instrumenting with a financial incentive offered in the form of cash and with the distance to the recommended HIV center. We argue that LiM is more plausible than PM in this application. We find that the CC-LATE estimates provide more evidence for protective behavior after learning of one’s HIV status than the TSLS estimates. Differences between the estimates might be due to differences in the weighting schemes between the TSLS estimand and our CC-LATE and/or a violation of PM. We also show that the CC-LATE allows

us to estimate the LATE on a substantially larger complier population than using each instrument individually. When using the cash instrument only (the one which generates the highest compliers’ share among the instruments we consider), the relative compliers consist of 42.5% of the entire population, whereas using the distance instrument yields a share of compliers equal to 2.4% of the population. When we use both instruments and estimate the CC-LATE, the share of combined compliers refers to 44.4% of the population. Particularly compelling is that, when introducing a third instrument which indicates whether an amount above the median cash value was received (30.3% of compliers in isolation), the combined compliers extend to 52.9% of the population. This is a substantial improvement over using any of the instruments alone.

Our work is most closely related to that of Mogstad et al. (2021), Frölich (2007), and Goff (2020). Mogstad et al. (2021) introduce PM and show that the TSLS estimand retains the interpretation of a weighted average of LATEs under this assumption. For the reasons discussed above, LiM is generally less restrictive than PM, and the CC-LATE is a more intuitive parameter than the weighted average of LATEs that TSLS identifies. Frölich (2007) considers identification with multiple instrumental variables. His estimand is identical to ours, but it differs in terms of interpretation as he imposes IAM. Frölich (2007) shows that the estimand gives the effect for the largest group of (pure) compliers, whereas we show that, under LiM, the CC-LATE refers to the combined complier population, which also includes types ruled out under IAM. Similarly, Goff (2020) considers the same estimand but under vector monotonicity (VM), which is a special form of PM and strictly stronger than our LiM. Under this assumption, Goff (2020) shows that the “all compliers” LATE (ACL) is identified. In the setting with two binary instruments, the combined complier population of the CC-LATE is equivalent to Goff’s (2020) all compliers population, and the ACL and the CC-LATE coincide. Therefore, in the two instruments setting, we show that both parameters are identified under a strictly weaker assumption. When more than two instruments are available, the “all compliers” and the “combined compliers” are different, with the latter being at least as large as the former. Thus, our CC-LATE gives the ATE for a potentially larger complier population, which is generally more desirable, and it is identified using the same estimand under a weaker monotonicity assumption.

Other studies have focused on relaxing the monotonicity assumption in the setting with a binary treatment and a single binary instrument (Słoczyński, 2020; Kolesár, 2013; Small et al., 2017; De Chaisemartin, 2017; Dahl et al., 2023), or on relaxing or omitting monotonicity in the case of unordered treatments (Kirkeboen et al., 2016; Hull, 2018; Salanié and Lee, 2018; Heckman and Pinto, 2018). In the multiple instruments setting, Huntington-Klein (2020) derives identification of the Super-Local Average Treatment Effect under a condition where monotonicity is imposed on subgroups within the data. Mogstad et al. (2020) show that each instrument has its own selection equation under PM, and they use mutual consistency of these equations to obtain

information about (instrument-invariant) parameters. One strand of the literature focuses on estimating treatment effects beyond the LATE through extrapolation. For instance, Mogstad and Torgovitsky (2018) extrapolate the support of a single LATE to include observations other than compliers and provide bounds. Mogstad et al. (2018) extrapolate the LATE to a population with lower willingness to pay for treatment.

The remainder of this paper is organized as follows: Section 2 will begin by introducing the LiM assumption and the CC-LATE for the setting with two binary instruments, followed by an extension to the setting with more than two binary instruments. Section 3 presents a comparison of LiM to other versions of the monotonicity assumption. Section 4 provides an empirical application to the impact of learning of learning of one’s HIV status on contraceptive use as considered by Thornton (2008). Finally, Section 5 provides a final discussion. All the proofs, some additional results, a comparison of the CC-LATE estimand to other estimands, and some simulation studies are included in the appendix.

2 Limited monotonicity and the combined compliers LATE

2.1 Definitions and baseline assumptions

Consider the standard Imbens and Angrist (1994) LATE framework, including an outcome Y and a binary treatment D . Assume we have k binary instruments Z_1, Z_2, \dots, Z_k . Denote by $D_i^{z_1 z_2 \dots z_k} \in \{0, 1\}$ the potential treatment states, and by $Y_i^{d, z_1 z_2 \dots z_k}$ the potential outcomes (see, for instance, Rubin, 1974), assuming that the instruments satisfy the exclusion restriction, i.e., they do not directly affect Y_i^d , and are independent of the potential treatments and outcomes. This ensures that the instruments are as good as randomly assigned. Formally, this is given by Assumption 1.¹

Assumption 1: Random assignment and exclusion

$$Z_j \perp\!\!\!\perp (D^{z_1 z_2 \dots z_k}, Y^d) \quad \forall z_1 z_2 \dots z_k \in \{0, 1\}^k, d \in \{0, 1\}, j \in \{1, 2, \dots, k\}.$$

We make the following two additional assumptions, which are standard for the LATE framework: The stable unit treatment value assumption (SUTVA) and the instrument relevance assumption. SUTVA requires that the observed outcome is equal to the potential outcome under the received treatment and ensures that the treatment assigned to any individual does not affect the potential outcomes of any other individual, that the individuals do not potentially have access to a different

¹Assumption 1 can be replaced by mean independence when mean effects are of interest, as is the case in our setting. However, in many settings, making the stronger assumption of independence is as realistic as imposing mean independence.

version of the treatment, and that there is no measurement error. The relevance assumption ensures that compliers exist.

Assumption 2: SUTVA

$$Y = Y^d \text{ if } D = d, \text{ and } D = D^{z_1 z_2 \dots z_k} \text{ if } Z_1 = z_1, Z_2 = z_2, \dots, \text{ and } Z_k = z_k.$$

Assumption 3: Instrument relevance

$$0 < P(Z_1 \cdot Z_2 \cdot \dots \cdot Z_k = 1) < 1 \text{ and } 0 < P((1 - Z_1) \cdot (1 - Z_2) \cdot \dots \cdot (1 - Z_k) = 1) < 1 \text{ and } P(D^{1\dots 1\dots 1} = 1) \neq P(D^{0\dots 0\dots 0} = 1).$$

These three assumptions alone do not guarantee identification of a meaningful causal effect. To identify the LATE with only one binary instrument, we need to impose the standard monotonicity assumption that rules out defiers. With multiple binary instruments, we propose a novel monotonicity assumption and we require that individuals are at least as likely to be treated if all the instruments are switched on as when all the instruments are switched off. In terms of potential treatments, this gives Assumption 4. We refer to this assumption as *limited* monotonicity, since it only imposes a constraint on $P(D^{1\dots 1\dots 1} \geq D^{0\dots 0\dots 0})$. In Section 3, we compare LiM to the monotonicity assumptions proposed by Imbens and Angrist (1994) and Mogstad et al. (2021), and show that LiM is strictly weaker than the former and generally weaker than the latter.

Assumption 4: Limited monotonicity (LiM)

$$P(D^{1\dots 1\dots 1} \geq D^{0\dots 0\dots 0}) = 1 \text{ or } P(D^{1\dots 1\dots 1} \leq D^{0\dots 0\dots 0}) = 1.$$

We assume that the instruments are defined such that positive LiM holds, i.e., $P(D^{1\dots 1\dots 1} \geq D^{0\dots 0\dots 0}) = 1$. This only requires defining all instruments such that they each have a positive first stage.

2.2 Two binary instrument setting

First, we demonstrate our results for the two binary instrument setting. These results are generalizable to an arbitrary number of binary instruments as shown in Section 2.3.

2.2.1 Principal strata and types

With one binary instrument, Imbens and Angrist (1994) (see also Angrist et al., 1996) define four types of individuals: compliers, always-takers, never-takers, and defiers. These types are defined by the values of their potential treatments. With two binary instruments there are sixteen possible types of individuals, as listed in Table 1. Similar to the setting with one binary

instrument, the never-takers (nt) never take up treatment and the always-takers (at) always take up treatment, independent of the instrument values. We follow Mogstad et al. (2021) in labeling some of the other response types: The eager compliers (ec), the reluctant compliers (rc), the first instrument compliers ($1c$), and the second instrument compliers ($2c$). These compliers respond to either one of the instruments or a combination thereof. We define combined compliers as the set $cc \equiv \{ec, rc, 1c, 2c\}$, so combined compliers are any of these four complier types.

There are different defier types with two binary instruments. Second instrument defiers ($2d$) respond more strongly to the first instrument, since $D = 1$ when $Z_1 = 1$ ($D^{11} = 1$ and $D^{10} = 1$), but they are defiers with respect to the second instrument as soon as $Z_1 = 0$ ($D^{01} = 0$ and $D^{00} = 1$). Similar reasoning can be followed for the first instrument defiers ($1d$). Eager defiers (ed) only take up treatment when either both instruments are switched on ($D^{11} = 1$) or when both instruments are switched off ($D^{00} = 1$), but not when a single instrument is switched on ($D^{10} = 0$ and $D^{01} = 0$). Reluctant defiers (rd) do not take up treatment when either both instruments are switched on ($D^{11} = 0$) or when both instruments are switched off ($D^{00} = 0$), but they do take up treatment when a single instrument is switched on ($D^{10} = 1$ and $D^{01} = 1$). Finally, there are six other defier types ($d1, d2, d3, d4, d5$, and $d6$).

Note that, unlike the case with a single binary instrument, monotonicity with multiple instruments means that there are more defier types than complier types. This is due to the existence of defiers with respect to either instrument. When only one of the instruments is observed, individuals may correspond to different types for a given value of this instrument, depending on the value that the other (possibly unobserved) instrument takes (see Table 1). For instance, consider an eager defier (ed). If only instrument Z_1 were observed, this individual would be a complier when $Z_2 = 1$. The same individual would be a defier with respect to Z_1 when $Z_2 = 0$.

In the two-instrument setting, LiM reduces to the following assumption:²

Limited monotonicity (LiM) in the two-instrument setting

$$P(D^{11} \geq D^{00}) = 1.$$

LiM allows for 12 out of the 16 initial response types (see Table 1). It rules out four defier types, as shown in Table 1 ($d3, d4, d5$, and $d6$). These are the defier types that would take up

²Vytlacil's equivalence result (Vytlacil, 2002) connects the LATE assumptions to selection models. Monotonicity assumptions place restrictions on choice behavior. Suppose that we have the following selection equation:

$$D_i(z_1, z_2) = \mathbb{1}[\beta_{0i} + \beta_{1i}z_1 + \beta_{2i}z_2 + \beta_{3i}z_1z_2 \geq 0].$$

LiM only imposes that either $\beta_{1i} + \beta_{2i} + \beta_{3i} \geq 0$ or $\beta_{1i} + \beta_{2i} + \beta_{3i} \leq 0$. It neither imposes restrictions on the signs and magnitudes of the coefficients nor on direct comparisons between the coefficients. $\beta_{0i}, \beta_{1i}, \beta_{2i}$, and β_{3i} are allowed to vary with i , allowing for rich choice heterogeneity.

treatment when all instruments are switched off ($D^{00} = 1$), but would not take up treatment when all instruments are switched on ($D^{11} = 0$). These response types never classify as a complier when only one of the instruments is observed. More specifically, receiving a second instrument never pushes these individuals towards compliance.

2.2.2 The CC-LATE

Our parameter of interest, denoted by β , is the combined compliers local average treatment effect (CC-LATE), defined as $E(Y^1 - Y^0 | T \in cc)$, where T denotes type and the combined compliers are the set $cc \equiv \{ec, rc, 1c, 2c\}$ for the case of two instruments. In this case, the CC-LATE corresponds to the ATE for those individuals who are a complier with respect to at least one of the instruments, whilst not defying the other instrument. In general, the combined compliers are individuals who become compliers when all the instruments are switched on. This implies that the CC-LATE is robust to the presence of defier types, except the ones that are more likely to be treated with all instruments are turned off than when all instruments are switched on (see Table 1).

Table 1: Principal strata and the definition of the response types in case of two binary instruments and a binary treatment.

Type (T)	D^{11}	D^{10}	D^{01}	D^{00}	Type w.r.t. Z_1		Type w.r.t. Z_2		Notion	LiM	PM	IAM
					when $Z_2 = 0$	when $Z_2 = 1$	when $Z_1 = 0$	when $Z_1 = 1$				
at	1	1	1	1	Always-taker	Always-taker	Always-taker	Always-taker	Always-taker	✓	✓	✓
ec	1	1	1	0	Complier	Always-taker	Complier	Always-taker	Eager complier	✓	✓	✓
rc	1	0	0	0	Never-taker	Complier	Never-taker	Complier	Reluctant complier	✓	✓	✓
$1c$	1	1	0	0	Complier	Complier	Never-taker	Always-taker	First instrument complier	✓	✓	✓
$2c$	1	0	1	0	Never-taker	Always-taker	Complier	Complier	Second instrument complier	✓	✓	
$1d$	1	0	1	1	Defier	Always-taker	Always-taker	Complier	First instrument defier	✓		
$2d$	1	1	0	1	Always-taker	Complier	Defier	Always-taker	Second instrument defier	✓		
ed	1	0	0	1	Defier	Complier	Defier	Complier	Eager defier	✓		
rd	0	1	1	0	Complier	Defier	Complier	Defier	Reluctant defier	✓		
$d1$	0	1	0	0	Complier	Never-taker	Never-taker	Defier	Defier type 1	✓		
$d2$	0	0	1	0	Never-taker	Defier	Complier	Never-taker	Defier type 2	✓		
$d3$	0	1	1	1	Always-taker	Defier	Always-taker	Defier	Defier type 3			
$d4$	0	1	0	1	Always-taker	Never-taker	Defier	Defier	Defier type 4			
$d5$	0	0	1	1	Defier	Defier	Always-taker	Never-taker	Defier type 5			
$d6$	0	0	0	1	Defier	Never-taker	Defier	Never-taker	Defier type 6			
nt	0	0	0	0	Never-taker	Never-taker	Never-taker	Never-taker	Never-taker	✓	✓	✓

✓ demonstrates the types allowed for under the respective forms of the monotonicity assumption.

Response types under PM underlie the choice restrictions as defined in Equation (1). These are equivalent to the ones underlying Table 3 of Mogstad et al. (2021).

Response types under IAM are for the setting when all individuals prefer the incentive created by Z_1 over the incentive created by Z_2 .

Theorem 1 gives our main result for the setting with two binary instruments.

Theorem 1: Let Assumptions 1, 2, 3, and 4 hold. Then the CC-LATE is identified as

$$\beta = \frac{E(Y | Z_1 = 1, Z_2 = 1) - E(Y | Z_1 = 0, Z_2 = 0)}{E(D | Z_1 = 1, Z_2 = 1) - E(D | Z_1 = 0, Z_2 = 0)} = E(Y^1 - Y^0 | T \in cc),$$

where T denotes type and the combined compliers are the set $cc \equiv \{ec, rc, 1c, 2c\}$.

Proof in Appendix A.1.

2.2.3 Estimation and inference

A first alternative is to estimate the CC-LATE by applying TSLS in the sample where all instrument values are either equal to zero or equal to one, using $\tilde{Z} = Z_1 = Z_2$ as the sole instrument. Running TSLS in this subsample gives $\hat{\beta} = (D^T P_{\tilde{Z}} D)^{-1} D^T P_{\tilde{Z}} Y$ with $P_{\tilde{Z}} = \tilde{Z}(\tilde{Z}^T \tilde{Z})^{-1} \tilde{Z}^T$, which reduces to $\hat{\beta} = (\tilde{Z}' D)^{-1} \tilde{Z}' Y$ in the just-identified case. Denote the subsample averages of Y and D when $z_1 = 0$ and $z_2 = 0$ by \bar{Y}_{00} and \bar{D}_{00} , and as \bar{Y}_{11} , and \bar{D}_{11} when $z_1 = 1$ and $z_2 = 1$. Then $\hat{\beta} = \frac{\bar{Y}_{11} - \bar{Y}_{00}}{\bar{D}_{11} - \bar{D}_{00}}$, as shown in Appendix A.2. An alternative representation of this estimator using two ordinary least squares (OLS) regressions as well as method of moments (MM) estimation are provided in Appendix A.3. Standard MM estimation packages can be used to automatically generate consistent estimates and standard errors. It is also possible to estimate the CC-LATE by replacing the expectations of the estimand with sample averages. We refer to the results of Tan (2006), Frölich (2007), Słoczyński et al. (2022), and Ma (2023), when instruments are conditionally valid and covariates are to be included.

2.3 Extension to more than two instruments

Suppose we have $k > 2$ binary instruments that all satisfy the LATE assumptions. It can be shown that

$$E(Y^1 - Y^0 | T \in cc) = \frac{E(Y | Z_1 = 1, \dots, Z_k = 1) - E(Y | Z_1 = 0, \dots, Z_k = 0)}{E(D | Z_1 = 1, \dots, Z_k = 1) - E(D | Z_1 = 0, \dots, Z_k = 0)},$$

where cc is the set of individuals who comply with at least one of the instruments or a combination thereof, while not defying any of the instruments when the other instrument values are all equal to zero or all equal to one. A great advantage of this parameter is that it is robust to the presence of many different defier types. More specifically, it allows for all defier types for which $P(D^{11\dots 1} = D^{00\dots 0}) = 1$.

Proof in Appendix A.4.

The size of the group of combined compliers is given by

$$E(D|Z_1 = 1, \dots, Z_k = 1) - E(D|Z_1 = 0, \dots, Z_k = 0) \quad (1)$$

It is easy to see that adding an additional instrument can only increase the size of the combined complier population, and, in turn, the denominator of our CC-LATE estimand can potentially become larger. However, increasing the number of instruments reduces the sample size used for estimation, since only data where all instruments are either all simultaneously zero or all simultaneously one are used. This potentially gives a trade-off between the estimation precision and the size of the complier population. In general, adding strong instruments generates a sizable portion of new compliers, therefore increasing the combined complier population, which can offset the precision loss from using a smaller sample size by increasing the denominator of the estimator. Our simulation results (see Appendix C), as well as the empirical application (see Section 4.4) confirm this intuition.

As we outlined in Section 2.2.3, we can easily estimate the CC-LATE by running TSLS in the subsample where, for each unit, the instruments either all equal one or they all equal zero. Let N_k be the number of observations in this subsample when using k instruments, $\tilde{Z}^k = Z_1 = Z_2 \dots = Z_k$, $\pi_{cc,k} = E(D = 1|\tilde{Z}^k) - E(D = 0|\tilde{Z}^k)$, $\hat{\beta}_k = (\tilde{Z}^{k'} D)^{-1} \tilde{Z}^{k'} Y$ and $\sigma_k^2 = Var(Y - \beta_{CC-LATE} D)$. Then, under homoskedasticity, we have

$$Var(\hat{\beta}_k) = \sigma_k^2 \frac{1}{N_k} \frac{1}{\pi_{cc,k}^2 E(\tilde{Z}^k)(1 - E(\tilde{Z}^k))}.$$

Note that for $k = 1$, we have the standard TSLS variance with one instrument and one binary endogenous variable. This variance is not necessarily increasing in k . Clearly, adding an instrument reduces the sample size, i.e., $N_k > N_{k+1}$, but at the same time using an extra instrument could increase the share of combined compliers: $\pi_{cc,k}^2 \leq \pi_{cc,k+1}^2$. For the other components of the variance, we cannot say a priori whether they are increasing or decreasing in k . Therefore, adding instruments might even reduce the variance. A similar argument can be made for the heteroskedastic case and when comparing TSLS with our CC-LATE estimator.

In conclusion, we do not expect substantial loss in efficiency when estimating the CC-LATE in applications where the instruments are all strong, the number of instruments is relatively small, or the sample size is very large. In applications in which precision is an issue, one might consider increasing the range of points included at the outer support of Z to decrease the variance at the cost of introducing some bias in a similar manner as in Regression Discontinuity Designs. One might also consider discarding instruments that generate too few additional compliers at the cost of substantially reducing precision.

3 Comparison of monotonicity assumptions

3.1 LiM compared to PM and IAM

This section illustrates why LiM is generally more plausible than alternative monotonicity assumptions. The monotonicity assumptions by Imbens and Angrist (1994) and Mogstad et al. (2021) can be formulated as follows: ³

Imbens and Angrist monotonicity (IAM) (Imbens and Angrist, 1994)

$$P(D^{i\dots j\dots k} \geq D^{p\dots q\dots r}) = 1 \text{ or } P(D^{i\dots j\dots k} \leq D^{p\dots q\dots r}) = 1$$

$$\forall i \in \{0, 1\}, \dots, j \in \{0, 1\}, \dots, k \in \{0, 1\} \text{ and } \forall p \in \{0, 1\}, \dots, q \in \{0, 1\}, \dots, r \in \{0, 1\}$$

such that $P(D^{i\dots j\dots k}) \neq P(D^{p\dots q\dots r})$.

Partial monotonicity (PM) (Mogstad et al., 2021)

$$P(D^{1\dots j\dots k} \geq D^{0\dots j\dots k}) = 1 \text{ or } P(D^{1\dots j\dots k} \leq D^{0\dots j\dots k}) = 1,$$

$$P(D^{i\dots 1\dots k} \geq D^{i\dots 0\dots k}) = 1 \text{ or } P(D^{i\dots 1\dots k} \leq D^{i\dots 0\dots k}) = 1, \text{ and}$$

$$P(D^{i\dots j\dots 1} \geq D^{i\dots j\dots 0}) = 1 \text{ or } P(D^{i\dots j\dots 1} \leq D^{i\dots j\dots 0}) = 1$$

$$\forall i \in \{0, 1\}, \dots, j \in \{0, 1\}, \dots, k \in \{0, 1\}.$$

Obviously, all three assumptions are equivalent in the case of one binary instrument, where they reduce to either $P(D^1 \geq D^0) = 1$ or $P(D^1 \leq D^0) = 1$. When there are two or more instruments, LiM is strictly weaker than IAM. To illustrate this, consider the setting with two binary instruments: $Z_1 \in \{0, 1\}$ and $Z_2 \in \{0, 1\}$ with support $\mathcal{Z} = \{(0, 0), (0, 1), (1, 0), (1, 1)\}$. Since there are four different combinations of the instrument values, there are $\binom{4}{2} = 6$ comparisons of potential treatments, $d \in \{0, 1\}$. In other words, there are six selection probabilities $P(D^z \geq D^{z'}) = d$ with $z, z' \in \{(0, 0), (0, 1), (1, 0), (1, 1)\}$ and $z \neq z'$, that can be restricted by imposing some sort of monotonicity. IAM restricts all six comparisons. LiM always imposes only one restriction, independent of the number of instruments. To give an example, IAM imposes either $P(D^{10} \geq D^{01}) = 1$ or $P(D^{10} \leq D^{01}) = 1$. This translates to requiring that all individuals favor one instrument over the other instrument. Consequently, it is not possible to have some individuals who have a preference for Z_1 and other individuals who have a preference for Z_2 . For instance, if all individuals are restricted to favor Z_1 over Z_2 , then all the response types except the ones indicated in Table 1, are ruled out. LiM allows for richer choice heterogeneity through the co-existence of both first instrument compliers and second instrument compliers. Following the same line of reasoning, LiM is less restrictive than IAM in settings with more than two binary instruments, as it does not impose any ordering on $P(D^{i\dots j\dots k} \geq D^{i\dots j\dots k}) \forall i \neq j \neq k$.

³Note that vector monotonicity (VM) as introduced by Goff (2020) is equivalent to PM in some settings, and stronger than PM otherwise. Therefore, it is not considered here.

While IAM restricts all six comparisons of potential treatments for different instrument values in the case of two instruments, PM imposes four restrictions. PM requires each of the probabilities $P(D^{00} \geq D^{10})$, $P(D^{00} \geq D^{01})$, $P(D^{10} \geq D^{11})$, and $P(D^{01} \geq D^{11})$ to be either zero or one. Notice that only one of all the possible PM assumptions can be consistent with the data. Estimating $E(D^{00})$, $E(D^{10})$, $E(D^{01})$, and $E(D^{11})$ reveals the version that is consistent with the considered data. With two instruments, PM allows for at most seven different response types to co-exist. When increasing the values of the instruments makes participation weakly more likely, PM imposes the following restrictions:

$$P(D^{10} \geq D^{00}) = 1, P(D^{01} \geq D^{00}) = 1, P(D^{01} \geq D^{11}) = 0, P(D^{10} \geq D^{11}) = 0. \quad (2)$$

The six response types consistent with the ordering in Equation (2) are given in Table 1. These choice restrictions rule out six defier types that LiM allows for. It is worth noting that the signs on the choice restrictions $P(D^{10} \geq D^{00}) = 1$ and $P(D^{10} \geq D^{11}) = 0$ as well as $P(D^{01} \geq D^{00}) = 1$ and $P(D^{01} \geq D^{11}) = 0$ are of opposite direction such that $P(D^{00} \geq D^{11}) = 0$ is imposed. PM and LiM are nested in this case and LiM is strictly weaker, i.e., LiM is strictly weaker than PM when increasing (decreasing) instrument values always increases (decreases) treatment uptake.

When the signs of $P(D^{10} \geq D^{00}) = 1$ and $P(D^{10} \geq D^{11}) = 0$ as well as $P(D^{01} \geq D^{00}) = 1$ and $P(D^{01} \geq D^{11}) = 0$ have the same direction, then no restriction on $P(D^{00} \geq D^{11})$ is imposed by PM and the two assumptions are non-nested. With two binary instruments, there are four possible combinations of choice restrictions in accordance with PM that are non-nested with either positive LiM, $P(D^{00} \leq D^{11}) = 1$, or negative LiM, $P(D^{00} \geq D^{11}) = 1$:

$$P(D^{10} \geq D^{00}) = 1, P(D^{01} \geq D^{00}) = 1, \text{ and } P(D^{01} \geq D^{11}) = 1, P(D^{10} \geq D^{11}) = 1. \quad (3)$$

$$P(D^{10} \geq D^{00}) = 1, P(D^{01} \geq D^{00}) = 0, \text{ and } P(D^{01} \geq D^{11}) = 0, P(D^{10} \geq D^{11}) = 1. \quad (4)$$

$$P(D^{10} \geq D^{00}) = 0, P(D^{01} \geq D^{00}) = 1, \text{ and } P(D^{01} \geq D^{11}) = 1, P(D^{10} \geq D^{11}) = 0. \quad (5)$$

$$P(D^{10} \geq D^{00}) = 0, P(D^{01} \geq D^{00}) = 0, \text{ and } P(D^{01} \geq D^{11}) = 0, P(D^{10} \geq D^{11}) = 0. \quad (6)$$

The response types that are present under these four different versions of the assumptions are listed in Table 2, together with the response types under positive and negative LiM. Clearly, in all four cases, LiM allows for substantially more choice heterogeneity than PM, allowing for a much larger number of different response types. For each of these four versions of PM, there is only one response type that is included under PM that would be ruled out under LiM, at the cost of ruling out several other types. It is unlikely that this is a plausible scenario in empirical applications. As will be outlined below, justifying PM over LiM becomes even more difficult as the number of instruments increases.

Consider the three binary instrument setting with the three instruments $Z_1 \in \{0, 1\}$, $Z_2 \in \{0, 1\}$, and $Z_3 \in \{0, 1\}$, and with support $\mathcal{Z} = \{(0, 0, 0), (0, 0, 1), (0, 1, 0), (1, 0, 0), (1, 1, 0), (0, 1, 1), (1, 0, 1), (1, 1, 1)\}$. Without imposing any restrictions, there are $2^8 = 256$ different response types, since there are eight different points of support of Z for which the potential treatment status is compared pairwise. The eight different combinations of the instrument values result in $\binom{8}{2} = 28$ comparisons of potential treatments. LiM includes individuals who are compliers with respect to at least one of the instruments or a combination of instruments, but defiers for another instrument (or potentially multiple other instruments), as long as the treatment status when exposed to all instruments is at least as large as when exposed to none of the instruments. Imposing LiM ($P(D^{111} \geq D^{000}) = 1$ or $P(D^{111} \leq D^{000}) = 1$) rules out 64 of the initial 256 response types, allowing for a total of 192 possible types.

The maximum number of response types under PM is only 35, since it imposes more choice restrictions. PM imposes twelve restrictions in total that bring about $2^{12} = 4,096$ different versions of PM.⁴ PM and LiM are nested in approximately 82% ($3,366/4,096 \approx 0.82$) of these cases. In all those instances, LiM is strictly weaker than PM. PM seems rather unrealistic when it is non-nested with LiM, which entails the remaining 18% of the versions of PM. These versions of PM only allow for either one, two or three additional response types excluded by LiM, at the cost of ruling out many other types that are included under LiM. In approximately 10% of all cases ($(730 - 324 - 12)/4,096$), one response type is allowed for under PM that is ruled out under LiM. In approximately 8% ($324/4,096$) of the cases, PM allows for two other response types. The maximum number of extra response types that PM allows for when non-nested with LiM is three, which occurs in 0.3% ($12/4,096$) of the possible combinations that are consistent with the PM assumption.

The number of defier types increases rapidly with the number of available binary instruments. The total possible number of response types is given by 2^{2^k} . Under LiM, 75% of the response types are allowed for and 25% are ruled out, independently of the number of instruments, k . The combined compliers always consist of 25% of the total number of response types, meaning that $0.25 \cdot 2^{2^k}$ response types form the combined compliers. Calculating the number of response types under PM is more complicated, since the number of response types depends on the signs of the choice restrictions. Every choice restriction that is imposed eliminates at most 25% of the response types. The number of choice restrictions imposed by PM when k instruments are available equals $k \cdot 2^{k-1} = \sum_{i=1}^k \binom{k}{i-1} \cdot (k - i - 1)$.

⁴An R-script for the response types that are allowed for under the different monotonicity assumptions in case of three binary instruments is available from the authors upon request.

Table 2: Principal strata and the definition of the response types in case of two binary instruments and a binary treatment when LiM and PM are non-nested.

Type (T)	D^{11}	D^{10}	D^{01}	D^{00}	Notion	LiM (positive)	LiM (negative)	PM (Equation 3)	PM (Equation 4)	PM (Equation 5)	PM (Equation 6)
at	1	1	1	1	Always-taker	✓	✓	✓	✓	✓	✓
ec	1	1	1	0	Eager complier	✓		[✓]			
rc	1	0	0	0	Reluctant complier	✓					[✓]
$1c$	1	1	0	0	First instrument complier	✓			[✓]		
$2c$	1	0	1	0	Second instrument complier	✓				[✓]	
$1d$	1	0	1	1	First instrument defier	✓	✓			✓	✓
$2d$	1	1	0	1	Second instrument defier	✓	✓		✓		✓
ed	1	0	0	1	Eager defier	✓	✓				✓
rd	0	1	1	0	Reluctant defier	✓	✓	✓			
$d1$	0	1	0	0	Defier type 1	✓	✓	✓	✓		
$d2$	0	0	1	0	Defier type 2	✓	✓	✓		✓	
$d3$	0	1	1	1	Defier type 3		✓	(✓)			
$d4$	0	1	0	1	Defier type 4		✓		(✓)		
$d5$	0	0	1	1	Defier type 5		✓			(✓)	
$d6$	0	0	0	1	Defier type 6		✓				(✓)
nt	0	0	0	0	Never-taker	✓	✓	✓	✓	✓	✓

✓ demonstrates the types allowed for under the respective forms of the monotonicity assumption.

(✓) denotes the one response type that is only allowed for under PM but excluded under positive LiM.

[✓] denotes the one response type that is only allowed for under PM but excluded under negative LiM.




Figure 1: The maximum number of possible response types when one, two or three binary instruments are available under different versions of the monotonicity assumption is depicted. This figure shows that when more than one binary instrument is available, LiM imposes far fewer choice restrictions on the response types present in the population.

A graphic illustration of the restrictiveness of other forms of monotonicity compared to LiM is given in Figure 1. This figure depicts the maximum number of types under each monotonicity assumption. It clearly demonstrates the advantage of imposing the LiM assumption, as the number of allowed response types increases rapidly with the available instruments. PM forces the researcher to make a choice between types. Another problem is that, depending on the types and the ordering of the propensity scores, some response types can lead to negative weights in the weighted average estimated by TSLS. This is further outlined in Appendix D.

3.2 Example: Twinning and same-sex instruments

The main advantage of LiM over PM is that it allows for much greater flexibility in the response types that are allowed to co-exist. There are several applications in which LiM appears more plausible than PM. We discuss the application studied by Angrist and Evans (1998) as an example in this section.

The twinning instrument and the same-sex instrument are commonly used for exogenous variation in household size. The twinning instrument equals one when the second and third children are twins, and the same-sex instrument equals one when the two firstborn children in a family are of the same sex. Angrist and Evans (1998) introduce the same-sex instrument based on the observation that parents generally have a preference for a mixed-sex sibling composition and compare this instrument to the twinning instrument. Since the sex of a child is basically randomly assigned, parents with two firstborn children of the same sex are more likely to increase

their household size with a third child. Moreover, since parents generally do not choose to have twins, twins at second and third birth can be seen as randomly assigning parents to having a household with three instead of two children. Thus, both instruments are commonly used to disentangle the effect of having a third child on female labor market outcomes.

Generally, it is assumed that parents have a preference for siblings of opposite sexes. Hence, if the two firstborn siblings are of the same sex, it is assumed that parents are more likely to have a third child. However, Dahl and Moretti (2008) find that the household size is larger when the firstborn is a girl and that boys are favored over girls in the United States. Moreover, De Chaisemartin (2017) mentions that the 2012 Peruvian wave of the Demographic and Health Surveys shows that, in retrospect, 1.8% of the women with mixed firstborn composition and three children or more would have preferred either two boys or two girls. In these settings, LiM is more plausible to assume than PM. To illustrate this, consider two binary instruments Z_1 , which is equal to one when the two firstborn are of the same sex, and Z_2 , which is equal to one when the second and third children are twins. Note that it is impossible to defy the twinning instrument, Z_2 . This implies that $D^{z_1,1} = 1$. Therefore, only four types can exist: always takers, eager compliers, second (twin) instrument compliers and first (same sex) instrument defiers. In this setting, LiM holds by construction while PM can be violated. If both same-sex instrument defiers and eager compliers exist PM is violated. For the former type we have that $D^{01} > D^{00}$, while for the latter $D^{01} < D^{00}$. However, PM requires that either $D^{01} \geq D^{00}$ or $D^{01} \leq D^{00}$. Therefore, the coexistence of these two types violates PM.

As argued by Dahl and Moretti (2008), some parents might have a preference for boys and decide not to have a third child when the two firstborn children are boys, whereas they might have a third child when the two firstborn children are mixed sex. These parents defy the same-sex instrument and can be considered first instrument defiers, which are ruled out under PM, but are allowed under LiM.

4 Empirical application to the impact of learning of HIV status

In this section, we illustrate how to apply our identification results by estimating the effect of learning of one's HIV status on protective behavior to prevent spread of the disease. Learning of a negative HIV test result might motivate individuals to further protect themselves, while learning about a positive result might motivate individuals to not spread the disease. The effect of learning of test results on the spread of the disease is very important from a policy perspective. Since learning of the test results is an individual choice, selection bias is a serious threat in this application. Thornton (2008) investigates the effect of knowledge about the own HIV status on the purchase of contraceptives in rural Malawi, dealing with selection issues by instrumenting

the endogenous decision of learning of HIV test results with a financial incentive offered in the form of cash to pick up the test result and with the distance to the recommended HIV center.

4.1 Data

For all our analyses we use the same sample as in Thornton (2008). The complete-case sample contains HIV-positive and HIV-negative individuals in Balaka and Rumphu who had sex and got tested for HIV in 2004 and took part in a follow-up survey in 2005. Similar to Thornton (2008), we consider four different outcomes. The outcomes are (1) whether or not an individual bought condoms at the follow-up survey that took place two months after testing, (2) how many condoms the individual bought at the follow-up survey, (3) if the individual reported buying condoms between getting tested and the follow-up survey, and (4) whether the individual reported having sex between getting tested and the follow-up survey. The treatment is whether or not the individual obtained the HIV test results and hence is aware of their HIV status.

We consider three instruments. The first instrument equals one when an individual received *any cash* incentive and zero otherwise. The second instrument is a *distance* incentive that equals one when distance to an HIV test center is less than 1.5km and zero otherwise. We further construct a third instrument, *above median cash* incentive, that equals one if the individual received an amount of cash incentive above the median amount, and zero otherwise. The idea is that some individuals will only react to the incentive if they receive a larger amount of cash. Therefore, this instrument can potentially generate more compliers.

4.2 Motivation for LiM and the CC-LATE

We first start by checking which version of PM is consistent with the data. To this end, define $\bar{D}^{z_1, z_2} = \frac{1}{\sum_i z_{1,i} \cdot z_{2,i}} \sum_i z_{1,i} \cdot z_{2,i} \cdot D_i$. When we only consider the *any cash* and *distance* instruments, we have $\bar{D}^{00} = 0.388$, $\bar{D}^{10} = 0.805$, $\bar{D}^{01} = 0.392$, and $\bar{D}^{11} = 0.832$. This implies that the ordering of PM as in Equation (2) in Section 3 is consistent with the data, leading to the response types as listed in Table 1 in Section 2. When adding the third instrument, *above median cash*, the version of PM consistent with the data is nested with LiM and strictly stronger. It is worth noting that in the two instruments case, TSLS estimates a weighted average of the LATEs on the types in the set of combined compliers, while our CC-LATE directly gives a single LATE for the combined complier population, which is arguably a more interesting causal parameter.

Moreover, we argue that assuming LiM is more plausible in this application than assuming PM. First of all, LiM is more plausible regarding the response types potentially present in the population. Living close to the recommended HIV center might encourage some individuals to learn of their HIV status due to the small effort of traveling to the center. On the other hand, it might discourage other individuals who would feel too embarrassed to visit an HIV center in

their neighborhood out of fear of being recognized. These individuals are defiers with respect to the instrument for the proximity of an HIV center and defy learning of their HIV status when living close to the recommended HIV center. However, they could be willing to learn of their status when additionally receiving a financial incentive. Thornton (2008, p. 1858–1859) emphasizes the importance of a financial incentive to push distance defiers towards compliance. She states: “[T]he evidence from this experiment in Malawi indicates that such psychological barriers, if they exist, can easily and inexpensively be overcome. Cash incentives may directly compensate for the real costs (e.g., travel expenses, missed work) or psychological costs of obtaining HIV results, or they may indirectly reduce the stigma associated with HIV testing by providing individuals with a public excuse for attending the results center.” PM would be violated if, in addition to these individuals, there exist individuals who always comply with the proximity instrument. LiM, however, would still hold since it allows for the co-existence of proximity instrument compliers and proximity instrument defiers. LiM only requires that when individuals receive cash and live close to a center, they do not defy learning of their HIV test results. As pointed out by Thornton (2008), social stigma can prevent individuals from learning of their HIV status. She finds that social barriers can be lifted by financial incentives, as the cash provides an excuse for visiting the HIV test center.

4.3 Instrument distribution and complier share

To estimate the CC-LATE, we only use observations for which all instrument values are zero and those for which all instrument values equal one. In the setting with the two instruments, *any cash* and *distance*, 43% of the observations are used to estimate the CC-LATE (see Table 3). In the setting with all three instruments, 27% of the observations are used to estimate the CC-LATE (see Table 3). Including the third instrument, *above median cash*, thus leads to a loss of 16% of the total number of observations. Adding instruments always leads to the same amount of or fewer observations used for estimating the CC-LATE. Similarly, the combined compliers’ share is equal or higher.

The probability of being a Z_1 , Z_2 or Z_3 complier and the probability of being a combined complier in the two instrument setting are summarized in Figure 2. The share of compliers for the *distance* instrument is only 2.4%. Unsurprisingly, the largest complier share is reached at 52.9%, when all three instruments are used. Since adding instruments never decreases the complier population while simultaneously decreasing the observations used for estimating the CC-LATE, it is not clear whether adding instruments increases or decreases precision (see Section 2.3).

Table 3: Distribution of the instruments in the setting with two instruments and three instruments in the complete-case data.

	Z_1	Z_2	Z_3	No. observations	% observations
	<i>Any cash</i>	<i>Distance</i>	<i>Above median cash</i>		
Two instruments	0	0		134	13%
	1	0		497	49%
	0	1		79	8%
	1	1		298	30%
Total no. of observations				1008	100%
Observations used by CC-LATE				432	43%
Three instruments	0	0	0	134	13%
	0	1	0	79	8%
	1	0	0	254	25%
	0	0	1	0	0%
	1	1	0	154	15%
	0	1	1	0	0%
	1	0	1	243	24%
	1	1	1	144	14%
Total no. of observations				1008	100%
Observations used by CC-LATE				278	28%





Figure 2: Shares of complier populations for different instrument configurations.


4.4 Results

We estimate the effect of learning of HIV status on the four aforementioned outcomes with OLS, the CC-LATE estimator, and TSLS. Standard errors are robust and clustered at the village level. Controls are omitted.⁵ OLS, which is likely downwardly biased, gives estimates that are rather small and never statistically significant (see Figure 3a). For example, it might be that respondents who do not practice safe sex are more likely to choose to learn of their HIV status, or that individuals who do practice safe sex are less likely to choose to learn of their HIV status.

⁵Since the instruments are randomized, omitting controls should not introduce any bias.



(a) Comparison of CC-LATE estimates to the OLS estimates and the TSLS estimates resulting from using each instrument separately. The confidence intervals for *TSLS distance* for the outcome “number of condoms bought” is $[-12.66, 24.48]$. Figure 4 in Appendix B.3 excludes the estimate of the distance instrument from this figure for easier comparison.



(b) Comparison of CC-LATE estimates to the TSLS estimates in the case of two or three instruments.

Figure 3: These figures show the CC-LATE and TSLS estimates for the four outcome variables. The treatment is whether an individual learned of their HIV status. In the setting with two instruments (e.g., *CC-LATE-2*), *any cash* (if any financial incentive was received) and *distance* (HIV center within 1.5 km distance was offered) are used as instruments. In the setting with three instruments (e.g., *CC-LATE-3*), *above median cash* (one if total incentive above median, zero otherwise) is added as an instrument. Standard errors are clustered at the village level. We report 95% confidence intervals in red. The estimates can also be found in Tables 5 and 6 in Appendix B.2.

When comparing the *CC-LATE-2* and *CC-LATE-3* estimates in Figure 3a, which are the estimates when using two and three instruments, respectively, it seems that adding a third instrument does not have a major impact on the precision of the CC-LATE estimator in this application as the confidence intervals are of similar lengths for all outcomes. Apparently, the precision loss due to using fewer observations is counterbalanced by the extra compliers generated by adding the instrument. The estimate decreases in magnitude when adding the *above median cash* instrument, but it should be noted that the two CC-LATEs refer to different populations. The smaller effects might be due to the fact that the additional instrument adds compliers that need extra cash to be pushed towards compliance and are thus probably less motivated to learn of their test results.

Figure 3a also gives the estimates obtained when using each instrument separately. Clearly, for all four outcome variables, the estimate obtained when using the *distance* instrument individually is larger in magnitude with much wider confidence intervals. The F-statistic of this instrument is rather small (approximately 3), making it a “weak” instrument. This is reflected in the estimates. Using the *any cash* or the *above median cash* instruments in isolation gives estimates that are always insignificant, and confidence intervals which are comparable to one or both of our CC-LATE estimators.

We now compare CC-LATE estimates with the estimates obtained when combining the instruments with TSLS as is typically done in literature. The estimates are depicted in Figure 3b.⁶ Reassuringly, the confidence intervals of the CC-LATE estimates and TSLS estimates are comparable. The first outcome considered is whether an individual bought condoms at the follow-up survey. Individuals who received their test results were 23 percentage points more likely to buy condoms according to the CC-LATE estimate with three instruments (*any cash, distance, above median cash*). This is 12 percentage points for TSLS with three instruments, although it is not statistically significant at the 5% level. When using two instruments, we find a higher effect of 29 percentage points with our CC-LATE estimator compared to the 17 percentage points found using TSLS. For the second outcome, neither the CC-LATE nor the TSLS estimates are statistically significant at the 5% level when using three instruments. For the setting with two instruments, the CC-LATE estimate is not only larger in magnitude, but also significant and indicates that, among the combined compliers, individuals who learned of their HIV status bought on average 0.94 condoms more.

Interestingly, adding compliers who respond to the *above median cash* instrument leads to an increase in the CC-LATE estimate for the “reported buying condoms” outcome while, as we saw above, it leads to a decrease for the “bought condoms” outcome. While the former outcome

⁶See Figure B.3 in Appendix B.3 for Figure 3a without the *distance* instrument to allow for easier comparison of the CC-LATE estimator to the LATEs of each instrument used separately.

captures whether the respondents bought condoms between getting tested and the follow-up survey, the latter outcome captures whether the 30 cents they received at the end of the follow-up survey were subsequently used to buy the subsidized condoms offered to them. The difference in estimates for two and three instruments between these two outcomes may be explained by the fact that the individuals who had to be pushed to compliance by a stronger financial incentive might be lying when responding to the question of whether they bought condoms before the follow-up survey. These individuals subsequently do not buy condoms since they would rather keep the money. The estimates for the final outcome, “reported having sex”, is not significant regardless of the estimator used.

Overall, the CC-LATE estimates provide more evidence for protective behavior after learning of one’s HIV status compared to the TSLS estimates.⁷ Differences in estimates can be attributed to either differences in the estimand or to a violation of the PM assumption. The weighted average estimated by TSLS might contain either negative weights or weights that are substantially different from the relative share of the type that contributes to the weighted average. Moreover, if distance instrument defiers are present, then PM is violated, and the weighted average contains the LATE of this defier type. The CC-LATE is robust to the presence of this defier type, whereas TSLS is not. Furthermore, when we use three instruments there are 64 types in the set of combined compliers under LiM. Under PM, at most 35 response types are allowed.

5 Conclusion

TSLS is often used in empirical applications to combine multiple instruments. This paper has highlighted a number of problems with this approach as well as the restrictiveness of commonly invoked monotonicity assumptions. We introduce a more plausible monotonicity assumption, which we refer to as LiM, and we introduce the CC-LATE, an arguably more policy-relevant causal parameter. The CC-LATE is defined for a larger complier population and is robust to the presence of a variety of defier types. Additionally, we apply our method to estimate the effect of learning of one’s HIV status on protective behavior. In comparison to TSLS, our CC-LATE estimates provide more evidence of protective behavior. These findings are robust to the presence of distance instrument defiers and have important policy implications. They indicate that programs encouraging learning of one’s HIV status using cash and distance incentives might

⁷Note that the treatment is whether someone chose to learn their HIV status and does not account for differences in learning whether the individual tested positive or negative for HIV. We find similar effects in the subsample with individuals who test negative. The subsample with individuals who test positive is too small to draw meaningful conclusions.

slightly prevent the spread of the disease.

References

- Angrist, J. and Evans, W. N. (1998). Children and Their Parents' Labor Supply: Evidence from Exogenous Variation in Family Size. *American Economic Review*, 88:450–477.
- Angrist, J., Imbens, G., and Rubin, D. (1996). Identification of Causal Effects using Instrumental Variables. *Journal of the American statistical Association*, 91(434):444–455.
- Angrist, J. D. and Pischke, J.-S. (2009). *Mostly Harmless Econometrics: An Empiricist's Companion*. Princeton University Press.
- Bloom, H. S. (1984). Accounting for No-Shows in Experimental Evaluation Designs. *Evaluation Review*, 8(2):225–246.
- Dahl, C. M., Huber, M., and Mellace, G. (2023). It Is Never Too Late: A New Look at Local Average Treatment Effects With or Without Defiers. *The Econometrics Journal*, 26(3):378–404.
- Dahl, G. B. and Moretti, E. (2008). The Demand for Sons. *The Review of Economic Studies*, 75(4):1085–1120.
- De Chaisemartin, C. (2017). Tolerating Defiance? Local Average Treatment Effects without Monotonicity. *Quantitative Economics*, 8(2):367–396.
- Frölich, M. (2007). Nonparametric IV Estimation of Local Average Treatment Effects with Covariates. *Journal of Econometrics*, 139(1):35–75.
- Goff, L. (2020). A Vector Monotonicity Assumption for Multiple Instruments. *arXiv preprint arXiv:2009.00553*.
- Heckman, J. J. and Pinto, R. (2018). Unordered Monotonicity. *Econometrica*, 86(1):1–35.
- Heckman, J. J., Urzua, S., and Vytlacil, E. (2006). Understanding Instrumental Variables in Models with Essential Heterogeneity. *The Review of Economics and Statistics*, 88(3):389–432.
- Huber, M., Lechner, M., and Wunsch, C. (2013). The Performance of Estimators based on the Propensity Score. *Journal of Econometrics*, 175(1):1–21.
- Hull, P. (2018). Isolateing: Identifying Counterfactual-Specific Treatment Effects with Cross-Stratum Comparisons. *Available at SSRN 2705108*.

- Huntington-Klein, N. (2020). Instruments with Heterogeneous Effects: Bias, Monotonicity, and Localness. *Journal of Causal Inference*, 8(1):182–208.
- Imbens, G. and Angrist, J. (1994). Identification and Estimation of Local Average Treatment Effects. *Econometrica*, 62(2):467–476.
- Kirkeboen, L. J., Leuven, E., and Mogstad, M. (2016). Field of Study, Earnings, and Self-Selection. *The Quarterly Journal of Economics*, 131(3):1057–1111.
- Kolesár, M. (2013). Estimation in an Instrumental Variables Model with Treatment Effect Heterogeneity. *Unpublished*.
- Lau, C. and Torgovitsky, A. (2020). `mivcausal`: A Stata Module for Testing the Hypothesis about the Signs of the 2SLS Weights.
- Ma, Y. (2023). Identification-Robust Inference for the LATE with High-Dimensional Covariates.
- Mogstad, M., Santos, A., and Torgovitsky, A. (2018). Using Instrumental Variables for Inference about Policy Relevant Treatment Parameters. *Econometrica*, 86(5):1589–1619.
- Mogstad, M. and Torgovitsky, A. (2018). Identification and Extrapolation of Causal Effects with Instrumental Variables. *Annual Review of Economics*, 10:577–613.
- Mogstad, M., Torgovitsky, A., and Walters, C. R. (2020). *Policy Evaluation with Multiple Instrumental Variables*. (No. w27546). National Bureau of Economic Research.
- Mogstad, M., Torgovitsky, A., and Walters, C. R. (2021). The Causal Interpretation of Two-Stage Least Squares with Multiple Instrumental Variables. *American Economic Review*, 111(11):3663–98.
- Rubin, D. B. (1974). Estimating Causal Effects of Treatments in Randomized and Nonrandomized Studies. *Journal of Educational Psychology*, 66(5):688.
- Salanié, B. and Lee, S. (2018). Identifying Effects of Multivalued Treatments. *Econometrica*, 86(6):1939–1963.
- Słoczyński, T. (2020). When Should We (Not) Interpret Linear IV Estimands as LATE? *arXiv preprint arXiv:2011.06695*.
- Słoczyński, T., Uysal, S. D., and Wooldridge, J. M. (2022). Doubly Robust Estimation of Local Average Treatment Effects Using Inverse Probability Weighted Regression Adjustment. *arXiv preprint arXiv:2208.01300*.

- Small, D. S., Tan, Z., Ramsahai, R. R., Lorch, S. A., and Brookhart, M. A. (2017). Instrumental Variable Estimation with a Stochastic Monotonicity Assumption. *Statistical Science*, 32(4):561–579.
- Tan, Z. (2006). Regression and Weighting Methods for Causal Inference using Instrumental Variables. *Journal of the American Statistical Association*, 101(476):1607–1618.
- Thornton, R. L. (2008). The Demand for, and Impact of, Learning HIV Status. *American Economic Review*, 98(5):1829–63.
- Vytlacil, E. (2002). Independence, Monotonicity, and Latent Index Models: An Equivalence Result. *Econometrica*, 70(1):331–341.

Appendices

A Proofs

A.1 Proof of Theorem 1

Assume our data consists of independent, identically distributed observations of the vector $(Y_i, D_i, Z_{1i}, Z_{2i})$ for individuals $i = 1, \dots, n$. Define the following four variables:

$$R_{1i} = (1 - Z_{1i})(1 - Z_{2i}), \quad R_{2i} = Z_{1i}Z_{2i}, \quad R_{3i} = (1 - Z_{1i})Z_{2i}, \quad R_{4i} = Z_{1i}(1 - Z_{2i}).$$

Under SUTVA, the observed treatment D_i assigned to an individual i can be written as

$$\begin{aligned} D_i &= (1 - Z_{1i})(1 - Z_{2i})D_i^{00} + Z_{1i}Z_{2i}D_i^{11} + (1 - Z_{1i})Z_{2i}D_i^{01} + Z_{1i}(1 - Z_{2i})D_i^{10} \\ &= D_i^{00}R_{1i} + D_i^{11}R_{2i} + D_i^{01}R_{3i} + D_i^{10}R_{4i}. \end{aligned}$$

Consider the denominator of the CC-LATE estimand:

$$\begin{aligned} E(D|Z_1 = 1, Z_2 = 1) - E(D|Z_1 = 0, Z_2 = 0) &= E(D|R_2 = 1) - E(D|R_1 = 1) \\ &= E(D_i^{11}|R_2 = 1) - E(D_i^{00}|R_1 = 1) \\ &= E(D_i^{11}) - E(D_i^{00}). \end{aligned}$$

Let $\pi_t = \Pr(T \in t)$, $t = at, rc, ec, 1c, 2c, 1d, 2d, ed, rd, d1, d2, nt$ (see Table 1). We have

$$\begin{aligned} E(D_i^{00}) &= \sum_t E(D_i^{00}|T = t)\pi_t \\ &= \pi_{at} \cdot 1 + \pi_{rc} \cdot 0 + \pi_{ec} \cdot 0 + \pi_{1c} \cdot 0 + \pi_{2c} \cdot 0 + \pi_{1d} \cdot 1 + \pi_{2d} \cdot 1 + \pi_{ed} \cdot 1 + \pi_{rd} \cdot 0 + \pi_{d1} \cdot 0 \\ &\quad + \pi_{d2} \cdot 0 + \pi_{nt} \cdot 0 \\ &= \pi_{at} + \pi_{1d} + \pi_{2d} + \pi_{ed} \end{aligned}$$

and

$$\begin{aligned} E(D_i^{11}) &= \sum_t E(D_i^{11}|T = t)\pi_t \\ &= \pi_{at} \cdot 1 + \pi_{rc} \cdot 1 + \pi_{ec} \cdot 1 + \pi_{1c} \cdot 1 + \pi_{2c} \cdot 1 + \pi_{nt} \cdot 0 + \pi_{1d} \cdot 1 + \pi_{2d} \cdot 1 + \pi_{ed} \cdot 1 + \pi_{rd} \cdot 0 \\ &\quad + \pi_{d1} \cdot 0 + \pi_{d2} \cdot 0 \\ &= \pi_{at} + \underbrace{\pi_{rc} + \pi_{ec} + \pi_{1c} + \pi_{2c}}_{\pi_{cc}} + \pi_{1d} + \pi_{2d} + \pi_{ed} \\ &= \pi_{at} + \pi_{cc} + \pi_{1d} + \pi_{2d} + \pi_{ed}. \end{aligned}$$

It therefore follows that

$$E(D|Z_1 = 1, Z_2 = 1) - E(D|Z_1 = 0, Z_2 = 0) = E(D_i^{11}) - E(D_i^{00}) = \pi_{cc},$$

which is the probability of being any type of complier.

Let $\beta_i = Y_i^1 - Y_i^0$. Note that unlike the CC-LATE β , the term β_i is random. Under SUTVA, the observed outcome Y can be written as

$$\begin{aligned} Y_i &= Y_i^1 D_i + Y_i^0 (1 - D_i) = \beta_i D_i + Y_i^0 \\ &= \beta_i [D_i^{00} R_{1i} + D_i^{11} R_{2i} + D_i^{01} R_{3i} + D_i^{10} R_{4i}] + Y_i^0 \\ &= \beta_i D_i^{00} R_{1i} + \beta_i D_i^{11} R_{2i} + \beta_i D_i^{01} R_{3i} + \beta_i D_i^{10} R_{4i} + Y_i^0. \end{aligned}$$

Now, consider the numerator of the CC-LATE estimand,

$$\begin{aligned} E(Y|Z_1 = 1, Z_2 = 1) - E(Y|Z_1 = 0, Z_2 = 0) &= E(Y|R_2 = 1) - E(Y|R_1 = 1) \\ &= E(\beta_i D_i^{11} + Y_i^0 | R_2 = 1) - E(\beta_i D_i^{00} + Y_i^0 | R_1 = 1) \\ &= E(\beta_i D_i^{11}) - E(\beta_i D_i^{00}). \end{aligned}$$

We have that

$$\begin{aligned} E(\beta_i D_i^{00}) &= \sum_t E(\beta_i D_i^{00} | T = t) \cdot \pi_t \\ &= E(Y_i^1 - Y_i^0 | T = at) \cdot \pi_{at} + E(Y_i^1 - Y_i^0 | T = 1d) \cdot \pi_{1d} + E(Y_i^1 - Y_i^0 | T = 2d) \cdot \pi_{2d} \\ &\quad + E(Y_i^1 - Y_i^0 | T = ed) \cdot \pi_{ed} \end{aligned}$$

and

$$\begin{aligned} E(\beta_i D_i^{11}) &= \sum_t E(\beta_i D_i^{11} | T = t) \cdot \pi_t \\ &= E(Y_i^1 - Y_i^0 | T = at) \cdot \pi_{at} + E(Y_i^1 - Y_i^0 | T \in cc) \cdot \pi_{cc} + E(Y_i^1 - Y_i^0 | T = 1d) \cdot \pi_{1d} \\ &\quad + E(Y_i^1 - Y_i^0 | T = 2d) \cdot \pi_{2d} + E(Y_i^1 - Y_i^0 | T = ed) \cdot \pi_{ed}. \end{aligned}$$

Therefore,

$$E(Y|Z_1 = 1, Z_2 = 1) - E(Y|Z_1 = 0, Z_2 = 0) = E(\beta_i D_i^{11}) - E(\beta_i D_i^{00}) = E(Y^1 - Y^0 | T \in cc) \cdot \pi_{cc},$$

and hence

$$\begin{aligned} \beta &= \frac{E(Y | Z_1 = 1, Z_2 = 1) - E(Y | Z_1 = 0, Z_2 = 0)}{E(D | Z_1 = 1, Z_2 = 1) - E(D | Z_1 = 0, Z_2 = 0)} \\ &= \frac{E(Y | R_2 = 1) - E(Y | R_1 = 1)}{E(D | R_2 = 1) - E(D | R_1 = 1)} \\ &= E(Y^1 - Y^0 | T \in cc). \end{aligned}$$

A.2 TSLS with one instrument in the subsample

Denote the subsample averages of Y and D when $(z_1 = 0, z_2 = 0)$ by \bar{Y}_{00} and \bar{D}_{00} , respectively, and as \bar{Y}_{11} , and \bar{D}_{11} when $(z_1 = 1, z_2 = 1)$. Denote the total number of observations in the subsample by \tilde{N} , the number of observations for which $(z_1 = 0, z_2 = 0)$ as N_{00} , and the number of observations for which $(z_1 = 1, z_2 = 1)$ as N_{11} . Then, $N_{11} = \sum_{i=1}^{\tilde{N}} \tilde{Z}$ and $N_{00} = \sum_{i=1}^{\tilde{N}} (1 - \tilde{Z})$.

$$\begin{aligned}
\tilde{Z}'Y &= \sum_{i=1}^{\tilde{N}} (\tilde{Z}_i - \tilde{Z})(y_i - \bar{Y}) \\
&= \sum_{i=1}^{\tilde{N}} \tilde{Z}_i(y_i - \bar{Y}) - \tilde{Z} \sum_{i=1}^{\tilde{N}} (y_i - \bar{Y}) \\
&= \sum_{i=1}^{\tilde{N}} \tilde{Z}_i(y_i - \bar{Y}) \\
&= N_{11} \frac{1}{N_{11}} \sum_{i=1}^{\tilde{N}} \tilde{Z}_i(y_i - \bar{Y}) \\
&= N_{11}(\bar{y}_1 - \bar{Y}) \\
&= N_{11} \left(\bar{y}_1 - \frac{N_{00}}{\tilde{N}} \bar{y}_0 - \frac{N_{11}}{\tilde{N}} \bar{y}_1 \right) \\
&= N_{11} \left(\frac{N_{00}\bar{Y}_{11} + N_{11}\bar{Y}_{11}}{\tilde{N}} - \frac{N_{00}\bar{Y}_{00} + N_{11}\bar{Y}_{11}}{\tilde{N}} \right) \\
&= \frac{N_{11}N_{00}(\bar{Y}_{11} - \bar{Y}_{00})}{\tilde{N}}
\end{aligned}$$

In a similar fashion, one can show that $\tilde{Z}'D = \frac{N_{11}N_{00}(\bar{D}_{11} - \bar{D}_{00})}{\tilde{N}}$. Then:

$$\hat{\beta} = (\tilde{Z}'D)^{-1} \tilde{Z}'Y = \frac{N_{11}N_{00}(\bar{Y}_{11} - \bar{Y}_{00})/\tilde{N}}{N_{11}N_{00}(\bar{D}_{11} - \bar{D}_{00})/\tilde{N}} = \frac{\bar{Y}_{11} - \bar{Y}_{00}}{\bar{D}_{11} - \bar{D}_{00}}.$$

A.3 Alternative estimation approaches

Define the following four variables:

$$R_{1i} = (1 - Z_{1i})(1 - Z_{2i}), \quad R_{2i} = Z_{1i}Z_{2i}, \quad R_{3i} = (1 - Z_{1i})Z_{2i}, \quad R_{4i} = Z_{1i}(1 - Z_{2i}).$$

A simple consistent estimator of the CC-LATE then consists of the following steps:⁸

1. Use OLS to estimate the coefficients α_1 and α_2 in

$$D_i = \alpha_1 R_{1i} + \alpha_2 R_{2i} + \alpha_3 R_{2i} + \alpha_4 R_{2i} + e_i,$$

where e_i is the regression error. Denote the estimates $\hat{\alpha}_j$.

2. Use OLS to estimate the coefficients γ_1 and γ_2 in

$$Y_i = \gamma_1 R_{1i} + \gamma_2 R_{2i} + \gamma_3 R_{3i} + \gamma_4 R_{4i} + \varepsilon_i,$$

where ε_i is the regression error. Denote the estimates $\hat{\gamma}_j$.

⁸As they are unconditionally uncorrelated with R_1 and R_4 by construction, one could drop R_2 and R_3 from these regressions without changing the estimates. However, including them is necessary if one wants to include covariates.

3. The CC-LATE estimator is then

$$\widehat{\beta} = \frac{\widehat{\gamma}_2 - \widehat{\gamma}_1}{\widehat{\alpha}_2 - \widehat{\alpha}_1}.$$

The asymptotic distributions of $\widehat{\beta}$ and $\widehat{\delta}$ can be obtained by the delta method. We can rewrite the above steps as a method of moments (MM) estimator and use a standard MM estimation package to automatically generate consistent estimates and standard errors. To do so, observe that the above regressions can be expressed as the following set of moments:

$$\begin{aligned} E((D_i - \alpha_1 R_{1i} - (\delta + \alpha_1) R_{2i} - \alpha_3 R_{3i} - \alpha_4 R_{4i}) R_{ji}) &= 0 \quad \text{for } j = 1, 2, 3, 4, \text{ and} \\ E((Y_i - \gamma_1 R_{1i} - (\beta\delta + \gamma_1) R_{2i} - \gamma_3 R_{3i} - \gamma_4 R_{4i}) R_{ji}) &= 0 \quad \text{for } j = 1, 2, 3, 4. \end{aligned} \quad (7)$$

Let the vector $\theta = (\beta, \delta, \alpha_1, \alpha_3, \alpha_4, \gamma_1, \gamma_3, \gamma_4)$. Then, the above eight moments can be replaced with corresponding sample moments, and the parameters θ can be directly estimated using MM estimation. The corresponding $\widehat{\delta}$ will equal $\widehat{\alpha}_2 - \widehat{\alpha}_1$, the estimated probability of an individual i being a combined complier, and $\widehat{\beta}$ will equal the CC-LATE estimate $\frac{\widehat{\gamma}_2 - \widehat{\gamma}_1}{\widehat{\alpha}_2 - \widehat{\alpha}_1}$.

Alternatively, simplifications in getting the limiting distribution of $\widehat{\beta}$ with the delta method can be obtained as follows: Let $\delta = \alpha_2 - \alpha_1$, let $\zeta = \gamma_1 + \gamma_2$, and let $\widetilde{R}_i = R_{1i} + R_{2i}$. Then

$$\begin{aligned} D_i &= \alpha_1 \widetilde{R}_i + \delta R_{2i} + \alpha_3 R_{3i} + \alpha_4 R_{4i} + e_i, \\ Y_i &= \gamma_1 \widetilde{R}_i + \zeta R_{2i} + \gamma_3 R_{3i} + \gamma_4 R_{4i} + \varepsilon_i. \end{aligned}$$

Thus, one can simply estimate the OLS regressions of D_i and Y_i on \widetilde{R}_i , R_{2i} , R_{3i} , and R_{4i} , and the coefficients of R_{2i} will be consistent estimates of ζ and δ , and $\beta = \zeta/\delta$. Note that we can also set up the MM estimator this way.

A.4 Proof for the extension to multiple instruments

Suppose we have $k > 2$ binary instruments that all satisfy the LATE assumptions. Define $D^{z_1 z_2 \dots z_k}$ the potential treatment state, $R_1 = (1 - Z_1)(1 - Z_2) \dots (1 - Z_k)$, and $R_2 = Z_1 Z_2 \dots Z_k$. Under SUTVA, the observed treatment D_i can be written as

$$D_i = D_i^{00\dots 0} R_{1i} + D_i^{11\dots 1} R_{2i} + \widetilde{D}_i,$$

where \widetilde{D}_i includes all possible combinations of instrument values and the respective potential treatment states. Thus,

$$\begin{aligned} E(D|Z_1 = 1, \dots, Z_k = 1) - E(D|Z_1 = 0, \dots, Z_k = 0) &= E(D|R_2 = 1) - E(D|R_1 = 1) \\ &= D_i^{11\dots 1} - D_i^{00\dots 0}. \end{aligned}$$

Let cc be the set of all complier types, then

$$E(D|Z_1 = 1, \dots, Z_k = 1) - E(D|Z_1 = 0, \dots, Z_k = 0) = \pi_{cc}.$$

Similarly, it is easy to show that

$$E(Y|Z_1 = 1, \dots, Z_k = 1) - E(Y|Z_1 = 0, \dots, Z_k = 0) = E(Y^1 - Y^0|T \in cc)\pi_{cc}.$$

Thus,

$$\frac{E(Y|Z_1 = 1, \dots, Z_k = 1) - E(Y|Z_1 = 0, \dots, Z_k = 0)}{E(D|Z_1 = 1, \dots, Z_k = 1) - E(D|Z_1 = 0, \dots, Z_k = 0)} = E(Y^1 - Y^0|T \in cc).$$

An alternative way to obtain this result is as follows:

$$\begin{aligned} & E(Y_i|Z_{1i} = 1, \dots, Z_{ki} = 1) - E(Y_i|Z_{1i} = 0, \dots, Z_{ki} = 0) \\ &= E(Y_i|R_{2i} = 1) - E(Y_i|R_{1i} = 1) \\ &= E(D_i^{111\dots 1} \cdot Y_i^1 + (1 - D_i^{111\dots 1}) \cdot Y_i^0 | R_{2i} = 1) - E(D_i^{000\dots 0} \cdot Y_i^1 + (1 - D_i^{000\dots 0}) \cdot Y_i^0 | R_{1i} = 1) \\ &= E(D_i^{111\dots 1} \cdot Y_i^1 + (1 - D_i^{111\dots 1}) \cdot Y_i^0) - E(D_i^{000\dots 0} \cdot Y_i^1 + (1 - D_i^{000\dots 0}) \cdot Y_i^0) \\ &= E(D_i^{111\dots 1} \cdot Y_i^1 + (1 - D_i^{111\dots 1}) \cdot Y_i^0 - D_i^{000\dots 0} \cdot Y_i^1 - (1 - D_i^{000\dots 0}) \cdot Y_i^0) \\ &= E(D_i^{111\dots 1} \cdot Y_i^1 + Y_i^0 - D_i^{111\dots 1} \cdot Y_i^0 - D_i^{000\dots 0} \cdot Y_i^1 - Y_i^0 + D_i^{000\dots 0} \cdot Y_i^0) \\ &= E(D_i^{111\dots 1} \cdot Y_i^1 - D_i^{111\dots 1} \cdot Y_i^0 - D_i^{000\dots 0} \cdot Y_i^1 + D_i^{000\dots 0} \cdot Y_i^0) \\ &= E((D_i^{111\dots 1} - D_i^{000\dots 0})(Y_i^1 - Y_i^0)) \\ &= E(E((D_i^{111\dots 1} - D_i^{000\dots 0})(Y_i^1 - Y_i^0) | (D_i^{111\dots 1} - D_i^{000\dots 0}))) \\ &= 1 \cdot P(D_i^{111\dots 1} - D_i^{000\dots 0} = 1) \cdot E(Y_i^1 - Y_i^0 | D_i^{111\dots 1} - D_i^{000\dots 0} = 1) \\ &\quad - 1 \cdot P(D_i^{111\dots 1} - D_i^{000\dots 0} = -1) \cdot E(Y_i^1 - Y_i^0 | D_i^{111\dots 1} - D_i^{000\dots 0} = -1) \\ &\quad + 0 \cdot P(D_i^{111\dots 1} - D_i^{000\dots 0} = 0) \cdot E(Y_i^1 - Y_i^0 | D_i^{111\dots 1} - D_i^{000\dots 0} = 0) \\ &= E(Y_i^1 - Y_i^0 | D_i^{111\dots 1} > D_i^{000\dots 0}) \cdot P(D_i^{111\dots 1} > D_i^{000\dots 0}) \\ &\quad - E(Y_i^1 - Y_i^0 | D_i^{111\dots 1} < D_i^{000\dots 0}) \cdot P(D_i^{111\dots 1} < D_i^{000\dots 0}). \end{aligned}$$

LiM rules out the second part (if LiM is violated then, similar to setting with one binary instrument, treatment effects might be positive for all individuals, but the effect of the defiers cancels out the effect of the compliers). Rewriting leads to the CC-LATE:

$$\begin{aligned} & E(Y_i|Z_{1i} = 1, \dots, Z_{ki} = 1) - E(Y_i|Z_{1i} = 0, \dots, Z_{ki} = 0) \\ &= E(Y_i^1 - Y_i^0 | D_i^{111\dots 1} > D_i^{000\dots 0}) \cdot P(D_i^{111\dots 1} > D_i^{000\dots 0}) \end{aligned}$$

$$\begin{aligned} E(Y_i^1 - Y_i^0 | D_i^{111\dots 1} > D_i^{000\dots 0}) &= \frac{E(Y_i|Z_{1i} = 1, \dots, Z_{ki} = 1) - E(Y_i|Z_{1i} = 0, \dots, Z_{ki} = 0)}{P(D_i^{111\dots 1} > D_i^{000\dots 0})} \\ E(Y^1 - Y^0 | T \in cc) &= \frac{E(Y_i|Z_{1i} = 1, \dots, Z_{ki} = 1) - E(Y_i|Z_{1i} = 0, \dots, Z_{ki} = 0)}{P(D_i^{111\dots 1} - D_i^{000\dots 0} = 1)} \\ E(Y^1 - Y^0 | T \in cc) &= \frac{E(Y_i|Z_{1i} = 1, \dots, Z_{ki} = 1) - E(Y_i|Z_{1i} = 0, \dots, Z_{ki} = 0)}{P(D_i^{111\dots 1} | Z_{1i} = 1, \dots, Z_{ki} = 1) - P(D_i^{000\dots 0} = 1 | Z_{1i} = 0, \dots, Z_{ki} = 0)} \\ E(Y^1 - Y^0 | T \in cc) &= \frac{E(Y_i|Z_{1i} = 1, \dots, Z_{ki} = 1) - E(Y_i|Z_{1i} = 0, \dots, Z_{ki} = 0)}{E(D|Z_1 = 1, \dots, Z_k = 1) - E(D|Z_1 = 0, \dots, Z_k = 0)}. \end{aligned}$$

$0 \cdot P(D_i^{111\dots 1} - D_i^{000\dots 0} = 0) \cdot E(Y_i^1 - Y_i^0 | D_i^{111\dots 1} - D_i^{000\dots 0} = 0)$ demonstrates the fact that the CC-LATE does not capture the effect for those individuals for whom a change from being exposed to none of the instruments to being exposed to all instruments simultaneously does not change the treatment status, meaning that this change is not informative for these individuals. The always-takers and never-takers belong to this group.

A.5 CC-LATE under IAM

In their appendix, Imbens and Angrist (1994) state that, under IAM,

$$E(Y|Z = z_K) = E(Y|Z = z_0) + \alpha_{z_K, z_0} \cdot (P(z_K) - P(z_0)).$$

We can rewrite this as follows:

$$\begin{aligned} \frac{E(Y|Z = z_K) - E(Y|Z = z_0)}{P(z_K) - P(z_0)} &= \alpha_{z_K, z_0} \\ &\Downarrow \\ \frac{E(Y|Z = z_K) - E(Y|Z = z_0)}{E(D|Z = z_K) - E(D|Z = z_0)} &= E(Y(1) - Y(0) | D(z_K) \neq D(z_0)) \\ &\Downarrow \\ \frac{E(Y|Z = z_K) - E(Y|Z = z_0)}{E(D|Z = z_K) - E(D|Z = z_0)} &= \frac{\sum_{l=1}^K \alpha_{z_l, z_{l-1}} \cdot (P(z_l) - P(z_{l-1}))}{P(z_K) - P(z_0)} \\ &\Downarrow \\ \frac{E(Y|Z = z_K) - E(Y|Z = z_0)}{E(D|Z = z_K) - E(D|Z = z_0)} &= \sum_{l=1}^K \frac{P(z_l) - P(z_{l-1})}{P(z_K) - P(z_0)} \cdot \alpha_{z_l, z_{l-1}}. \end{aligned}$$

$\frac{E(Y|Z=z_K)-E(Y|Z=z_0)}{E(D|Z=z_K)-E(D|Z=z_0)} = E(Y(1) - Y(0) | D(z_K) \neq D(z_0))$ shows that this can be interpreted as the effect in the largest group of compliers. This is the same interpretation as the estimand for multiple binary instruments as proposed by Frölich (2007).

Suppose we have two binary instruments and the support $z_0 = (0, 0)$, $z_1 = (0, 1)$, $z_2 = (1, 0)$, $z_3 = (1, 1)$, ordered such that $l < m$ implies $P_l < P_m$. Then the final line in the last expression can be re-written as:

$$\begin{aligned} \alpha_{30} &= \frac{(P_{z_1} - P_{z_0}) \cdot \alpha_{z_1 z_0} + (P_{z_2} - P_{z_1}) \cdot \alpha_{z_2 z_1} + (P_{z_3} - P_{z_2}) \cdot \alpha_{z_3 z_2}}{P_{z_3} - P_{z_0}} \\ &= \frac{(P_{z_1} - P_{z_0})}{P_{z_3} - P_{z_0}} \cdot \frac{E(Y|Z = z_1) - E(Y|Z = z_0)}{P_{z_1} - P_{z_0}} + \frac{(P_{z_2} - P_{z_1})}{P_{z_3} - P_{z_0}} \cdot \frac{E(Y|Z = z_2) - E(Y|Z = z_1)}{P_{z_2} - P_{z_1}} \\ &\quad + \frac{(P_{z_3} - P_{z_2})}{P_{z_3} - P_{z_0}} \cdot \frac{E(Y|Z = z_3) - E(Y|Z = z_2)}{P_{z_3} - P_{z_2}} \\ &= \frac{E(Y|Z = z_1) - E(Y|Z = z_0) + E(Y|Z = z_2) - E(Y|Z = z_1) + E(Y|Z = z_3) - E(Y|Z = z_2)}{P_{z_3} - P_{z_0}} \\ &= \frac{E(Y|Z = z_3) - E(Y|Z = z_0)}{E(D|Z = z_3) - E(D|Z = z_0)}. \end{aligned}$$

B Supplementary results for HIV application

B.1 Testing for negative weights

We use Mogstad et al.’s (2021) approach to check whether the weights remain positive under PM when IAM is violated through the presence of both Z_1 and Z_2 compliers. They are positive under a violation of this assumption if the correlation between the treatment and the instruments is positive and significant, and the partial correlation between the instruments is significant. We follow their approach and regress the treatment on each instrument separately. We also regress Z_1 on Z_2 and Z_3 separately, and Z_2 on Z_3 . The results are presented in Table 4. The correlation between the *distance* instrument and the treatment is not significant (see Column (2) of Table 4). The partial correlation between the *above median cash* and *distance* instruments is also not positive (see Column (6) of Table 4). This indicates that TSLS might contain negative weights when the IAM assumption is replaced by the weaker PM assumption.

We perform two tests on the TSLS weights. We cannot reject the hypothesis that all weights are positive when performing TSLS with the two instruments, *any cash* instrument and *distance* instrument.⁹ At the same time, we do not reject the hypothesis that one of the weights in the weighted average generated by TSLS is negative, finding a p-value of 0.207. This is concerning, since one or more of the weights being negative would complicate the interpretation of the TSLS estimates.

Table 4: Testing for negative TSLS weights when both Z_1 and Z_2 compliers exist and IAM is relaxed to PM. Each column shows the coefficient from a regression of the column on the variable in the row including a constant. Significance levels: * $p < 0.1$ ** $p < 0.05$ *** $p < 0.01$.

	(1)	(2)	(3)	(4)	(5)	(6)
	Got results	Got results	Got results	Any cash	Any cash	Distance
Any cash (Std. err.)	0.425*** (0.032)					
Distance (Std. err.)		0.024 (0.029)		0.003 (0.027)		
Median cash (Std. err.)			0.303*** (0.027)		0.343*** (0.024)	-0.003 (0.031)

⁹Using the *mivcausal* package (Lau and Torgovitsky, 2020), we obtain a p-value of 0.855 using 1000 repetitions in the bootstrap.

B.2 Tables with the estimates of the HIV application

Table 5: Estimates corresponding to Figure 3a.

	(1)	(2)	(3)	(4)	(5)	(6)
Panel A: Bought condoms						
Estimates	0.024	0.288	0.228	1.854	0.170	0.011
(Std. err.)	(0.033)	(0.157)	(0.139)	(6.424)	(0.116)	(0.093)
Nr. obs.	1008	432	278	1008	1008	1008
Panel B: Number of condoms bought						
Estimates	-0.035	0.940	0.799	5.906	0.521	-0.199
(Std. err.)	(0.139)	(0.489)	(0.662)	(144.096)	(0.404)	(0.4)
Nr. obs.	1008	432	278	1008	1008	1008
Panel C: Reported buying condoms						
Estimates	-0.009	0.096	0.161	2.070	-0.022	0.051
(Std. err.)	(0.025)	(0.087)	(0.069)	(2.965)	(0.06)	(0.046)
Nr. obs.	1008	432	278	1008	1008	1008
Panel D: Reported having sex						
Estimates	0.032	0.023	0.022	0.22	0.019	0.054
(Std. err.)	(0.033)	(0.146)	(0.114)	(20.002)	(0.063)	(0.116)
Nr. obs.	1008	432	278	1008	1008	1008

The columns give the estimates for the different methods: (1) $\hat{\beta}_{OLS}$, (2) $\hat{\beta}_{CC-LATE-2}$, (3) $\hat{\beta}_{CC-LATE-3}$, (4) $\hat{\beta}_{TSLs-above-1.5km-distance}$, (5) $\hat{\beta}_{TSLs-any-cash}$, and (6) $\hat{\beta}_{TSLs-above-median-cash}$.

The standard errors are clustered at the village level.

Table 6: Estimates corresponding to Figure 3b.

	$\hat{\beta}_{CC-LATE-2}$	$\hat{\beta}_{CC-LATE-3}$	$\hat{\beta}_{TSLs-2}$	$\hat{\beta}_{TSLs-3}$
Panel A: Bought condoms				
Estimates	0.288	0.228	0.177	0.118
(Std. err.)	(0.157)	(0.139)	(0.135)	(0.106)
Nr. obs.	432	278	1008	1008
Panel B: Number of condoms bought				
Estimates	0.94	0.799	0.543	0.278
(Std. err.)	(0.489)	(0.662)	(0.478)	(0.337)
Nr. obs.	432	278	1008	1008
Panel C: Reported buying condoms				
Estimates	0.096	0.161	-0.013	0.012
(Std. err.)	(0.087)	(0.069)	(0.044)	(0.052)
Nr. obs.	432	278	1008	1008
Panel D: Reported having sex				
Estimates	0.023	0.022	0.02	0.032
(Std. err.)	(0.146)	(0.114)	(0.095)	(0.058)
Nr. obs.	432	278	1008	1008

The standard errors are clustered at the village level.

B.3 Figure 3a without the distance instrument




Figure 4: Figure 3a without the distance instrument to allow for easier comparison of the CC-LATE estimator with the LATEs using each instrument used separately.

C Simulation study

In this section, we perform two different simulation studies to judge the finite sample performance of our CC-LATE estimator. First, we compare the CC-LATE estimator to the TSLS estimator in DGPs where PM is valid and others where PM is violated. Second, we compare the performance of the CC-LATE estimator when adding a weak versus strong third instrument.

C.1 Comparison of the CC-LATE and TSLS estimators when PM is violated


C.1.1 Setup

Following the idea of an empirical Monte Carlo study as in Huber et al. (2013), the DGP of the simulation largely depends on the real data of the HIV application studied in Section 4. We investigate the performance of the CC-LATE and TSLS estimator in two different settings. In the first setting, PM is valid. In the second setting, PM is violated due to the presence of defier types. Potential threats in the HIV application are the existence of second instrument defiers or defiers of type 1. This could lead to a violation of PM, while LiM would still hold.


Figure 5 depicts the true probabilities and the average effects per response type used in the simulation.¹⁰ In Section 4, the estimated CC-LATE for the number of condoms bought when using two instruments is 0.8, and we use similar values for choosing the group-specific LATEs, β_{t_i} , of each response type. The probabilities of belonging to a certain response type are chosen based on the information that can be obtained from the HIV application. Under LiM, the response group proportions $\pi_{rd} + \pi_{d1} + \pi_{d2} + \pi_{nt}$ and $\pi_{at} + \pi_{1d} + \pi_{2d} + \pi_{ed}$ can be estimated. Under PM, the defier types are ruled out such that π_{nt} and π_{at} can also be estimated. We estimate these probabilities for the HIV application. We further use the estimated shares of the complier population from Figure 2 in Section 4. With these group-specific LATEs and pre-defined probabilities, the true value of the LATE for the combined compliers equals 1.

The sample size is $n = 1000$, which is similar to the 1,008 observations of the HIV application. The instruments, Z_1 and Z_2 , are drawn from a Bernoulli distribution with the probability set to the mean of the two binary instruments from the application, *any cash* and *distance*. Similar to the application where the instruments are randomized, the instruments are independent. The response types, t_i , are sampled with the pre-defined probabilities. The value of D_i is then set based on the sampled response type and the instrument values. In the sample of untreated individuals, we calculate the mean, m_y , and the variance, v_y , of the outcome on the number of

¹⁰Figure 5 also contains the estimated TSLS weights using equations (20) and (21) from the proof of Proposition 7 in Mogstad et al. (2021). To calculate the weights, propensity scores are predicted nonparametrically. The weights do not exactly add up to one, since they are estimated. The weights are non-negative, since our simulation study considers the setting where the instruments are monotonic in the propensity score, which is the most realistic scenario considering the HIV application.



(a) True LATEs, true weights and estimated TSLS weights when PM is not violated.



(b) True LATEs, true weights and estimated TSLS weights when PM is violated.


Figure 5: This figure contains the true LATEs and true weights used in the simulation study. It further shows the estimated TSLS weights when PM holds compared to when it is violated.

condoms bought. Then, $Y_i(0) = m_y$ and $Y_i = m_y + \beta_{t_i} D_i + \nu_i$, where $\nu_i \sim N(0, v_y)$. We perform 1000 simulation repetitions.


C.1.2 Results

We compare the performance of the CC-LATE estimator and the TSLS estimator when PM is violated due to the presence of defier types. The estimates are compared to the true value of the LATE for the combined compliers, assuming that the objective of both methods is to give an estimate of the ATE for this subpopulation. Note that this objective is true for TSLS if PM is imposed such that increasing the instrument values weakly increases treatment uptake, as in Section 4.


The distributions of the estimates are depicted in Figure 6, and Table 7 gives the bias, median bias, mean absolute error (MAE), and mean squared error (MSE). The MSE and MAE of the CC-LATE and TSLS estimator are comparable, since the CC-LATE estimates lie closer to the true value, but are more spread out than the TSLS estimates. When PM holds, both the CC-




(a) Distribution of CC-LATE estimates when PM is valid.



(b) Distribution of TSLS estimates when PM is valid.



(c) Distribution of CC-LATE estimates when PM is violated.



(d) Distribution of TSLS estimates when PM is violated.

Figure 6: This figure compares the distributions of CC-LATE and TSLS estimates when PM is valid versus when PM is violated. 95% confidence intervals are indicated by dashed lines.

LATE estimator and the TSLS estimator lie close to the true LATE for the combined compliers. Even though the CC-LATE estimator uses fewer observations, the standard deviation of the estimates of the two methods is comparable. Violation of PM clearly introduces downward bias in the TSLS estimates, since it now includes the LATEs of the second instrument defiers and the defiers of type 1. Interestingly, this might also explain the smaller coefficients found with TSLS in Section 4, which provides some informal evidence in favor of the existence of defier types in the HIV application. As LiM still holds in the presence of the introduced defier types, the bias of the CC-LATE estimator remains small when PM is violated.

Table 7: This table contains the estimates and measures compared to the true LATE for the combined complier population when PM is valid and when PM is violated.

	(1)		(2)	
	PM valid		PM violated	
	CC-LATE estimator	TSLS estimator	CC-LATE estimator	TSLS estimator
Mean of estimates	0.985	0.936	1.024	0.363
Std. dev. of estimates	0.492	0.467	0.521	0.392
Bias	-0.015	-0.064	0.024	-0.637
Median bias	-0.021	-0.068	0.001	-0.624
MSE	0.242	0.222	0.272	0.560
MAE	0.395	0.376	0.409	0.656

C.2 Comparing CC-LATE estimators when adding a third (weak) instrument

C.2.1 Setup

In this section, we study the performance of the CC-LATE estimator in two different settings where a third instrument is available. The DGPs are similar to the DGPs in Section C.1. In the first setting, the third instrument is extremely weak in that it pushes none of the individuals to compliance. The third instrument, Z_3 , is drawn from a Bernoulli distribution with the probability equal to the mean of the *above median cash* instrument from the HIV application. The types considered in this simulation study are given in Table 8. The response types are chosen such that there are only compliers with respect to Z_1 and Z_2 . Using similar notions as in the setting with two instruments, these are the eager compliers, reluctant compliers, first instrument compliers, and second instrument compliers with respect to Z_1 and Z_2 . In the second setting, the third instrument is strong and adds compliers that only respond to this instrument. The third instrument complier type always takes up treatment when exposed to the third instrument, but does not influence the complier population when exposed to Z_1 or Z_2 , since these response types

are either always-takers or never-takers when Z_3 is fixed. Table 9 presents all probabilities and group-specific LATEs used in the simulation. For the second setting, the probability of being a third instrument complier equals 20%. Therefore, in this setting, the third instrument pushes many individuals towards compliance.

Table 8: Table with types considered in the simulation study.


D^{111}	D^{110}	D^{101}	D^{011}	D^{100}	D^{010}	D^{001}	D^{000}	Type when $Z_3 = 1$	Type when $Z_3 = 0$	Notion
1	1	1	1	1	1	1	1	Always-taker	Always-taker	Always-taker
1	1	1	1	1	1	0	0	Eager complier	Eager complier	Eager complier
1	1	0	0	0	0	0	0	Reluctant complier	Reluctant complier	Reluctant complier
1	1	1	0	1	0	0	0	First instrument complier	First instrument complier	First instrument complier
1	1	0	1	0	1	0	0	Second instrument complier	Second instrument complier	Second instrument complier
1	0	1	1	0	0	1	0	Always-taker	Never-taker	Third instrument complier
0	0	0	0	0	0	0	0	Never-taker	Never-taker	Never-taker

Table 9: Table with true average treatment effects and probabilities per response type. We compare the setting where the third instrument does not add compliers to the setting where it adds compliers.


Response type	(1)		(2)	
	Third instrument does not add compliers		Third instrument adds compliers	
	Probability	True LATE	Probability	True LATE
Always-taker	0.4	0	0.3	0
Eager complier	0.2	1.25	0.2	1.25
Reluctant complier	0.05	0.5	0.05	0.5
First instrument complier	0.15	1	0.15	1
Second instrument complier	0.05	0.5	0.05	0.5
Third instrument complier			0.2	1.5
Never-taker	0.15	0	0.05	0
True CC-LATE two inst.		1		1
True CC-LATE three inst.		1		1.154

C.2.2 Results


We estimate the CC-LATE using either two or three instruments where the third instrument is either weak or strong. Figure 7 depicts the estimate distributions. Table 10 contains the estimate means and the standard deviations corresponding to Figure 7. When including a third instrument that does not add any compliers, the estimated CC-LATE lies close to the true LATE of the combined compliers, which consist of the eager compliers, reluctant compliers, first instrument compliers, and second instrument compliers in this case (see Figure 7a). Since adding a third instrument reduces the number of observations used for estimation, the confidence intervals are wider (see Figure 7b).




(a) Distribution of the CC-LATE estimates when using two instruments.



(b) Distribution of the CC-LATE estimates when using three instruments where the third instrument does not add any compliers.



(c) Distribution of the CC-LATE estimates when using two instruments and leaving out the third instrument when there are third instrument compliers present in the population.



(d) Distribution of the CC-LATE estimates when using three instruments where the third instrument adds third instrument compliers to the complier population.

Figure 7: This figure compares the distributions of the CC-LATE estimates for settings where two or three instruments are used and where the third instrument either adds to the complier population or does not add any compliers at all. 95% confidence intervals are indicated by dashed lines.

Table 10: Table with CC-LATE estimates in case of two or three binary instruments for the setting where the third instrument does add third instrument compliers and the setting where it does not add compliers, corresponding to Figure 7.

	(1)		(2)	
	Third instrument does not add compliers		Third instrument adds compliers	
	two instruments	three instruments	two instruments	three instruments
Mean of estimates	0.975	0.949	1.003	1.175
Std. dev. of estimates	0.565	0.842	0.551	0.532
Bias	-0.025	-0.051	0.003	0.021
Median bias	-0.021	-0.085	0.005	0.016
MSE	0.319	0.710	0.303	0.284
MAE	0.442	0.671	0.432	0.417

Table 11: Table with TSLS estimates in case of two or three binary instruments for the settings where the third instrument does add third instrument compliers and where it does not add compliers.

	(1)		(2)	
	Third instrument does not add compliers		Third instrument adds compliers	
	two instruments	three instruments	two instruments	three instruments
Mean of estimates	0.957	0.933	0.971	1.128
Std. dev. of estimates	0.541	0.528	0.524	0.422

When third instrument compliers are present in the population, the mean of the CC-LATE estimates using only two instruments, Z_1 and Z_2 , lies close to the true CC-LATE for the combined complier population with respect to these two instruments (see Figure 7c). Including a strong third instrument that adds third instrument compliers leads to an increase in the complier population considered. The resulting estimate gives the LATE for the eager compliers, reluctant compliers, first instrument compliers, and second instrument compliers as well as the third instrument compliers (see Figure 7d).

In conclusion, when an extremely weak instrument is added, the CC-LATE remains unbiased but is less precise. When incorporating the additional instrument, the compliers that respond to this instrument are added to the complier population. While the precision remains approximately the same, the estimated LATE considers a larger subpopulation and hence might lie closer to the true ATE.

D Comparison of the CC-LATE to other estimands

The CC-LATE estimand is given by

$$\beta = \frac{E(Y|Z_1 = 1, \dots, Z_k = 1) - E(Y|Z_1 = 0, \dots, Z_k = 0)}{E(D|Z_1 = 1, \dots, Z_k = 1) - E(D|Z_1 = 0, \dots, Z_k = 0)}$$

when multiple binary instruments are available, and it is given by

$$\beta = \frac{E(Y | Z_1 = 1, Z_2 = 1) - E(Y | Z_1 = 0, Z_2 = 0)}{E(D | Z_1 = 1, Z_2 = 1) - E(D | Z_1 = 0, Z_2 = 0)}$$

in the case of two binary instruments.

When two binary instruments, Z_1 and Z_2 , satisfy the standard assumptions including the IAM assumption, the Imbens and Angrist (1994) LATE estimands using each instrument separately are

$$\beta_1 = \frac{E(Y | Z_1 = 1) - E(Y | Z_1 = 0)}{E(D | Z_1 = 1) - E(D | Z_1 = 0)} \quad \text{and} \quad \beta_2 = \frac{E(Y | Z_2 = 1) - E(Y | Z_2 = 0)}{E(D | Z_2 = 1) - E(D | Z_2 = 0)},$$

and the corresponding estimators $\hat{\beta}_1$ and $\hat{\beta}_2$ simply replace the above expectations with sample averages. Let $\hat{\beta}_1$ and $\hat{\beta}_2$ be the estimated LATEs using Z_1 and Z_2 as instruments, respectively. Under standard assumptions, $\hat{\beta}_1$ consistently estimates β_1 , the average treatment effect among all first instrument compliers, and similarly $\hat{\beta}_2$ consistently estimates β_2 , the average treatment effect among all second instrument compliers. The denominators of these expressions equal the probability of first instrument and second instrument compliers, respectively. The denominator of the CC-LATE estimand is always greater than or equal to the denominators of either β_1 or β_2 , since it additionally includes eager compliers and reluctant compliers.

Imbens and Angrist (1994) show that when combining multiple instruments with TSLS under the IAM assumption, imposing choice homogeneity and using $g(Z)$ as an instrument, then TSLS gives a weighted average of the pairwise LATEs:

$$\alpha_g^{IV} = \sum_{k=1}^K \lambda_k \cdot E[Y_i(1) - Y_i(0) | D_i(z_k) = 1, D_i(z_{k-1}) = 0],$$

with weights

$$\lambda_k = \frac{(P(z_k) - P(z_{k-1})) \cdot \sum_{l=k}^K \pi_l \cdot (g(z_l) - E[g(Z)])}{\sum_{m=1}^K (P(z_m) - P(z_{m-1})) \cdot \sum_{l=m}^K \pi_l \cdot (g(z_l) - E[g(Z)])},$$

where, using Imbens and Angrist's (1994) notation, $\pi_k = Pr(Z = z_k)$, $P(z_k) = E[D_i | Z_i = z_k]$, and the support of Z is ordered such that if $l < m$, then $P(z_l) \leq P(z_m)$. The weights sum to one. To guarantee positive weights, Imbens and Angrist (1994) additionally assume that $J(Z)$, the scalar instrument constructed from Z , depends on the propensity score $P(Z)$ in a monotone way.¹¹

¹¹Heckman et al. (2006) show that the weights are always positive when $P(Z)$ is the instrument. Thus, the weights are always positive when the first stage of TSLS is fully saturated, since in this case $J(Z) = P(Z)$.

Mogstad et al. (2021) show that under PM, TSLS gives a weighted average of the LATEs for the response types, g , in the population other than the always-takers and never-takers:

$$\beta_{\text{TSLS}} = \sum_{g \in \mathcal{G}: \mathcal{C}_g \neq \emptyset} \omega_g \cdot E[Y_i(1) - Y_i(0) | G_i = g], \quad (8)$$

with weights

$$\omega_g = P(G_i = g) \sum_{k=2}^K (\mathbb{1}[k \in \mathcal{C}_g] - \mathbb{1}[k \in \mathcal{D}_g]) \left(\frac{\text{Cov}(D_i, \mathbb{1}[p(Z_i) \geq p(z^k)])}{\text{Var}(p(Z_i))} \right),$$

where they denote \mathcal{C}_g and \mathcal{D}_g to be the sets of integers k for which a certain group type responds to the change from z^{k-1} to z^k as a complier or defier, with $\{z^1, \dots, z^K\}$ the points of the instrument support ordered by the propensity scores, $p(z^1), \dots, p(z^K)$. The weights sum to one. A drawback of this estimand is that its interpretation is not straightforward for two reasons: The weights are counterintuitive, and the LATEs of defier types might enter the weighted average. As is evident from the expression, negative weights can occur either if $\text{Cov}(D_i, \mathbb{1}[p(Z_i) < p(z^k)]) \leq 0$ or if $\mathbb{1}[k \in \mathcal{C}_g] - \mathbb{1}[k \in \mathcal{D}_g] = -1$. The latter expression can lead to negative weights if $\mathcal{D}_g \neq \emptyset$. When PM allows for both first instrument compliers and second instrument compliers, $\mathcal{D}_g \neq \emptyset$ always occurs for either one of these two types. Thus, a negative weight on the LATE for one of these complier groups is generally a cause for concern when performing TSLS under PM. Even if the resulting weight is non-negative, the magnitude of the weight will be distorted if $\mathcal{D}_g \neq \emptyset$. Interpreting the TSLS estimand becomes even more challenging when more than two instruments are available. The instruments generate a variety of different complier and defier types in this case. Consequently, there are many potential two-way flows for some change in the instrument values. Next, consider the LATEs in the weighted average. The interpretation of the TSLS estimand depends on the LATEs of the response types present in the population, which is not straightforward in the case of multiple instruments. A cause for concern is that $\mathcal{D}_g \neq \emptyset$ generally holds for defier types, causing these types to enter the weighted average in Equation (8).

An attractive property of the CC-LATE is that it always gives the effect in the population of combined compliers. The CC-LATE is robust to the many defier types that might exist under LiM. Moreover, it is not concerned with negative weights. The CC-LATE estimand can be interpreted as

$$\beta_{\text{CC-LATE}} = \sum_{g \in \text{cc}} \omega_g \cdot E[Y_i(1) - Y_i(0) | G_i = g],$$

with weights corresponding to the relative sizes of the complier groups:

$$\omega_g = P(G_i = g).$$

If PM and LiM are non-nested, as discussed in Section 3, then it might not be possible to obtain an unbiased estimate of the CC-LATE if PM is true. Nevertheless, the CC-LATE

parameter can still be more interesting to estimate than the TSLS parameter, because it might be close to the true LATE for the combined complier population (see Appendix E for a more detailed examination of the estimand under a violation of LiM). Particularly since the number of response types that are allowed for under PM but violating LiM are very few, as discussed previously in Section 3. However, when PM is violated, one should be careful when interpreting the TSLS parameter, due to defier types entering the equation. This means that the weight can be negative, even if $\text{Cov}(D_i, \mathbb{1}[p(Z_i) < p(z^k)]) > 0$, which might even lead to the TSLS estimate having an opposite sign than the true ATE.

Frölich (2007) considers multiple instrumental variables with covariates included nonparametrically. If D_i follows an index structure and under standard assumptions including the IAM assumption, which heavily restricts choice heterogeneity, Frölich (2007) derives the following LATE:

$$E[Y^1 - Y^0 | \tau = c] = \frac{\int (E[Y|X = x, p(Z, X) = \bar{p}_x] - E[Y|X = x, p(Z, X) = \underline{p}_x]) f_x(x) dx}{\int (E[D|X = x, p(Z, X) = \bar{p}_x] - E[D|X = x, p(Z, X) = \underline{p}_x]) f_x(x) dx},$$

where $\bar{p}_x = \max_z p(z, x)$ and $\underline{p}_x = \min_z p(z, x)$. Similar to the CC-LATE, the estimation is based on the two subgroups of observations where $Z = (0, \dots, 0, \dots, 0)$ and $Z = (1, \dots, 1, \dots, 1)$. The interpretation of this estimand differs in that it considers the largest complier group, whereas the CC-LATE considers all individuals that respond to any instrument or combination thereof. From the results of Imbens and Angrist (1994), one can show that $\frac{E[Y|Z=z_K] - E[Y|Z=z_0]}{E[D|Z=z_K] - E[D|Z=z_0]} = E[Y(1) - Y(0) | D(z_K) \neq D(z_0)]$ (see Appendix A.5) which equally can be interpreted as the effect in the largest group of compliers, having the same interpretation as the estimand for multiple binary instruments as proposed by Frölich (2007).

Goff (2020) derives the “all compliers LATE” (ACL) under a special form of PM, which he refers to as vector monotonicity (VM). Goff (2020) shows that the ACL can be re-written to a weighted average over the treatment effects of the specific combined complier groups, $g \in \mathcal{G}$:

$$E[Y_i(1) - Y_i(0) | C_i = 1] = \sum_{g \in \mathcal{G}} \frac{P(G_i = g) E[c(g, Z_i)]}{E[c(G_i, Z_i)]} \cdot E[Y_i(1) - Y_i(0) | G_i = g], \quad (9)$$

where $C_i = c(G_i, Z_i) = 1$ if a unit i belongs to a group of the all compliers. Identification of the ACL is then possible for specific choices of the function $c(g, z)$. Only in rare cases does the TSLS estimator recover the ACL, and Goff (2020) proposes a different estimator that is similar in construction to the TSLS estimator. He further shows that Equation (9) can be re-written to a single Wald estimand:

$$E[Y_i(1) - Y_i(0) | C_i = 1] = \frac{E[Y_i | Z_i = \bar{Z}] - E[Y_i | Z_i = \underline{Z}]}{E[D_i | Z_i = \bar{Z}] - E[D_i | Z_i = \underline{Z}]},$$

where $\bar{Z} = (1, 1, \dots, 1)'$ and $\underline{Z} = (0, 0, \dots, 0)'$. Obviously, the denominator should be nonzero, and it should hold that $P(Z_i = \bar{Z}) > 0$ and $P(Z_i = \underline{Z}) > 0$.

As the name suggests, the “all compliers” LATE concerns individuals who are compliers in the sense that they respond to the instruments in some way. Under VM, the ACL gives the effect for those individuals who are neither always-takers nor never-takers. In the setting with two binary instruments, the interpretation of the CC-LATE coincides with the interpretation of the ACL in that it estimates the effect for those individuals who are a complier with respect to one of the instruments without defying any of the other instruments. In this case, the combined complier population coincides with the all complier population. However, the CC-LATE is derived under a much weaker monotonicity assumption that allows for more choice heterogeneity and a rich co-existence of response types. In the setting with three or more binary instruments, the combined complier population considered by the CC-LATE contains complier types that are ruled out under the VM assumption. Consequently, the CC-LATE gives the LATE for a larger complier population. The ACL is not necessarily identified in cases where VM is violated but LiM still holds.

E Extensions

E.1 Violation of LiM

In this section, we consider identification when LiM is violated. Violation of this assumption not only introduces identification issues, but also reduces the power of the instruments, which exacerbates the problem (Dahl et al., 2023). If LiM is violated, it can be shown for the setting with two binary instruments that

$$\beta = \frac{\pi_{cc}}{\pi_{cc} - \pi_{dd}} E(Y^1 - Y^0 | T \in cc) - \frac{\pi_{dd}}{\pi_{cc} - \pi_{dd}} E(Y^1 - Y^0 | T \in dd)$$

with cc the set of combined compliers, $cc \equiv \{ec, rc, 1c, 2c\}$, and dd the set of defiers that can never be pushed towards compliance and do not cancel out, $dd \equiv \{d3, d4, d5, d6\}$.

Proof in Appendix E.1.1.

This result can easily be extended to the setting with multiple binary instruments. In the setting with three or more instruments, the set dd contains those individuals who are a defier with respect to one of the instruments when the values of the other instruments are either all equal to zero or when they are all equal to one.

If the probability of being this type of defier is small, that is, π_{dd} is small, then more weight is given to $E(Y^1 - Y^0 | T \in cc)$ such that the impact of these defiers will be small. The same holds when the average treatment effect for these defiers is negligible, that is, $E(Y^1 - Y^0 | T \in dd)$ is very small compared to the effect in the combined compliers group, $E(Y^1 - Y^0 | T \in cc)$. The

presence of these defiers is problematic when they are many and/or their treatment effect is relatively large in magnitude. In this case, they will introduce a substantial bias. There are not many settings where it is likely that these types of defiers introduce a large amount of bias, especially since LiM already allows for the existence of a rich set of defiers. The CC-LATE is identified if $E(Y^1 - Y^0|T \in cc) = E(Y^1 - Y^0|T \in dd)$.

The CC-LATE under a violation of LiM is a weighted average of the ATE for the combined compliers and the ATE for the defier types that would have been ruled out under LiM with negative weight. This is comparable to the TSLS estimand, which is a weighted average that potentially contains defier types and/or negative weights.

E.1.1 Proof of violation of LiM

Consider the setting where limited monotonicity is violated. Let $\pi_t = \Pr(T \in t)$, $t = at, rc, ec, 1c, 2c, 1d, 2d, ed, rd, d1, d2, d3, d4, d5, d6, nt$. We have

$$\begin{aligned} E(D_i^{00}) &= \sum_t E(D_i^{00}|T = t)\pi_t \\ &= \pi_{at} \cdot 1 + \pi_{rc} \cdot 0 + \pi_{ec} \cdot 0 + \pi_{1c} \cdot 0 + \pi_{2c} \cdot 0 + \pi_{nt} \cdot 0 + \pi_{1d} \cdot 1 + \pi_{2d} \cdot 1 + \pi_{ed} \cdot 1 + \pi_{d3} \cdot 1 \\ &\quad + \pi_{d1} \cdot 0 + \pi_{d4} \cdot 1 + \pi_{d2} \cdot 0 + \pi_{d5} \cdot 1 + \pi_{rd} \cdot 0 + \pi_{d6} \cdot 1 \\ &= \pi_{at} + \pi_{1d} + \pi_{2d} + \pi_{ed} + \pi_{d3} + \pi_{d4} + \pi_{d5} + \pi_{d6} \end{aligned}$$

and

$$\begin{aligned} E(D_i^{11}) &= \sum_t E(D_i^{11}|T = t)\pi_t \\ &= \pi_{at} \cdot 1 + \pi_{rc} \cdot 1 + \pi_{ec} \cdot 1 + \pi_{1c} \cdot 1 + \pi_{2c} \cdot 1 + \pi_{nt} \cdot 0 + \pi_{1d} \cdot 1 + \pi_{2d} \cdot 1 + \pi_{ed} \cdot 1 + \pi_{d1} \cdot 0 \\ &\quad + \pi_{d2} \cdot 0 + \pi_{rd} \cdot 0 + \pi_{d3} \cdot 0 + \pi_{d4} \cdot 0 + \pi_{d5} \cdot 0 + \pi_{d6} \cdot 0 \\ &= \pi_{at} + \underbrace{\pi_{rc} + \pi_{ec} + \pi_{1c} + \pi_{2c}}_{\pi_{cc}} + \pi_{1d} + \pi_{2d} + \pi_{ed} \\ &= \pi_{at} + \pi_{cc} + \pi_{1d} + \pi_{2d} + \pi_{ed}. \end{aligned}$$

It therefore follows that

$$E(D|Z_1 = 1, Z_2 = 1) - E(D|Z_1 = 0, Z_2 = 0) = E(D_i^{11}) - E(D_i^{00}) = \pi_{cc} - (\pi_{d3} + \pi_{d4} + \pi_{d5} + \pi_{d6}).$$

Let $\beta_i = Y_i^1 - Y_i^0$. Under SUTVA the observed outcome Y can be written as

$$\begin{aligned} Y_i &= Y_i^1 D_i + Y_i^0 (1 - D_i) = \beta_i D_i + Y_i^0 \\ &= \beta_i [D_i^{00} R_{1i} + D_i^{11} R_{2i} + D_i^{01} R_{3i} + D_i^{10} R_{4i}] + Y_i^0 \\ &= \beta_i D_i^{00} R_{1i} + \beta_i D_i^{11} R_{2i} + \beta_i D_i^{01} R_{3i} + \beta_i D_i^{10} R_{4i} + Y_i^0. \end{aligned}$$

Now, consider the numerator of the CC-LATE estimand,

$$\begin{aligned}
E(Y|Z_1 = 1, Z_2 = 1) - E(Y|Z_1 = 0, Z_2 = 0) &= E(Y|R_2 = 1) - E(Y|R_1 = 1) \\
&= E(\beta_i D_i^{11} + Y_i^0 | R_2 = 1) - E(\beta_i D_i^{00} + Y_i^0 | R_1 = 1) \\
&= E(\beta_i D_i^{11}) - E(\beta_i D_i^{00}).
\end{aligned}$$

We have that

$$\begin{aligned}
E(\beta_i D_i^{00}) &= \sum_t E(\beta_i D_i^{00} | T = t) \cdot \pi_t \\
&= E(Y_i^1 - Y_i^0 | T = at) \cdot \pi_{at} + E(Y_i^1 - Y_i^0 | T = 1d) \cdot \pi_{1d} + E(Y_i^1 - Y_i^0 | T = 2d) \cdot \pi_{2d} \\
&\quad + E(Y_i^1 - Y_i^0 | T = ed) \cdot \pi_{ed} + E(Y_i^1 - Y_i^0 | T = d3) \cdot \pi_{d3} + E(Y_i^1 - Y_i^0 | T = d4) \cdot \pi_{d4} \\
&\quad + E(Y_i^1 - Y_i^0 | T = d5) \cdot \pi_{d5} + E(Y_i^1 - Y_i^0 | T = d6) \cdot \pi_{d6}
\end{aligned}$$

and

$$\begin{aligned}
E(\beta_i D_i^{11}) &= \sum_t E(\beta_i D_i^{11} | T = t) \cdot \pi_t \\
&= E(Y_i^1 - Y_i^0 | T = at) \cdot \pi_{at} + E(Y_i^1 - Y_i^0 | T \in cc) \cdot \pi_{cc} + E(Y_i^1 - Y_i^0 | T = 1d) \cdot \pi_{1d} \\
&\quad + E(Y_i^1 - Y_i^0 | T = 2d) \cdot \pi_{2d} + E(Y_i^1 - Y_i^0 | T = ed) \cdot \pi_{ed}.
\end{aligned}$$

Therefore,

$$\begin{aligned}
&E(Y|Z_1 = 1, Z_2 = 1) - E(Y|Z_1 = 0, Z_2 = 0) \\
&= E(\beta_i D_i^{11}) - E(\beta_i D_i^{00}) \\
&= E(Y^1 - Y^0 | T \in cc) \cdot \pi_{cc} - E(Y_i^1 - Y_i^0 | T = d3) \cdot \pi_{d3} \\
&\quad - E(Y_i^1 - Y_i^0 | T = d4) \cdot \pi_{d4} - E(Y_i^1 - Y_i^0 | T = d5) \cdot \pi_{d5} \\
&\quad - E(Y_i^1 - Y_i^0 | T = d6) \cdot \pi_{d6} \\
&= E(Y^1 - Y^0 | T \in cc) \cdot \pi_{cc} - E(Y^1 - Y^0 | T \in dd) \cdot \pi_{dd}
\end{aligned}$$

with dd the set of defiers that can never be pushed towards compliance and do not cancel out,

$dd \equiv \{d3, d4, d5, d6\}$ and so

$$\begin{aligned}
\beta &= \frac{E(Y | Z_1 = 1, Z_2 = 1) - E(Y | Z_1 = 0, Z_2 = 0)}{E(D | Z_1 = 1, Z_2 = 1) - E(D | Z_1 = 0, Z_2 = 0)} \\
&= \frac{E(Y^1 - Y^0 | T \in cc) \cdot \pi_{cc} - E(Y^1 - Y^0 | T \in dd) \cdot \pi_{dd}}{\pi_{cc} - \pi_{dd}} \\
&= \frac{\pi_{cc}}{\pi_{cc} - \pi_{dd}} E(Y^1 - Y^0 | T \in cc) - \frac{\pi_{dd}}{\pi_{cc} - \pi_{dd}} E(Y^1 - Y^0 | T \in dd).
\end{aligned}$$

E.2 Bloom result

In a randomized trial with one-sided noncompliance there are no never-takers. For the setting with one binary instrument, Bloom (1984) shows that IV estimates the treatment effect on the

treated in randomized trials with one-sided noncompliance,

$$\frac{E(Y_i|z_i = 1) - E(Y_i|z_i = 0)}{P(D_i = 1|z_i = 1)} = E(Y_{1i} - Y_{0i}|D_i = 1).$$

When there are two binary instruments, one-sided compliance means that

$$E(D_i|Z_1 = 0, Z_2 = 0) = P(D_i = 1|Z_{1i} = 0, Z_{2i} = 0) = \pi_{at} + \pi_{1d} + \pi_{2d} + \pi_{ed} = 0.$$

If compliance is only possible when both instruments are offered such that $Z_{1i} = 1, Z_{2i} = 1$, then the average treatment effect on the treated (ATT) is

$$E(Y_i^1 - Y_i^0|D_i = 1) = \frac{E(Y_i|Z_{1i} = 1, Z_{2i} = 1) - E(Y_i|Z_{1i} = 0, Z_{2i} = 0)}{P(D_i = 1|Z_{1i} = 1, Z_{2i} = 1)}.$$

Proof in Appendix E.2.1.

This result can easily be extended to the setting with more than two binary instruments if it holds that compliance is only possible when an individual is exposed to all instruments.

If one-sided compliance only holds for one of the instruments, Z_2 , and compliance is only possible when both instruments are offered, then

$$E(Y_i^1 - Y_i^0|D_i = 1) = \frac{E(Y_i|Z_{1i} = 1, Z_{2i} = 1) - E(Y_i|Z_{2i} = 0)}{P(D_i = 1|Z_{1i} = 1, Z_{2i} = 1)}.$$

E.2.1 Proof of Bloom result

When there are two binary instruments, one-sided compliance means that

$$E(D_i|Z_1 = 0, Z_2 = 0) = P(D_i = 1|Z_{1i} = 0, Z_{2i} = 0) = 0.$$

We can re-write $E(Y_i|Z_{1i} = 1, Z_{2i} = 1)$ and $E(Y_i|Z_{1i} = 0, Z_{2i} = 0)$ as

$$E(Y_i|Z_{1i} = 1, Z_{2i} = 1) = E(Y_i^0|Z_{1i} = 1, Z_{2i} = 1) + E((Y_i^1 - Y_i^0)D_i|Z_{1i} = 1, Z_{2i} = 1) \quad (10)$$

and

$$E(Y_i|Z_{1i} = 0, Z_{2i} = 0) = E(Y_i^0|Z_{1i} = 0, Z_{2i} = 0) + E((Y_i^1 - Y_i^0)D_i|Z_{1i} = 0, Z_{2i} = 0), \quad (11)$$

where $E((Y_i^1 - Y_i^0)D_i|Z_{1i} = 0, Z_{2i} = 0) = 0$ because $D_i = 0$ if $Z_{1i} = 0, Z_{2i} = 0$. Subtracting equation (11) from equation (10) gives

$$\begin{aligned} & E(Y_i|Z_{1i} = 1, Z_{2i} = 1) - E(Y_i|Z_{1i} = 0, Z_{2i} = 0) \\ &= E((Y_i^1 - Y_i^0)D_i|Z_{1i} = 1, Z_{2i} = 1) \\ &= E(Y_i^1 - Y_i^0|D_i = 1, Z_{1i} = 1, Z_{2i} = 1)P(D_i = 1|Z_{1i} = 1, Z_{2i} = 1) \end{aligned}$$

where the first equality follows because $E(Y_i^0|Z_{1i} = 1, Z_{2i} = 1) = E(Y_i^0|Z_{1i} = 0, Z_{2i} = 0)$ by the independence assumption.

Note that unlike in the setting with one binary instrument where $D_i = 1$ implies $Z_i = 1$, in the setting with two binary instruments $D_i = 1$ does **not** imply $Z_{1i} = 1, Z_{2i} = 1$. So $E(Y_i^1 - Y_i^0|D_i = 1, Z_{1i} = 1, Z_{2i} = 1) \neq E(Y_i^1 - Y_i^0|D_i = 1)$. However, if compliance is only possible when both instruments are offered such that $Z_{1i} = 1, Z_{2i} = 1$, then $E(Y_i^1 - Y_i^0|D_i = 1, Z_{1i} = 1, Z_{2i} = 1) = E(Y_i^1 - Y_i^0|D_i = 1)$, the treatment effect on the treated is

$$E(Y_i^1 - Y_i^0|D_i = 1) = \frac{E(Y_i|Z_{1i} = 1, Z_{2i} = 1) - E(Y_i|Z_{1i} = 0, Z_{2i} = 0)}{P(D_i = 1|Z_{1i} = 1, Z_{2i} = 1)}.$$

This result can easily be extended to the setting with more than two binary instruments if it holds that compliance is only possible when an individual is exposed to all instruments.

E.3 Characteristics of the complier groups

When multiple instrumental variables are available, each instrument identifies the LATE for those individuals who change their treatment status in response to a change in that specific instrument. As pointed out in Angrist and Pischke (2009), when treatment effects are heterogeneous, the LATEs might differ due to differences in complier populations. Characteristics of the different complier populations might explain some of the differences in the estimated effects. Furthermore, LATEs are criticized for their lack of external validity. Knowledge about the characteristics of the population for which the average treatment effect was estimated might be valuable when extending to other populations.

Suppose there is a binary variable, X , that equals one when an individual is male, and zero when an individual is female.

$$\begin{aligned} & \frac{P(x_{1i} = 1|D_i^{11\dots 1} > D_i^{00\dots 0})}{P(x_{1i} = 1)} \\ &= \frac{P(D_i^{11\dots 1} > D_i^{00\dots 0}|x_{1i} = 1)}{P(D_i^{11\dots 1} > D_i^{00\dots 0})} \\ &= \frac{E(D_i|Z_{1i} = 1, Z_{2i} = 1, \dots, Z_{ki} = 1, x_{1i} = 1) - E(D_i|Z_{1i} = 0, Z_{2i} = 0, \dots, Z_{ki} = 0, x_{1i} = 1)}{E(D_i|Z_{1i} = 1, Z_{2i} = 1, \dots, Z_{ki} = 1) - E(D_i|Z_{1i} = 0, Z_{2i} = 0, \dots, Z_{ki} = 0)}. \end{aligned}$$

Thus, we can obtain the relative likelihood of a combined complier being male through the first stage and the first stage for male individuals only.