# Does universalization ethics justify participation in large elections? \*

Konrad Dierks<sup> $\dagger$ </sup> Ingela Alger<sup> $\ddagger$ </sup>

Jean-François Laslier<sup>§</sup>

August 14, 2024

#### Abstract

What drives voters' decisions to participate in large elections under costly voting, despite the rational expectation that this has no impact on the outcome? We propose a new model of ethical voters, by positing that they have Kantian or semi-Kantian preferences. With such preferences, voters evaluate their behavior in light of what the outcome would be, should a fraction of the other voters choose the same behavior. The "other voters" can either be the entire population ("non-partisan ethics") or the co-partisans ("partisan ethics"). In a model with two candidates and a continuum of voters, turnout is strictly positive as long as the evaluation by the voters of the political outcome is not strictly of the "winner-take-all" kind. Moreover, equilibrium turnout rates depend on the specifics of the election at hand, such as the relative stake of the election for the two supporter groups and the presence of core constituent groups.

**Keywords**: voter turnout, ethical voter, universalization, *Homo moralis*, Kantian morality

<sup>\*</sup>The authors are listed by age, in ascending order. This simple rule would make a fairer norm than alphabetical order, since we all age at the same speed. We urge everyone to adopt this rule, "willing that it become a universal law" for signature in economics papers.

I.A. acknowledges funding from the European Research Council (ERC) under the European Union's Horizon 2020 research and innovation programme (grant agreement No 789111 - ERC EvolvingEconomics), as well as IAST funding from the French National Research Agency (ANR) under grant ANR-17-EURE-0010 (Investissements d'Avenir program). J.-F. L. thanks the EUR grant ANR-17-EURE-0001. We are grateful for comments from David Austen-Smith, Esteban Muñoz Sobrado, Gregory Ponthière, Roberto Sarkisian, Arthur Silve, Alberto Simpser, and Jörgen Weibull, as well as from audiences at Bilkent University, the COMSOC online seminar, Paris School of Economics, the Social Choice and Welfare conference in Seoul, Toulouse School of Economics, and the UC Louvain Hoover Chair.

<sup>&</sup>lt;sup>†</sup>PhD candidate, Toulouse School of Economics, University of Toulouse Capitole. konrad.dierks@tse-fr.eu

<sup>&</sup>lt;sup>‡</sup>CNRS, Toulouse School of Economics, Institute for Advanced Study in Toulouse. ingela.alger@tse-fr.eu

<sup>&</sup>lt;sup>§</sup>CNRS, Paris School of Economics. jean-francois.laslier@ens.fr

### 1 Introduction

Election outcomes depend not only on voters' preferences, but also on whether voters actually vote, since turnout rates may be correlated with party preferences. To wit, in the 20th century in the U.S.A., turnout rates in the three groups of registered voters (Democrats, Republicans, Independents) shifted over time (DeNardo, 1980; Nagel and McNulty, 1996).So turnout matters, and it has been found to vary not only over time but also across countries, and to be correlated with macro-economic factors, the type of election, and even the weather on the day of the election, to name just a few of the variables that have been examined (see, e.g., Blais and Daoust, 2020; Cancela and Geys, 2016; Frank and Martínez i Coma, 2023, and references therein). Empirical studies have further detected correlates between individual turnout decisions and individual characteristics such as age, sex, education, occupation, and marital status (see the meta-study by Smets and Van Ham, 2013, and references therein).

Understanding these patterns requires understanding the individual turnout decisionmaking process, which has been the subject of a host of theories. Perceived benefits and costs of voting at the individual level are at the center of any rational voter theory of turnout (Downs, 1957). A variety of factors have been invoked to explain turnout, such as a desire to express allegiance to the political system, to participate in the democratic process, to express an opinion, to affirm loyalty to a party, to fulfill one's duty, or to comply with a social norm (Riker and Ordeshook, 1968; Fiorina, 1976; Morton, 1987; Schuessler, 2000; Feddersen, Gailmard, and Sandroni, 2009; D. K. Levine and Mattozzi, 2020). While such factors have been shown to matter empirically (Blais, 2000; Blais and Achen, 2019; Gerber, Green, and Larimer, 2008; Rogers, Green, Ternovski, and Young, 2017), it is not clear how they could explain the patterns evoked above.

The aforementioned patterns suggest that there is a relation between the material impact of the election outcome and the individual decision to vote, at least for part of the electorate. A satisfactory theory should deliver predictions about this relation. Models with voters driven by purely instrumental concerns do deliver such predictions, but only if voters can expect to be pivotal (Krishna and Morgan, 2015; Ledyard, 1984; Myerson, 2000; Palfrey and Rosenthal, 1985).<sup>1</sup> Since the probability of being pivotal is essentially nil in elections with large enough electorates, instrumental motives should not matter in such elections, contradicting the patterns evoked above. We propose a novel theory of turnout in large elections.

<sup>&</sup>lt;sup>1</sup>See also the survey by Dhillon and Peralta (2002) and the literature discussion in Coate and Conlin (2004), as well as the books by Aytaç and Stokes (2019) and Blais and Daoust (2020).

The driving force is a form of ethical preferences—dubbed *Homo moralis*—which capture a form of universalization: when contemplating a course of action, a *Homo moralis* evaluates what his material payoff would be if, hypothetically, a share  $\kappa$  of the population to which he belongs would follow the same course of action, where  $\kappa$  is the individual's *degree of universalization*.<sup>2</sup> This idea is reminiscent of Kant's categorical imperative (Kant, 1785), although philosophers warn that a Kantian "maxim" is not a course of action (Braham and van Hees, 2020). In any case, the logic of universalization spreads over moral theories (Gravel, Laslier, and Trannoy, 2000) and also guides actual moral judgments (S. Levine, Kleiman-Weber, Schultz, and Cushman, 2020). One obtains the standard materialistic *Homo oeoconomicus* for  $\kappa = 0$  and the Kantian model of Laffont (1975) for  $\kappa = 1$ , while values of  $\kappa$ between 0 and 1 trigger partial universalization (Alger and Weibull, 2013).<sup>3</sup>

Given these ethical preferences, in our model each voter will be seen to act on information about the material consequences of the election, despite a positive cost to vote. The action is rational in the sense that it maximizes a well-defined utility function. It is compatible with the awareness that no single vote has any impact on the election outcome. Furthermore, at equilibrium the beliefs about the other voters' behaviors are taken to be correct.

We evaluate the consequences of *Homo moralis* preferences in a standard political model. As in most models of turnout, there are two candidates (or parties, or referendum proposals), A and B. We take B to be the (known) underdog. Some voters always turn out to vote, perhaps because of a deep sense of duty, a long-held habit, a strong wish to signal support of democracy, etc. They are the core voters (DeNardo, 1980), or the candidate's *base*. Our model is about the other voters, who do *not* systematically turn out to vote. Their cost of voting is uncertain at the individual level, although the cost distributions are known, and each such *cost-sensitive voter* decides on a threshold strategy: she votes if and only if the realized cost falls short of this threshold (like in Coate and Conlin, 2004; Feddersen and Sandroni, 2006).

<sup>&</sup>lt;sup>2</sup>These preferences emerged from analysis of the evolutionary foundations of preferences (Alger and Weibull, 2013). Our approach is thus close in spirit to Conley, Toossi, and Wooders (2006), who base their voters' motivation to participate in elections on evolutionary arguments. See also the book by Hatemi and McDermott (2011), which *inter alia* cites evidence of intriguing correlations between biological factors such as genes on the one hand, and political preferences and even turnout on the other hand. For experimental evidence on behavior consistent with *Homo moralis* preferences, see Van Leeuwen and Alger (forthcoming).

<sup>&</sup>lt;sup>3</sup>An alternative formalization of Kantian ethics is provided by Roemer (2019).

The distribution of expressed votes across the two candidates determines the political outcome. At this level, we keep the familiar zero-sum pattern of electoral competition: the outcome is positive for one side and negative for the other. But it need not be a winner-take-all election. Our gain-loss function also encompasses institutional settings where the vote share itself matters and political power is shared so that "the loser gets some". This captures a range of possible institutional settings, from the pure majoritarian case (obtained as a limit case of our model) to a kind of "random dictatorship", or "proportional two-party system"<sup>4</sup>

At the level of the voters we break the symmetry and introduce a parameter  $\rho \geq 1$  that we call the stake of the election: this parameter represents the importance of the political benefit obtained through the election as perceived by the underdog's supporters relative to the other group's supporters. As an illustrating example, if the underdog tends to represent low-income households, the stake is expected to be higher, the stronger are the redistributive consequences of the election. We will say that the stake is neutral if  $\rho = 1$ . To summarize, the material consequences of the election for each individual depend on the political outcome, the stake, and the individual's cost (that may be incurred or not).

By definition, universalization ethics implies a reference to a group, the population to which the individual belongs. We examine two settings: the *partisan* setting and the *nonpartisan* one. In the non-partisan setting, the reference group can be interpreted as the set of all (independent) voters, while in the partisan setting there are two distinct populations, one for each candidate. In the partisan setting, the voter applies the universalization argument to the set of co-partisans, by evaluating what the outcome of the election would be if—hypothetically—a share  $\kappa$  of the co-partisans were to choose the same threshold as the voter himself. By contrast, in the non-partisan setting, the voter applies the universalization argument to the set of independent voters, and chooses two rather than one cost threshold, by taking into account the expected benefits and costs over the two possible preference realizations, "behind a veil of ignorance".<sup>5</sup>

<sup>&</sup>lt;sup>4</sup>Modifying this way the political benefit function in a two-party model in order to contrast proportional representation with winner-take-all is used, for instance by Lizzeri and Persico (2001). Studying turnout, Herrera, Morelli, and Nunnari (2016) similarly modify the outcome function.

<sup>&</sup>lt;sup>5</sup>This setting does not appear in the existing literature. Existing models are thus not suited to explain turnout rates of voters who may change their ranking over parties between elections, and who are humble enough to realize that the information used to form their party preference may be wrong, or who consider democratic participation as a norm for all citizens, not only for those who happen to be on their side.

Our objective is to characterize rational behavior in these (one or two) population games, assuming that all voters have the same degree of universalization  $\kappa$ . The rich setting enables us to address a host of questions: is turnout positive in equilibrium, and how do turnout rates depend on the primitives (the way in which the relative margins affect the material benefits accruing to the parties, the candidates' bases, the stake of the election)? Are there equilibria in which the underdog wins the election? Finally, do equilibria exist, and if so, can there be multiple equilibria?

Prior to summarizing our findings, we compare our formalization of ethically driven voters to existing ones. An early formalization (Harsanyi, 1980) of ethical voters posits that voters are *rule utilitarians*: in the words of Harsanyi (1977) such a voter does not look at the various issues from a partisan point of view but from the standpoint of an impartial but humane and sympathetic observer.<sup>6</sup> Furthermore, Harsanyi defines the moral behavior of rule-utilitarian individuals as "involving a firm commitment [...] to a specific moral strategy" (p.115 in Harsanyi, 1980), where the moral strategy maximizes the sum of individual utilities. Our non-partisan setting is in line with Harsanyi's view of voters as "impartial observers", but our formalization of ethically driven voters does not amount to altruistic utilitariansim, but instead to a self-centered universalization thought experiment: a voter considers each course of action in the light of what *her* material well-being would be if some share of the others voters were to choose the same course of action.<sup>7</sup>

Our formalization of ethical voters should not be confused either with group-based voter participation models in which strategic decisions are made at the collective level and an ethical voter applies a decision rule —that is a cost threshold, like in our model— which maximizes the group's aggregate material well-being, given the other group's cost threshold.<sup>8</sup> By adopting

<sup>&</sup>lt;sup>6</sup>"In any social situation, each participant will tend to look at the various issues from his own, self-centered, partisan point of view. In contrast, if anybody wants to assert the situation from a *moral* point of view in terms of some standard of justice and equity, this will essentially amount to looking at it from the the standpoint of an impartial but humane and sympathetic observer." (p.623 in Harsanyi, 1977)

<sup>&</sup>lt;sup>7</sup>Alger and Weibull (2017) and Laslier (2023) study the relation between (partial) universalization ethics and (partial) Beckerian altruism.

<sup>&</sup>lt;sup>8</sup>In Coate and Conlin (2004) or Herrera et al. (2016) voters are like in our partian setting. By contrast, the model in Feddersen and Sandroni (2006) can be viewed as a mix of our non-partian and partian settings: their voters face no uncertainty regarding their party preference, but they care about the expected cost of voting for the supporters of both parties. See also the group-based models by Morton (1991) and Bierbrauer, Tsyvinski, and Werquin (2022), which have both endogenous turnout and endogenous party platforms.

this dutiful behavior, such a voter receives a constant payoff D > 0. For each group, the equilibrium cost threshold optimally trades off the probability of winning against the group-aggregate expected cost of voting, given the other group's threshold. A counter-intuitive feature of these models is that, at the individual level, each ethical voter would be perfectly happy to incur any positive voting cost, since D is assumed to exceed the largest possible cost realization. The duty that such a voter feels obliged to fulfill thus consists of reducing the aggregate cost of voting, by abstaining from voting when the realized cost is above the equilibrium threshold: some voters "receive a [duty] payoff for not voting" (Feddersen and Sandroni, 2006, p. 1272). By contrast, in our model a voter's utility depends directly on the material benefit she would enjoy if some share of the others also applied the same cost threshold, and she considers only own cost when evaluating cost thresholds. In other words, in our model the decision to incur a positive voting cost is individually rational. In particular, a voter would be willing to incur a positive cost to vote even if no other voter voted, whereas in the above mentioned models an ethical voter votes only because she knows that a share of the other voters will apply the same decision rule .

Our results depend heavily on the shape of the political outcome function that captures the institution, being more or less power-sharing, from random dictatorship to pure majoritarian. Since some effects vanish when the institution become close to winner-take-all, we first describe the results for the general power-sharing cases.

With power-sharing, we can establish existence generally in the non-partisan setting, while in the partisan setting equilibria sometimes fail to exist. We find that for any positive degree of universalization  $\kappa$ , in any equilibrium aggregate turnout is strictly positive (except in two knife-edge cases). This is because the universalization thought experiment makes each voter act as if their decision had a real weight on the outcome, and because the smallest possible cost realizations are close to zero. The result that positive voting costs are incurred in any equilibrium is qualitatively similar to results found in existing models on ethical voting. However, the driver is very different, as already mentioned. We further derive results which shed light on aspects that have hitherto been neglected in the literature.

Firstly, the inclusion in the model of core constituents, or bases, is novel. We show that the relative size of the candidates' bases is crucial. In particular, if the underdog's base exceeds that of the leader, there may exist equilibria in which the underdog wins. This result is due to the cost advantage that a large base confers on the cost-sensitive voters: the base enables

them to reach higher turnout levels at a lower cost. This contrasts sharply with the results in other models with known underdogs (Feddersen and Sandroni, 2006; Herrera, Morelli, and Nunnari, 2016), where the underdog gets the smallest (expected) vote share in the unique equilibrium (in Feddersen and Sandroni, 2006, the underdog may win due to the assumed uncertainty about the share of ethical voters).

Secondly, analysis of the non-partisan setting, in which voters select their participation strategy behind the veil of ignorance as to which candidate they will support, is also novel. In this setting the voters take into account the effects of both cost thresholds on the expected utility, thereby internalizing the externalities they generate across the two groups of costsensitive voters. We show that as a result the only candidate that obtains a turnout among its cost-sensitive supporters is that with the highest expected net benefit from voting. By contrast, in the partisan setting there is no internalization of externalities, and the costsensitive voters of both groups incur a positive expected voting cost in any equilibrium.

Thirdly, by contrast to most of the literature, we do not impose assumptions guaranteeing equilibrium existence and uniqueness. The key finding here is that multiple equilibria are not uncommon. This entails an important coordination problem for the voters, who typically prefer one equilibrium to the others. Interestingly, such coordination problems imply that voters are *more* likely to incur a cost to vote, the *higher* is the share of co-partisans that they believe will turn out to vote. To gauge how common non-existence and multiplicity is, we provide illustrating examples, and an online tool that enables the reader to explore other parameter sets (available at: https://konrad982.github.io/homo-moralis-turnout-appendix/). There is also an Online Appendix, where we provide further examples and also derive sufficient conditions for existence and uniqueness.

Without power sharing, that is in the majoritarian, winner-take-all case, the incentive to vote provided by the  $\kappa$ -universalization reasoning vanishes so that, except for some knife-edge values of the parameters, costly participation is nil for both sides in the partisan case. In the non-partisan case, either costly participation is nil for both sides leaving the candidate with the larger base to win, or is positive for one and only one side, leading to a tied outcome.

In the next section we describe the political model, and in the following two sections we analyze the partian and the non-partian settings, assuming that voters have *Homo moralis* preferences. A final section provides a summary of the results.

### 2 The political model

### 2.1 Institutional setting and political outcome

An election is taking place with two candidates, A and B (or two alternatives, such as political parties, two proposals in a referendum, etc.). The electorate is formalized as a continuum, divided in two groups: a group of size  $\bar{a}$  supporting A, and a group of size  $\bar{b} < \bar{a}$  supporting B. Since the B-supporters are less numerous, we will refer to their group as the *underdog* supporters, and the group of A-supporters as the *leader supporters*.

Each voter either votes for their preferred candidate or abstains, and candidates A and B receive  $a \leq \bar{a}$  and  $b \leq \bar{b}$  votes, respectively, generating the relative margins  $\alpha$  and  $\beta$ :

$$\alpha = \frac{a-b}{a+b} \quad \text{and} \quad \beta = -\alpha = \frac{b-a}{a+b}.$$
(1)

The election outcome generates some material (instrumental) benefit to the voters. This benefit is given by a strictly increasing and twice differentiable function  $h: \mathbb{R} \to \mathbb{R}$  of the relative margin of one's candidate. We assume that h is symmetric around 0, i.e., h(-x) =-h(x) and h'(x) = h'(-x), and that h''(0) < 0 for all x > 0. This assumption captures the idea that the competition between the two candidates is zero-sum, and that the marginal impact on the material benefit is the largest at x = 0, the threshold value of x above which the candidate wins the election by securing a greater total turnout than the other candidate. In particular, our setting includes functions for which the slope of h at 0 is arbitrarily large, while it is close to 0 elsewhere; this limit case of our model thus approximates the classical winner-take-all setting. However, by including h-functions such that the slope is sizeable everywhere, our model also encompasses situations where voters care about the margin of victory: this assumption is natural for parliamentary elections, where margins determine the number of seats obtained. The other limit case, opposed to the winner-take-all setting, consists in taking h to be linear. A possible interpretation is that decisions will be taken by one side or the other, yielding outcomes +1 and -1, with a probability equal to the proportion of votes obtained by A and B. This has a flavor of proportional representation and could be called "random dictatorship among participants".

We further assume that there is a parameter  $\rho$ , which we call the *stake of the election*, such that the material benefit supporters is  $h(\alpha)$  to the A-supporters and  $\rho \cdot h(\beta)$  to the

*B*-supporters. If  $\rho > 1$  the election is more important for the underdog supporters than for the leader supporters. We will say that the stake is neutral if  $\rho = 1$ .

In the numerical examples we will use the following specification for h:

$$h(x) = \frac{\arctan(mx)}{\arctan(m)}.$$
(2)

The parameter  $m \in \mathbb{R}_+$  changes the slope of h: the larger is m, the larger is the marginal benefit for small margins and the smaller is the marginal benefit for large margins. The linear case obtains for  $m \to 0$  and the step function for  $m \to \infty$ . This is illustrated in Figure 1.<sup>9</sup>



Figure 1: h as defined in equation (2) for different values of m

### 2.2 Voting costs and strategies

Some voters always turn out to vote—they may be driven by a strong sense of civic duty, a strong social pressure, a habit, or any other motivation outside of this model. There is a mass  $0 < a_0 < \bar{a}$  of such voters who vote for A, and a mass  $0 < b_0 < \bar{b}$  of such voters who vote for B. We will refer to  $a_0$  as A's base and to  $b_0$  as B's base. The model examines the behavior of the remaining voters, a mass  $a_v = \bar{a} - a_0$  of which are A-supporters, and a mass  $b_v = \bar{b} - b_0$  of which are B-supporters. These voters are cost-sensitive: each of them faces a positive random cost of voting, and their turnout decision depends on their realized cost. Formally, the function  $f_A : \mathbb{R}_+ \to \mathbb{R}_{\geq 0}$  maps each cost to the probability density for a cost-sensitive A-supporter to have that voting cost. We assume that the support of  $f_A$ , i.e.  $\{x \in \mathbb{R}_{>0} : f_A(x) > 0\}$ , is either

<sup>&</sup>lt;sup>9</sup>This gives m a similar role as the power-sharing parameter  $\gamma$  in the benefit term in the model of Herrera et al. (2016), who posit the material benefit function  $a^{\gamma}/(a^{\gamma} + b^{\gamma})$  for the A-supporters and  $b^{\gamma}/(a^{\gamma} + b^{\gamma})$ for the B-supporters, where the parameter  $\gamma \in [1, +\infty)$  captures the power sharing rule; in Section 1 of the Online Appendix we identify a function h that is a linear transformation of their material benefit term.

an interval  $(0, \bar{c}]$ , for some  $\bar{c} \in \mathbb{R}_+$ , or  $\mathbb{R}_+$ ; and  $f_A$  is continuous on its support. We denote by  $F_A(c)$  the proportion of cost-sensitive A-supporters whose cost realization falls short of c:

$$F_A(c) = \int_0^c f_A(t) \, dt,$$
(3)

so that  $1 = F(+\infty)$ . The same assumptions apply to group B, with notation  $f_B$ , and  $F_B$ .

We study two different models of how the voting strategies are chosen: the partian and the non-partian one. In both cases, we restrict attention to threshold strategies. A cost-sensitive A-supporter *i* picks a threshold  $s_A^i \in \mathbb{R}_{\geq 0} \cup \{\infty\}$ , and votes (for A) if the cost realization  $c_A^i$  does not exceed  $s_A^i$  and abstains otherwise. Likewise, a cost-sensitive B-supporter *j* picks a threshold  $s_B^j \in \mathbb{R}_{\geq 0} \cup \{\infty\}$ . Voters have correct beliefs about the voting cost distributions.

We restrict attention to type-homogenous strategy profiles, in which all voters with the same preference over the candidates choose the same strategy. At a type-homogenous strategy profile  $s = (s_A, s_B)$ , the realized turnouts are

$$a(s_A) = a_0 + a_v F_A(s_A)$$
 and  $b(s_B) = b_0 + b_v F_B(s_B)$ , (4)

and the following relative vote margins obtain:

$$\alpha(s) = \frac{a(s_A) - b(s_B)}{a(s_A) + b(s_B)} \quad \text{and} \quad \beta(s) = -\alpha(s).$$
(5)

### 3 Partisan ethics $(ex \ post \ setting)$

Our formalization of an ethical voter amounts to assuming that their utility function belongs to the *Homo moralis* preference class (Alger and Weibull, 2013). Following Alger and Laslier (2022), who also study a model with a continuum of voters with such preferences, we posit that *Homo moralis* preferences induce each voter to evaluate any strategy in the light of the material benefit that would realize if—hypothetically—a fraction  $\kappa \in [0, 1]$  of the other voters also played this strategy instead of the strategies they are actually using. The parameter  $\kappa$  is the *degree of universalization*, here assumed to be common to all cost-sensitive voters.

### 3.1 Partisan ethics: payoff computations

Under partisan ethics, the reference group is taken to be the other cost-sensitive voters who have same preferences over the two candidates; the participation strategy is decided *ex post*, once the voter's affiliation is known. Thus, each voter *i* in group *A* (resp. each voter *j* in group *B*) evaluates any strategy  $s_A^i$  (resp.  $s_B^j$ ) in the light of the material benefit that would realize if—hypothetically—a fraction  $\kappa \in [0, 1]$  of the other cost-sensitive *A*-supporters (resp. *B*-supporters) were also to play  $s_A^i$  (resp.  $s_B^j$ ) instead of the strategies they are actually using.

At a type-homogenous strategy profile  $s = (s_A, s_B)$ , each A-supporter, respectively Bsupporter, obtains expected net material benefit

$$EU_A(s) = h(\alpha(s)) - \int_{c=0}^{s_A} cf_A(c) dc$$
(6)

$$EU_B(s) = \rho h(\beta(s)) - \int_{c=0}^{s_B} cf_B(c) \ dc.$$
(7)

Homo moralis preferences induce A-supporter i to consider the hypothetical number of votes

$$a^{\kappa}(s_A, s_A^i) = a_0 + (1 - \kappa)a_v F_A(s_A) + \kappa a_v F_A(s_A^i)$$
(8)

in favor of A, with the corresponding relative vote margin

$$\alpha^{\kappa}(s, s_A^i) = \frac{a^{\kappa}(s_A, s_A^i) - b(s_B)}{a^{\kappa}(s_A, s_A^i) + b(s_B)},\tag{9}$$

and this defines the voter's expected utility

$$EU_{A}^{\kappa}(s, s_{A}^{i}) = h(\alpha^{\kappa}(s, s_{A}^{i})) - \int_{c=0}^{s_{A}^{i}} cf_{A}(c) \, dc.$$
(10)

Likewise, each B-supporter j considers the hypothetical number of votes

$$b^{\kappa}(s_B, s_B^{j}) = b_0 + (1 - \kappa)b_v F_B(s_B) + \kappa b_v F_B(s_B^{j}),$$
(11)

in favor of B, with the corresponding relative vote margin

$$\beta^{\kappa}(s, s_B^j) = \frac{b^{\kappa}(s_B, s_B^j) - a(s_A)}{a(s_A) + b^{\kappa}(s_B, s_B^j)},\tag{12}$$

and obtains expected utility

$$EU_B^{\kappa}(s, s_B^j) = \rho h(\beta^{\kappa}(s, s_B^j)) - \int_{c=0}^{s_B^j} cf_B(c) \, dc.$$
(13)

These equations reveal the main driver of the behavior of voters under partial ethics in our model. Consider Equation 10. When  $\kappa > 0$  an increase in  $s_A^i$  affects the vote share in favor of A and thus, given our assumption on h, the political benefit of an A-supporter. But, at  $s_A^i = 0$ , the marginal effect on the expected payed cost of an increase in  $s_A^i$  is  $0 \times f_A(0) = 0$ . It follows that setting a 0 threshold is never a best response for an A-supporter.<sup>10</sup>

### 3.2 A change of variables

Before going further, we proceed to a change of variables that simplifies the analysis. Seeing from (4) that the threshold  $s_A$  that yields turnout a is  $F_A^{-1}\left(\frac{a-a_0}{a_v}\right) \in [0,\infty]$  and the threshold  $s_B$  that yields turnout b is  $F_B^{-1}\left(\frac{b-b_0}{b_v}\right) \in [0,\infty]$ , we write the expected utilities in (10) and (13) as follows:

$$EU_A(a,b,a^i) = h\left(\alpha^{\kappa}(a,b,a^i)\right) - C_A(a^i)$$
(14)

$$EU_B(a,b,b^j) = \rho h\left(\beta^{\kappa}(a,b,b^j)\right) - C_B(b^j), \qquad (15)$$

where

$$\alpha^{\kappa}\left(a,b,a^{i}\right) = \frac{\left(1-\kappa\right)a + \kappa a^{i} - b}{\left(1-\kappa\right)a + \kappa a^{i} + b} \quad \text{and} \quad \beta^{\kappa}\left(a,b,b^{j}\right) = \frac{\left(1-\kappa\right)b + \kappa b^{j} - a}{\left(1-\kappa\right)b + \kappa b^{i} + a}, \tag{16}$$

and

$$C_{A}(a^{i}) = \int_{0}^{F_{A}^{-1}\left(\frac{a^{i}-a_{0}}{a_{v}}\right)} cf_{A}(c) dc \quad \text{and} \quad C_{B}(b^{j}) = \int_{0}^{F_{B}^{-1}\left(\frac{b^{j}-b_{0}}{b_{v}}\right)} cf_{B}(c) dc. \quad (17)$$

<sup>10</sup>This reasoning will, however, be seen to break down in the limit case that we use to examine winner-take-all elections, because the political outcome function h is then locally flat.

Henceforth, the strategy of A-supporter *i* is thus a "turnout"  $a^i \in [a_0, \bar{a}]$ , and that of B-supporter *j* a "turnout"  $b^j \in [b_0, \bar{b}]$ , although it should be clear to the reader that what these voters are really choosing are the cost thresholds that would yield these turnout levels. This change of variables facilitates analysis because the functions  $C_A$  and  $C_B$  are strictly convex, for any cost distributions  $F_A$  and  $F_B$  satisfying our assumptions.

**Lemma 1.** Both  $C_A$  and  $C_B$  are strictly convex and strictly increasing.

*Proof.* By a substitution  $z = F_A(c)$ 

$$C_A(a) = \int_0^{\frac{a-a_0}{a_v}} F_A^{-1}(z) \, dz.$$
(18)

Then,

$$C'_{A}(a) = \frac{1}{a_{v}} F_{A}^{-1}\left(\frac{a-a_{0}}{a_{v}}\right) > 0$$
(19)

for  $a > a_0$ , with  $C'_A(a_0) = 0$ , and

$$C_A''(a) = \frac{1}{a_v^2} \frac{1}{f_A\left(F_A^{-1}\left(\frac{a-a_0}{a_v}\right)\right)} > 0$$
(20)

for  $a \geq a_0$ . The same argument applies to  $C_B$ .

Unless stated otherwise, in the numerical examples we use the functions

$$C_A(a) = \frac{\theta_A}{2} \left(\frac{a-a_0}{a_v}\right)^2$$
 and  $C_B(b) = \frac{\theta_B}{2} \left(\frac{b-b_0}{b_v}\right)^2$ , (21)

which correspond to a uniformly distributed cost on  $[0, \theta_A]$  for the A-supporters and a uniformly distributed cost on  $[0, \theta_B]$  for the B-supporters.

### 3.3 Partisan ethics: comparison with group-based models

We are now in a position to provide a detailed comparison of our formalization of ethical voters with that adopted in group-based models (first formalized by Coate and Conlin, 2004, and Feddersen and Sandroni, 2006). In these models an ethical voter gets a "duty payoff" D from "doing their part" (Feddersen and Sandroni, 2006), where D exceeds the highest possible

cost realization. A decision based on a "duty to vote" would thus lead all the ethical voters to vote. Dependence of an ethical voter's turnout decision on their cost realization obtains by positing that an ethical voter adopts a cost threshold in order to reduce the aggregate cost; this cost reduction is traded off against the loss with the associated reduced probability of winning. In other words, "doing their part" entails abstaining when the cost realization exceeds the threshold. The predicted turnout rates are obtained as "an equilibrium between two party planners", each of which "looks at the total electoral benefit" for their preferred candidate "net of the total cost incurred by his supporters" (Herrera et al., 2016, p. 612).

By contrast, in our model each voter simply maximizes his own expected utility, and there is no constant duty payoff. Such utility maximization imposes fewer demands on the information the voter needs to select an ethical behavior, compared to the group-based models, in which an ethical voter needs to place himself in a social planner's shoes to understand which cost threshold he or she should adopt to obtain the constant duty payoff D. With *Homo moralis* preferences, a voter instead evaluates each possible strategy applying a simple universalization calculus to the benefit, while the expected cost of the deviation is the individual's own true expected cost. Indeed, *Homo moralis* preferences make a voter evaluate a strategy in the light of the expected material utility that would obtain if a share  $\kappa$  of the others also adopted the same strategy; whether or not others adopted a different threshold than they do would be irrelevant for this voter's expected cost of voting.

Despite this important conceptual difference between our model and group-based models, in some settings the two models are mathematically equivalent. We begin our analysis with such a setting. Thus, consider the special case of our model where all ethical voters have degree of universalization  $\kappa = 1$ . The expected utilities in (14) and (15) then boil down to

$$EU_A(a,b,a^i) = h\left(\frac{a^i - b}{a^i + b}\right) - C_A(a^i)$$
(22)

$$EU_B(a,b,b^j) = \rho h\left(\frac{b^j - a}{a + b^j}\right) - C_B(b^j).$$
(23)

The strategy profile  $(a^*, b^*)$  is a type-homogenous Nash equilibrium if and only if

$$\begin{cases}
a^* \in \arg \max_{a^i \in [a_0,\bar{a}]} h\left(\frac{a^i - b^*}{a^i + b^*}\right) - C_A\left(a^i\right) \\
b^* \in \arg \max_{b^j \in [b_0,\bar{b}]} \rho h\left(\frac{b^j - a^*}{a^* + b^j}\right) - C_B\left(b^j\right).
\end{cases}$$
(24)

The mathematical equivalence of this setting with group-based models is easy to see, since any  $(a^*, b^*)$  satisfying (24) could alternatively be interpreted as representing a Nash equilibrium of a game played by "two party planners", each of which "looks at the total electoral benefit" for their preferred candidate "net of the total cost incurred by his supporters" (Herrera et al., 2016, p. 612); likewise, see Definition 1 in Feddersen and Sandroni (2006) for the conditions ensuring that the cost threshold of each party maximizes its supporters aggregate expected material payoff, given the other party's cost threshold, and also the description of equilibrium on p.1481 in Coate and Conlin (2004).<sup>11</sup> We can thus state our first observation:

**Remark 1.** If all cost-sensitive voters have Homo moralis preferences with degree of universalization  $\kappa = 1$ , any pair of threholds implemented at a type-homogenous Nash equilibrium of the two-population game is implemented at a Nash equilibrium of the two-player game between two party planners, each of whom seeks to maximize the aggregate material payoffs of their respective constituent groups. The type-homogenous Nash equilibrium implements the cost thresholds in a decentralized manner (in the sense that each voter simply maximizes her own expected utility).

Having established this mathematical equivalence with group-based models of ethical voters in the special case  $\kappa = 1$ , we note that equilibrium existence is not guaranteed. Indeed, while a sufficient condition for an equilibrium to exist is that both objective functions in (24) are quasi-concave in  $a^i$  respectively  $b^j$ , the strict convexity of h for negative relative margins implies that quasi-concavity is not guaranteed. Facing the same issue with their benefit function, Herrera et al. (2016) identify and impose conditions on the cost distributions that imply equilibrium existence, and even uniqueness. While we will return to the issues of existence and uniqueness in the last subsection, we will first establish properties of equilibria conditional on their existence in the general model.

<sup>&</sup>lt;sup>11</sup>There are also other differences between our model and those by Feddersen and Sandroni (2006) and Coate and Conlin (2004). For example, in the former each party considers the aggregate societal cost, and not only the aggregate cost of its supporters, while in the latter there is *ex ante* uncertainty about the distribution of voters into A- and B-supporters. However, our focus here is on underlining the mathematical similarity between type-homogenous Nash equilibria in our model with  $\kappa = 1$  and the characterization of equilibrium in the group-based models.

### 3.4 Partisan ethics: a never-a-best-response result

In the general model voters may have any degree of universalization  $\kappa \in [0, 1]$ , and have the utilities specified in (14) and (15). Then, the strategy profile  $(a^*, b^*)$  is a type-homogenous Nash equilibrium if and only if

$$\begin{cases}
a^* \in \arg \max_{a^i \in [a_0,\bar{a}]} h\left(\frac{(1-\kappa)a^* + \kappa a^i - b^*}{(1-\kappa)a^* + \kappa a^i + b^*}\right) - C_A(a^i) \\
b^* \in \arg \max_{b^j \in [b_0,\bar{b}]} \rho h\left(\frac{(1-\kappa)b^* + \kappa b^j - a^*}{a^* + (1-\kappa)b^* + \kappa b^i}\right) - C_B(b^j).
\end{cases}$$
(25)

By contrast to the special case  $\kappa = 1$ , where each individual best-responds to the other group's turnout only, when  $\kappa < 1$  each individual best-responds to both groups' turnouts.

**Proposition 1.** Under partisan ethics,

- if  $\kappa = 0$ , there exists a unique equilibrium,  $(a^*, b^*) = (a_0, b_0)$ ;
- if κ ∈ (0,1], a = a<sub>0</sub> (resp. b = b<sub>0</sub>) is never a best response for a voter in group A (resp. B), and thus any equilibrium (a<sup>\*</sup>, b<sup>\*</sup>) is such that ā ≥ a<sup>\*</sup> > a<sub>0</sub> and b̄ ≥ b<sup>\*</sup> > b<sub>0</sub>.

*Proof.* For any turnouts (a, b) from the other voters, A-supporter i's marginal utility of  $a^i$  is

$$\frac{\partial}{\partial a^{i}} U_{A}^{\kappa}\left(a,b,a^{i}\right) = h'(\alpha^{\kappa}(a,b,a^{i})) \frac{2\kappa b}{\left[\left(1-\kappa\right)a+\kappa a^{i}+b\right]^{2}} - C_{A}'\left(a^{i}\right), \tag{26}$$

where h' > 0. Recalling, from the proof of Lemma 1, that

$$C_{A}(x) = \int_{0}^{F_{A}^{-1}\left(\frac{x-a_{0}}{a_{v}}\right)} cf_{A}(c) dc \quad \text{and} \quad C_{A}'(x) = \frac{1}{a_{v}} F_{A}^{-1}\left(\frac{x-a_{0}}{a_{v}}\right),$$
(27)

we see that  $C'_A(a_0) = 0$  and  $C'_A(x) > 0$  for  $x > a_0$  by our assumptions on  $f_A$ . It follows that if  $\kappa = 0$  the unique best response to any (a, b) is  $a^i = a_0$ , while if  $\kappa > 0$ ,  $a^i = a_0$  is never a best response. Idem for any *B*-supporter.

With purely instrumentally driven voters ( $\kappa = 0$ ), the cost-sensitive voters are not willing to incur any cost to vote, since with a continuum of voters each individual vote has a nil effect on the election outcome. The second part of the proposition shows that a willingness to incur some cost of voting arises as soon as the degree of universalization is strictly positive. This is because (i) for any  $\kappa \in (0, 1]$ , the individual voter considers the outcome that would realize if some positive share of the voters voted: in some sense, it is as if the individual voter had an impact on the outcome, and (ii) the smallest cost realizations approach zero (as per our assumption on the voting cost distributions).

#### 3.5 Partisan ethics: further properties of equilibria

By Proposition 1, for any  $\kappa > 0$  any equilibrium  $(a^*, b^*)$  satisfies the first-order conditions:

$$\frac{\partial}{\partial a^{i}} U_{A}^{\kappa} \left( a, b, a^{i} \right) |_{a^{i} = a^{*}, b = b^{*}} = \frac{2\kappa b^{*} h'(\alpha(a^{*}, b^{*}))}{(a^{*} + b^{*})^{2}} - C_{A}' \left( a^{*} \right) \begin{cases} = 0 \text{ if } a^{*} \in (a_{0}, \bar{a}) \\ \ge 0 \text{ if } a^{*} = \bar{a} \end{cases}$$
(28)

$$\frac{\partial}{\partial b^{i}} U_{B}^{\kappa}\left(a,b,b^{j}\right)|_{a=a^{*},b^{j}=b^{*}} = \frac{2\kappa a^{*}\rho h'(\beta(a^{*},b^{*}))}{(a^{*}+b^{*})^{2}} - C_{B}'\left(b^{*}\right) \begin{cases} = 0 \text{ if } b^{*} \in (b_{0},\bar{b})\\ \ge 0 \text{ if } b^{*}=\bar{b}. \end{cases}$$
(29)

Notice that, for any interior equilibrium  $(a^*, b^*) \in (a_0, \bar{a}) \times (b_0, \bar{b})$ , the two equations and the fact that  $\alpha(a, b) = -\beta(a, b)$  and h'(x) = h'(-x) together imply:

$$\frac{b^*}{\rho a^*} = \frac{C'_A(a^*)}{C'_B(b^*)}.$$
(30)

To prepare the ground for the results obtained from conditions (28)-(30), we derive properties of the functions  $C_A$  and  $C_B$ , which depend on the mass of cost-sensitive voters ( $a_v$  and  $b_v$ ) relative to that of the bases ( $a_0$  and  $b_0$ ), and the cost distributions  $F_A$  and  $F_B$  (see (17)).

**Lemma 2.** The functions  $C_A$  and  $C_B$  have the following properties:

- 1. if  $a_0 \ge b_0$ ,  $a_v \ge b_v$ , and  $F_A(c) \ge F_B(c)$  for all  $c \in \mathbb{R}_+$ , with at least one of the inequalities holding strictly, then  $C'_A(x) < C'_B(x)$  for all x;
- 2. if  $a_0 < b_0$ , then for any cost distributions  $F_A$  and  $F_B$ ,  $\exists \bar{x} \in (b_0, \bar{b}]$  such that  $C'_A(x) > C'_B(x)$  for all  $x < \bar{x}$ .

The lemma contains two statements about the derivatives of  $C_A$  and  $C_B$ . These derivatives have a clear interpretation. For any given turnout x by the cost-sensitive voters in group A,  $C'_A(x)$  is the (expected) marginal cost that each of these voters would need to incur to increase this turnout marginally. This means that the first part of the lemma establishes sufficient conditions for the leader supporters to enjoy an absolute cost advantage over the underdog supporters: this occurs when their base and its mass of cost-sensitive voters is at least as large and its cost distribution  $F_A$  is more favorable, compared to the corresponding features of the underdog supporters. Note that the underdog supporters cannot enjoy such an absolute cost advantage, since the assumption  $\bar{a} > \bar{b}$  implies that if  $b_0 \ge a_0$ , then  $b_v < a_v$ . If the underdog's base exceeds that of the leader ( $b_0 > a_0$ ) its supporters can still have a cost advantage over the leader supporters for turnouts close enough to the underdog's base  $b_0$ , as shown in the second part of the lemma. This results from the marginal cost for the underdog supporters then being close to zero, while that of the leader supporters is strictly positive for these turnout levels. This property holds whether the cost distributions  $F_A$  and  $F_B$  favor the underdog or the leader supporters.

With these observations in hand, we first examine settings where the leader supporters enjoy a cost advantage over the underdog supporters, like in the first part of Lemma 2.

**Proposition 2** (Partisan ethics). Suppose that the leader supporters enjoy a cost advantage over the underdog supporters: their base is at least as large  $(a_0 \ge b_0)$ , their mass of cost-sensitive voters is at least as large  $(a_v \ge b_v)$ , and the cost distributions favor them  $(F_A(c) \ge F_B(c) \text{ for all } c \in \mathbb{R}_+)$ , with at least one of the inequalities holding strictly. Then:

- 1. if the stake is neutral or almost neutral (i.e.,  $\rho \ge 1$  is close enough to 1), the leader wins ( $\alpha(a^*, b^*) > 0$ ) at any equilibrium  $(a^*, b^*)$ ;
- 2. for a large enough stake  $\rho$ , there may exist equilibria  $(a^*, b^*)$  in which the underdog wins  $(\alpha(a^*, b^*) < 0)$ .

Proof. Suppose, by contradiction, that  $b^* \geq a^*$ , in which case either both  $a^*$  and  $b^*$  are interior, or  $b^* = \bar{b}$  and  $a^*$  is interior. Lemma 2 then implies that  $C'_A(a^*) < C'_B(b^*)$ . Hence,  $b^*C'_B(b^*) > a^*C'_A(a^*)$ . If  $b^*$  is interior, or if  $b^* = \bar{b}$  and the first-order condition (29) holds as an equality, the inequality  $b^*C'_B(b^*) > a^*C'_A(a^*)$  contradicts (30) if  $\rho = 1$ . If  $b^* = \bar{b}$  and the first-order condition holds as a strict inequality, i.e.,  $h'(\beta(a^*, b^*))\frac{2\kappa a^*\rho}{(a^*+b^*)^2} - C'_B(b^*) > 0$ , then this inequality and (28) together imply  $b^*C'_B(b^*) < \rho a^*C'_A(a^*)$ . A contradiction with the inequality  $b^*C'_B(b^*) > a^*C'_A(a^*)$  is reached if  $\rho = 1$ . By continuity, the contradiction also obtains for  $\rho = 1 + \varepsilon$  for some  $\varepsilon > 0$ . This proves the first statement. For the second statement, note first that the contradiction does not obtain for large values of  $\rho$ . A numerical example below (see Figure 2) suffices to prove the statement.

**Example 1.** When the leader supporters have an absolute cost advantage, one might expect the leader to always win. The proposition confirms this intuition as long as the underdog supporters' stake  $\rho$  is not too large. However, as shown by way of an example in Figure 2, the leader may lose if  $\rho$  is large. In this figure, the backward bending curve shows, for each turnout b by the B-supporters, the turnout a which for each cost-sensitive A-supporter i maximizes her expected utility, given that all the other A-supporters also choose a. We will refer to such a value of a as an A-consistent turnout. In the figure, the dome-shaped curve shows the B-consistent turnouts, defined in a similar manner. A type-homogenous equilibrium  $(a^*, b^*)$  is such that  $a^*$  is A-consistent given  $b^*$ , and  $b^*$  is B-consistent given  $a^*$ . In other words, any  $(a^*, b^*)$  where the two curves intersect is an equilibrium. In the figure we thus see that there exists a unique equilibrium, in which the underdog wins, since  $(a^*, b^*)$  is above the dashed line, along which the turnouts are equal.

In sum, this result shows that if voters are equipped with *Homo moralis* preferences, the underdog supporters can overcome a seemingly unsurmountable challenge, as captured by their absolute cost disadvantage, if they perceive a high enough stake. In the example the underdog wins even though its supporters represent only  $1.5/3.4 \approx 44\%$  of the electorate. Note further that approximately  $1.313/(0.5+1.4) \approx 69\%$  of the *A*-supporters and  $1.359/(0.4+1.1) \approx 91\%$  of the *B*-supporters participate in the election, although the degree of universalization is only  $\kappa = 0.5$ . In other words, full universalization is not necessary for high rates of participation to obtain.

We turn now to settings where the underdog supporters enjoy a cost advantage for some turnout rates, thanks to a larger base; the result is proved by way of Example 2.

**Proposition 3** (Partisan ethics). Suppose that the underdog's base exceeds that of the leader  $(b_0 > a_0)$ . Then, for some parameter values, there exist equilibria  $(a^*, b^*)$  in which the underdog wins  $(\alpha(a^*, b^*) < 0)$ , even if the stake is neutral  $(\rho = 1)$ .

**Example 2.** Figure 3 shows an equilibrium in which the underdog wins even though  $\rho = 1$  and the two cost distributions are identical ( $\theta_A = \theta_B$ ). Hence, the underdog's victory is here entirely driven by its greater base,  $b_0 = 0.7 > 0.5 = a_0$ .



Figure 2: An example where the underdog wins in spite of the leader supporters's cost advantage ( $\theta_A < \theta_B$ ,  $a_v > b_v$ , and  $a_0 > b_0$ ), thanks to a high enough stake  $\rho$ .



Figure 3: An example where the underdog wins thanks to a larger base  $(b_0 > a_0)$ , in spite of a neutral stake  $(\rho = 1)$  and identical cost distributions  $(\theta_A = \theta_B)$ .

To get a sense of how large a victory the underdog may obtain thanks to a larger base, a general result is obtained when the relative frequency of cost-sensitive voters is the same for groups A and B  $(a_0/a_v = b_0/b_v)$ , and all the cost-sensitive voters face the same cost distribution  $(F_A = F_B = F)$ . Proposition 4 provides bounds on how different the equilibrium turnout rates in the two groups can then be, for interior equilibria. These bounds depend only on the stake  $\rho$  and are universal with respect to the form of the function h and to the value of the parameter  $\kappa$ . They are therefore valid whether the election is close to winner-take all, a random dictatorship, or anything in between, and for any degree of morality  $\kappa \in (0, 1]$ .

**Proposition 4** (Partian ethics). Suppose that  $\frac{a_0}{a_v} = \frac{b_0}{b_v}$ , that  $F_A(c) = F_B(c) = F(c)$  for all  $c \in \mathbb{R}_+$ , and that  $\rho > 1$ . Then under partial ethics, at any interior equilibrium  $(a^*, b^*) \in (a_0, \bar{a}) \times (b_0, \bar{b})$ :

$$\frac{a^*}{a_v} < \frac{b^*}{b_v} < \rho \cdot \frac{a^*}{a_v}.$$
(31)

*Proof.* Given that  $a^*$  and  $b^*$  are interior, equation (30) applies, and writes:

$$\frac{b^*}{b_v}F^{-1}\left(\frac{b^*}{b_v} - r\right) = \rho \cdot \frac{a^*}{a_v}F^{-1}\left(\frac{a^*}{a_v} - r\right)$$
(32)

for  $r = a_0/a_v = b_0/b_v$ . First, suppose that  $b^*/b_v \leq a^*/a_v$ , then:  $F^{-1}(b^*/b_v - r) \geq \rho \cdot F^{-1}(a^*/a_v - r)$  and since  $\rho > 1$ ,  $F^{-1}(b^*/b_v - r) > F^{-1}(a^*/a_v - r)$ . Because F is nondecreasing, this implies  $b^*/b_v > a^*/a_v$ , a contradiction. Next, suppose that  $b^*/b_v \geq \rho a^*/a_v$ . Then, similar reasoning yields  $F^{-1}(b^*/b_v - r) \leq F^{-1}(a^*/a_v - r)$  and  $b^*/b_v \leq a^*/a_v < \rho a^*/a_v$ , a contradiction.

The first inequality in (31) is similar to the "partial underdog compensation" result found in Herrera et al. (2016) (see the first part of their Proposition 1): the share of cost-sensitive underdog supporters who participate in the election is strictly greater than that of the leader supporters. We thus generalize their result by showing that it holds in a different setting than theirs, since (a) in their model there are only cost-sensitive voters ( $a_0 = b_0 = 0$ ), (b) we do not restrict attention to settings with a unique equilibrium, and (c) we do not restrict attention to a particular functional form for the benefit function h. However, as shown in Proposition 2, the underdog may win if  $\rho$  is large enough, in which case a "full underdog compensation" arises. The second inequality in (31) puts an upper bound on this full compensation, which is increasing in the stake  $\rho$ . Note further that in the limit as  $\rho$  tends to the neutral case ( $\rho = 1$ ), the two inequalities imply that the share of cost-sensitive underdog supporters who participate in the election tends to that of the leader supporters.

#### 3.6 Partisan ethics: equilibrium existence and multiplicity issues

Having derived results on the properties of equilibria, should they exist, we now turn to the questions of existence and uniqueness. It turns out that equilibria sometimes fail to exist, and that there sometimes are multiple equilibria.<sup>12</sup>

 $<sup>^{12}</sup>$ See Section 3.2 of the Online Appendix for a numerical example with non-existence, and Section 3.3 for the derivation of sufficient conditions for existence and uniqueness, which are similar to those adopted by Herrera et al. (2016).



(a) Number of equilibria

(b) Number of equilibria with (c) Number of equilibria with a > b (A wins) b > a (B wins)

Figure 4: Existence and multiplicity of equilibria, depending on  $(\kappa, m)$  (first line),  $(\kappa, \rho)$  (second line),  $(\kappa, b_0)$  (third line), and  $(a_v, b_v)$  (fourth line)

Figure 4 provides some insight into how the number of equilibria varies with the parameter values. The figures in the first column show the number of equilibria (a number that varies between 0 and 5). The figures in the second (respectively third) column then show, for the same parameter configurations, the number of equilibria in which the underdog (respectively the leader) wins the election. In the first three lines, it is the universalization parameter ( $\kappa$ ) that varies along the horizontal axis: on the vertical axis it is the curvature parameter of the benefit function (m) that varies in the first line of figures, while it is the underdog's base ( $b_0$ ) in the second line and the stake ( $\rho$ ) in the third line of figures. The parameter values used for the first three lines correspond to the case considered in Proposition 4, and in each group there are almost as many cost-sensitive voters as core voters ( $a_0/a_v = b_0/b_v \approx 0.94$ ). Moreover, in the first two lines, where the stake  $\rho$  is fixed, it is high enough to generate equilibria where the underdog wins ( $\rho = 5$ ). Finally, in the fourth line of figures it is the sizes of the cost-sensitive constituencies ( $a_v$  on the horizontal axis and  $b_v$  on the vertical axis) that vary.

In the three first lines the following patterns appear. First, equilibrium multiplicity (respectively non-existence) appears only for sufficiently low (respectively high) values of  $\kappa$ . Second, the first line shows that when there exists a unique equilibrium, the leader wins when the value of the curvature parameter m is either low enough or high enough, while the underdog wins for the set of values of m in between. We further see that as  $\kappa$  increases, the interval of m-values for which the underdog wins gets closer to 0. Third, the size of the base  $b_0$  has an unambiguously positive effect on the underdog's prospects of winning, as seen in the second line. Fourth, in the third line we see that, at least when the base of the leader exceeds that of the underdog, an increase in the stake  $\rho$  does not necessarily lead to an increase in the number of equilibria with a victory for the underdog.

### 3.7 Partisan ethics: the winner-take-all limit

The pure winner-take-all case corresponds to a discontinuous step-function sign(·) in lieu of our function  $h(\cdot)$ . Our continuous model is not suitable for handling this case. Therefore, we proceed by approximation as follows (the details and proofs of the propositions can be found in the Appendix). A sequence of benefit functions  $h_t$  that all satisfy the hypothesis of our model is called an *approximating sequence* if the sequence converges to the winner-take-all benefit function sign(·). An outcome (a, b) is sustained as a limit winner take all equilibrium if there exists an approximating sequence  $h_t$  and a sequence  $(a_t, b_t)$  that converges to (a, b), with  $(a_t, b_t)$  an equilibrium for  $h_t$ , for all t.

Our result states that, at equilibrium, only two situations can occur. In the first situation, which is also the generic one, costly participation is (in the limit) nil for both supporter groups, leaving the bases to determine the result of the election. In the second situation, participation is such that the result is (in the limit) tied and such that all (in the limit) of the voters turn out in one of the groups. This second situation can only occur when the two parameters  $\bar{a}$  and  $\bar{b}$  are equal, which, as opposed to our standing assumption  $\bar{a} > \bar{b}$ , we exceptionally allow in the present section.

**Proposition 5** (Partisan ethics). Let (a, b) be sustained as a limit equilibrium of the winnertake-all case.

- 1. If  $a_0 \neq b_0$  and  $\bar{a} > \bar{b}$ ,  $(a, b) = (a_0, b_0)$ . (The underdog wins if  $b_0 > a_0$  while the leader wins if  $a_0 > b_0$ .)
- 2. If  $a_0 \neq b_0$  and  $\bar{a} = \bar{b}$  either  $(a, b) = (a_0, b_0)$  or  $(a, b) = (\bar{b}, \bar{b})$ .

3. If 
$$a_0 = b_0$$
 and  $\bar{a} = b$ ,  $(a, b) = (b, b)$ .

4. If  $a_0 = b_0$  and  $\bar{a} > \bar{b}$ , no such pair (a, b) exists.

**Example 3.** While the proposition does not make any claims about existence, we provide some illustrating examples with existence, for increasingly large values of m. Interestingly, even in the winner-take-all limit, there may exist equilibria in which the underdog wins. We illustrate this in Figure 5a, which also provides numerical evidence for existence in the first case of Proposition 5. In Figure 5b, we illustrate the second case of Proposition 5.



Figure 5: Possible equilibrium turnouts a and b depending on m

### 4 Non-partial ethics (*ex ante* setting)

We here follow Harsanyi's view by considering non-partisan ethics.<sup>13</sup> In the non-partisan setting a cost-sensitive voter *i* chooses a strategy which is a pair of thresholds  $s^i = (s_A^i, s_B^i) \in [0, \infty]^2$ : the voter abstains when her cost for voting is larger than  $s_A^i$  if she prefers candidate A, and when her cost for voting is larger than  $s_B^i$  if she prefers candidate B ( $s_A^i = \infty$  respectively  $s_B^i = \infty$  means that she votes independently of the realized cost). Two interpretations are possible. In the first, there is *ex ante* uncertainty regarding the candidate that *i* prefers, and she selects the strategy behind the veil of ignorance, before this uncertainty is resolved. This may well describe how independent voters reason. In the second interpretation, there is no such uncertainty, but due to her ethical concern the individual adopts the viewpoint of Harsanyi's impartial observer, by inserting a veil of ignorance in her reasoning. Whatever interpretation is chosen, *i* selects the strategy  $s^i = (s_A^i, s_B^i)$  before knowing her actual cost of voting. Voters have correct beliefs about the voting cost distributions, described in Section 2.

<sup>&</sup>lt;sup>13</sup>Most models in the literature stick to partial ethics. A notable exception is Feddersen and Sandroni (2006), who adopt a mix of partian and non-partial ethics: the group-optimal cost threshold is obtained by maximizing the material benefit that accrues to the group net of the expected cost for both groups.

Each individual votes for A or B, or abstains. Individual i in group A with realized cost  $c_A^i$  votes for A if and only if  $c_A^i \leq s_A^i$ . The corresponding assumptions are made for group B.

### 4.1 Non-partisan ethics: payoff computations

As in the partial setting, we are looking for homogenous equilibria, which here means that all the cost-sensitive voters choose the same strategy. At a homogenous equilibrium  $s = (s_A, s_B)$ , the realized turnouts are  $a(s) = a_0 + a_v F_A(s_A)$  and  $b(s) = b_0 + b_v F_B(s_B)$ , respectively, for the two candidates, and the following relative vote margins obtain:

$$\alpha(s) = \frac{a(s_A) - b(s_B)}{a(s_A) + b(s_B)} \quad \text{and} \quad \beta(s) = -\alpha(s), \tag{33}$$

so that each voter obtains expected net material benefit

$$EU(s) = \frac{1}{a_v + b_v} \left[ a_v h(\alpha(s)) + b_v \rho h(\beta(s)) - a_v \int_{c=0}^{s_A} cf_A(c) \, dc - b_v \int_{c=0}^{s_B} cf_B(c) \, dc \right].$$
(34)

With a non-partial ethic, the voter takes into account both the expected benefits and the expected costs that the thresholds  $s_A$  and  $s_B$  entail; the benefits are weighted by the relative population shares of the groups, to reflect the *ex ante* perspective that the voter adopts. Henceforth, we will without loss of generality drop the constant positive factor  $1/(a_v + b_v)$ . Since h(-x) = -h(x), the expected net material benefit can then be rewritten as follows:

$$EU(s) = (a_v - \rho b_v) h(\alpha(s)) - a_v \int_{c=0}^{s_A} cf_A(c) \, dc - b_v \int_{c=0}^{s_B} cf_B(c) \, dc.$$
(35)

This gives the following expression for the expected utility of a voter i with *Homo moralis* preferences, given that all the other voters use strategy s:

$$EU^{\kappa}(s,s^{i}) = (a_{v} - \rho b_{v}) h(\alpha^{\kappa}(s,s^{i})) - a_{v} \int_{c=0}^{s_{A}^{i}} cf_{A}(c) dc - b_{v} \int_{c=0}^{s_{B}^{i}} cf_{B}(c) dc,$$
(36)

where

$$\alpha^{\kappa}(s,s^{i}) = \frac{(1-\kappa)[a(s_{A}) - b(s_{B})] + \kappa[a(s_{A}^{i}) - b(s_{B}^{i})]}{(1-\kappa)[a(s_{A}) + b(s_{B})] + \kappa[a(s_{A}^{i}) + b(s_{B}^{i})]}.$$
(37)

Applying the same change of variables as under partial ethics, we henceforth assume that an individual *i*'s strategy is a pair  $(a^i, b^i) \in [a_0, \bar{a}] \times [b_0, \bar{b}]$ , and we write (a, b) for the strategy used by the other voters at a homogenous equilibrium, so that the expected utility of *i* is

$$EU^{\kappa}(a,b,a^{i},b^{i}) = (a_{v} - \rho b_{v}) \cdot h(\alpha^{\kappa} \left(a,b,a^{i},b^{i}\right)) - a_{v}C_{A}\left(a^{i}\right) - b_{v}C_{B}\left(b^{i}\right),$$
(38)

where

$$\alpha^{\kappa}\left(a,b,a^{i},b^{i}\right) = \frac{\left(1-\kappa\right)a + \kappa a^{i} - (1-\kappa)b - \kappa b^{i}}{\left(1-\kappa\right)a + \kappa a^{i} + \left(1-\kappa\right)b + \kappa b^{i}}.$$
(39)

Under our assumptions, this is a continuously differentiable function of  $(a^i, b^i)$ .

### 4.2 Non-partisan ethics: equilibrium existence

By contrast to the partian setting, here we can establish general equilibrium existence, thanks to the aforementioned change of variables together with Lemma 1.

**Proposition 6** (Non-partian voters). An equilibrium always exists.

*Proof.* Consider the auxiliary function

$$\Phi(a,b) = \kappa \lambda h(\alpha(a,b)) - a_v C_A(a) - b_v C_B(b)$$
(40)

where  $\lambda = a_v - \rho b_v$ . It takes values in  $\mathbb{R} \cup \{-\infty\}$ . We begin by showing that  $(a^*, b^*)$  is an equilibrium if it is a global maximum of  $\Phi$ . Thus, let  $(a^*, b^*)$  be a point where  $\Phi$  reaches its maximum, and suppose, by contradiction, that there exists (a', b') such that  $EU^{\kappa}(a^*, b^*, a', b') > EU(a^*, b^*)$ , that is:

$$a_{v}C_{A}(a^{*}) + b_{v}C_{B}(b^{*}) - a_{v}C_{A}(a') - b_{v}C_{B}(b') > \lambda \left[h\left(\alpha\left(a^{*}, b^{*}\right)\right) - h\left(\alpha\left(a^{\kappa}, b^{\kappa}\right)\right)\right]$$
(41)

for  $a^{\kappa} = (1 - \kappa) a^* + \kappa a'$  and  $b^{\kappa} = (1 - \kappa)b^* + \kappa b'$ . Since  $(a^*, b^*)$  maximizes  $\Phi$ , we have  $\Phi(a^{\kappa}, b^{\kappa}) \leq \Phi(a^*, b^*)$ , which writes:

$$a_{v}C_{A}(a^{*}) + b_{v}C_{B}(b^{*}) - a_{v}C_{A}(a^{\kappa}) - b_{v}C_{B}(b^{\kappa}) \leq \kappa\lambda \left[h\left(\alpha\left(a^{*}, b^{*}\right)\right) - h\left(\alpha\left(a^{\kappa}, b^{\kappa}\right)\right)\right].$$
 (42)

Combining the two previous equations we find, upon rearranging the terms,

$$(1 - \kappa) a_v C_A(a^*) + \kappa a_v C_A(a') + (1 - \kappa) b_v C_B(b^*) + \kappa b_v C_B(b') < a_v C_A(a^{\kappa}) + b_v C_B(b^{\kappa}).$$
(43)

This contradicts the convexity of the functions  $C_A, C_B$  (see Lemma 1).

The second part of the proof consists in showing that  $\Phi$  admits a maximum, which is a sufficient condition for an equilibrium to exist, given the first part of the proof. To see this, first note that  $h(\alpha(a,b))$  is continuous on  $[a_0,\bar{a}] \times [b_0,\bar{b}]$  and takes values in  $\mathbb{R}$ . Moreover, in the case where  $C_A, C_B$  are continuous functions on  $[a_0,\bar{a}] \times [b_0,\bar{b}]$  taking values in  $\mathbb{R}$ , one can conclude by the extreme value theorem, observing that  $\Phi$  is continuous and takes values in  $\mathbb{R}$ . In the remaining case, where  $C_A(\bar{a}) = \infty$  or  $C_B(\bar{b}) = \infty$ , we have that  $C_A(a) \to \infty$  for  $a \to \bar{a}$  or  $C_B(b) \to \infty$  for  $b \to \bar{b}$ . Then, since h is bounded on  $[a_0,\bar{a}] \times [b_0,\bar{b}]$ , one can find some  $\varepsilon_A, \varepsilon_B \ge 0$  such that  $\Phi$  takes real values on  $[a_0,\bar{a}-\varepsilon_A] \times [b_0,\bar{b}-\varepsilon_B]$  and such that  $\Phi(a,b) \le \Phi(\min(a,\bar{a}-\varepsilon_A),\min(b,\bar{b}-\varepsilon_B))$ , which allows to conclude using the extreme value theorem on  $[a_0,\bar{a}-\varepsilon_A] \times [b_0,\bar{b}-\varepsilon_B]$ .

### 4.3 Non-partisan ethics: equilibrium properties

We first show that at equilibrium, exactly one group incurs positive voting costs (except in two knife-edge cases, in which nobody votes).

**Proposition 7** (Non-partial ethics). If  $\kappa = 0$  or  $a_v = \rho b_v$ , then  $(a^*, b^*) = (a_0, b_0)$  is the unique equilibrium, while if  $\kappa \in (0, 1]$  then:

- if  $a_v > \rho b_v$ , any equilibrium is such that  $a^* > a_0$  and  $b^* = b_0$ ;
- if  $\rho b_v > a_v$  any equilibrium is such that  $a^* = a_0$  and  $b^* > b_0$ .

*Proof.* Given that all other voters use strategy (a, b), i's expected marginal utility from  $a^i$  is

$$\frac{\partial}{\partial a^{i}}EU^{\kappa}\left(a,b,a^{i},b^{i}\right) = (a_{v}-\rho b_{v})h'(\alpha^{\kappa}(a,b,a^{i},b^{i}))\frac{\partial \alpha^{\kappa}(a,b,a^{i},b^{i})}{\partial a^{i}} - a_{v}C'_{A}(a^{i})$$

$$= (a_{v}-\rho b_{v})h'\left(\alpha^{\kappa}(a,b,a^{i},b^{i})\right)\frac{2\kappa[(1-\kappa)b+\kappa b^{i}]}{[(1-\kappa)a+\kappa a^{i}+(1-\kappa)b+\kappa b^{i}]^{2}} - a_{v}C'_{A}\left(a^{i}\right)$$
(44)

and the expected marginal utility from  $b^i$  is:

$$\frac{\partial}{\partial b^{i}} EU^{\kappa}\left(a, b, a^{i}, b^{i}\right) = \left(\rho b_{v} - a_{v}\right)h'\left(\beta^{\kappa}(a, b, a^{i}, b^{i})\right)\frac{\partial\beta^{\kappa}(a, b, a^{i}, b^{i})}{\partial b^{i}} - b_{v}C'_{B}(b^{i})$$

$$= \left(\rho b_{v} - a_{v}\right)h'\left(\beta^{\kappa}(a, b, a^{i}, b^{i})\right)\frac{2\kappa\left[\left(1 - \kappa\right)a + \kappa a^{i}\right]}{\left[\left(1 - \kappa\right)a + \kappa a^{i} + \left(1 - \kappa\right)b + \kappa b^{i}\right]^{2}} - b_{v}C'_{B}(b^{i}).$$
(45)

Since  $C'_A(a_0) = C'_B(b_0) = 0$ , and  $C_A(a^i), C_B(b^i) > 0$  for  $a^i > 0$  or  $b^i > 0$  (see (19)), a best response  $(a^i, b^i)$  to (a, b) has  $a^i > a_0$  if and only if the first of the two terms in (44) is strictly positive. Since *h* is strictly increasing, and  $b \ge b_0 > 0$ , this is true if and only if  $\kappa(a_v - \rho b_v) > 0$ ; otherwise, any best response has  $a^i = a_0$ . Likewise, a best response  $(a^i, b^i)$  to (a, b) has  $b^i > b_0$ if and only if  $\kappa(\rho b_v - a_v) > 0$ ; otherwise, any best response has  $b^i = b_0$ . These arguments prove the proposition.

This proposition shows that both the degree of universalization ( $\kappa$ ) and the stake of the election for the underdog supporters ( $\rho$ ) matter for the qualitative nature of the set of equilibria. First, if voters are driven solely by instrumental motives ( $\kappa = 0$ ) or if the expected benefit that one group obtains from a positive margin of its candidate exactly outweighs the expected cost that the other group garners from this margin ( $\rho = a_v/b_v$ ), then turnout is confined to the bases  $a_0$  and  $b_0$ , in which case the underdog wins if and only if it has a larger base than the leader ( $b_0 > a_0$ ). Second, whenever  $a_v \neq \rho b_v$ , any positive degree of universalization  $\kappa > 0$  triggers participation of a positive mass of cost-sensitive voters. The reason is clear: a  $\kappa > 0$  triggers in the individual voter a utility kick from contemplating the margin that her preferred candidate would obtain if all the other cost-sensitive voters selected the same strategy as herself; the voter is willing to incur a positive voting cost to obtain this utility kick. Third, and in stark contrast with the partian setting, here a voter internalizes the negative externality that voting for one candidate has on the group supporting the other candidate. Hence, she votes only if she belongs to the group that obtains the highest expected benefit from its candidate's margin.

Henceforth we examine only non-trivial settings where  $\kappa(a_v - \rho b_v) \neq 0$ . To begin, consider the case  $a_v > \rho b_v$  and define

$$A(a^*) \equiv \frac{\partial}{\partial a^i} E U^{\kappa} \left( a, b, a^i, b^i \right) |_{a^i = a^*, b = b^i = b_0} = (a_v - \rho b_v) h'(\alpha(a^*, b_0)) \frac{2\kappa b_0}{(a^* + b_0)^2} - a_v C'_A(a^*) \,. \tag{46}$$

The necessary first-order condition for any equilibrium  $a^*$  is thus  $A(a^*) \ge 0$ , which must hold as an

equality if  $a^* \in (a_0, \bar{a})$ . The necessary second-order condition for such an interior solution is:

$$\frac{\partial^2}{\partial (a^i)^2} E U^{\kappa} \left(a, b, a^i, b^i\right)|_{a^i = a^*, b = b^i = b_0} = (a_v - \rho b_v) h''(\alpha(a^*, b_0)) \frac{4\kappa^2 b_0^2}{(a^* + b_0)^4} - (a_v - \rho b_v) h'(\alpha(a^*, b_0)) \frac{4\kappa^2 b_0}{(a^* + b_0)^3} - a_v C''_A (a^*) \le 0.$$
(47)

Likewise, for  $\rho b_v > a_v$ , define

$$B(b^{*}) \equiv \frac{\partial}{\partial b^{i}} EU^{\kappa} \left( a, b, a^{i}, b^{i} \right) |_{a=a^{i}=a_{0}, b^{i}=b^{*}}$$
  
=  $(\rho b_{v} - a_{v}) h'(\beta(a_{0}, b^{*})) \frac{2\kappa a_{0}}{(a_{0} + b^{*})^{2}} - b_{v}C'_{B}(b^{*}),$  (48)

so that the necessary first-order condition for any equilibrium  $b^*$  is  $B(b^*) \ge 0$ , which must hold as an equality if  $b^*$  lies in the interior  $(b_0, \bar{b})$ . The necessary second-order condition for such an interior solution is:

$$\frac{\partial^2}{\partial (b^i)^2} E U^{\kappa} \left( a, b, a^i, b^i \right) |_{a=a^i=a_0, b^i=b^*} = (\rho b_v - a_v) h''(\beta(a_0, b^*)) \frac{4\kappa^2 a_0^2}{(a_0 + b^*)^4}$$
(49)  
-  $(\rho b_v - a_v) h'(\beta(a_0, b^*)) \frac{4\kappa^2 a_0}{(a_0 + b^*)^3} - b_v C_B''(b^*) \le 0.$ 

If there is a unique  $a^*$  (respectively  $b^*$ ) satisfying the first-order condition, then it is the unique equilibrium (by virtue of Proposition 6). The following proposition identifies a sufficient condition for this to obtain. For completeness, in the proof we also show that the second-order condition holds (as a strict inequality).

**Proposition 8** (Non-partial ethics). Suppose that  $\kappa \in (0, 1]$ . If  $a_v > \rho b_v$  and  $a_0 \ge b_0$ , there is a unique equilibrium  $(a^*, b_0)$ . At this equilibrium, the leader wins:  $\alpha(a^*, b_0) > 0$ . Likewise, if  $\rho b_v > a_v$  and  $b_0 \ge a_0$ , there is a unique equilibrium  $(a_0, b^*)$ . At this equilibrium, the underdog wins:  $\beta(a_0, b^*) > 0$ .

Proof. It is sufficient to prove the result for one of the cases, say  $\rho b_v > a_v$ . We begin by proving the following claim: if  $h''(\beta(a_0, b)) \leq 0$  for all  $b \in [b_0, \bar{b}]$  there either exists a unique  $b^* \in (b_0, \bar{b})$ satisfying  $B(b^*) = 0$  and such that (49) holds strictly, or B(b) > 0 for all  $b \in (b_0, \bar{b})$ . To see this, note first that if  $h''(\beta(a_0, b)) \leq 0$  for all  $b \in [b_0, \bar{b}]$ , then the first term in  $B(b^*)$  is non-increasing in  $b^*$ ; this term is also strictly positive for  $b^* = b_0$  (since h' > 0). Since the second term equals 0 for  $b^* = b_0$  and is strictly increasing in  $b^*$ , the claim follows.

If  $b_0 \ge a_0$ , the two statements in the proposition then follow immediately from the fact that  $\rho b_v > a_v$  implies  $b^* > b_0$  and  $a^* = a_0$ . Indeed,  $\beta(a_0, b)$  is thus strictly positive for any  $b \in (b_0, \bar{b})$ , and our assumptions on h then imply that  $h''(\beta(a_0, b)) \le 0$  for any  $b \in (b_0, \bar{b}]$ .  $\Box$ 

This proposition again underlines the crucial role played by the bases,  $a_0$  and  $b_0$ . If the cost-sensitive voters who do participate in the election can rely on a base that is larger than that of the other candidate, then they win the election independent of their turnout rate. This implies a decreasing marginal benefit and an increasing marginal cost of increases in the turnout, which in turn implies equilibrium uniqueness. Section 4.3 of the Online Appendix provides a more general result on equilibrium uniqueness that relies on the same idea.

We turn now to settings where the group that votes (i.e., the leader supporters if  $a_v > \rho b_v$ and the underdog supporters if  $\rho b_v > a_v$ ) has a smaller base than the other group, in which case the marginal benefit is increasing for turnout rates close enough to the base, implying that there may be multiple candidates  $a^*$  (respectively  $b^*$ ) satisfying the first- and secondorder conditions. Each such candidate is an equilibrium if there do not exist utility-enhancing global deviations. The main question we investigate is whether equilibrium uniqueness obtains. Examination of the special case of full universalization provides some initial insights.

**Proposition 9** (Non-partial ethics). Suppose that  $\kappa = 1$ . If there exist multiple equilibria, they all generate the same expected utility to the cost-sensitive voters.

*Proof.* It is sufficient to prove the result for one of the cases, say  $\rho b_v > a_v$ . Plugging in  $a = a_0$  and  $\kappa = 1$  into the expected utility (38), the expected utility becomes independent of b, the turnout rate among the other voters, and thus a function of  $b^i$  only:

$$EU^{\kappa}(a_0, b, a_0, b^i) = (\rho b_v - a_v)h\left(\frac{b^i - a_0}{a_0 + b^i}\right) - C_B(b^i).$$
(50)

Hence, each individual voter simply chooses some value of  $b^i$  that maximizes this expression. If there are multiple solutions, they must yield the same expected utility.

This proposition suggests that full universalization can generate multiple turnout rates. The following example, for the case  $\rho b_v > a_v$ , further shows that full universalization does not guarantee a high turnout rate. **Example 4.** As shown in Figure 6, if  $b_v$  equals a knife-edge value  $\approx 0.609$  and the other parameter values are as specified in the figure legend, there are two equilibria, shown as stars: the underdog wins at one of them ( $b^* \approx 0.6 > a_0$ ) but loses at the other ( $b^*$  is close to  $b_0 = 0.2$ ). The figure further shows that small variations in the parameter values may induce discrete jumps in  $b^*$ : for  $b_v$  slightly above 0.609, there is a unique equilibrium turnout, at which the underdog wins, while for  $b_v$  slightly below 0.609, there is a unique equilibrium turnout, close to  $b_0$ .



Figure 6: Existence of two equilibria when  $\kappa = 1$ 

While multiplicity of equilibria appears only in knife-edge cases under full universalization  $(\kappa = 1)$ , it is not uncommon phenomenon under partial universalization  $(\kappa \in (0, 1))$ .

**Example 5.** Considering still the case  $\rho b_v > a_v$ , Figure 7 shows, for  $\kappa = 0.4$ , an example with two equilibria, indicated by stars. Like in the example under full universalization in Figure 6, here one equilibrium turnout is close to the base,  $b^* \approx 0.12$ , while the other makes the underdog win,  $b^* \approx 0.49 > a_0 = 0.45$ . This victory obtains despite the underdog's base being weak compared to that of the leader (compare  $b_0 = 0.1$  to  $a_0 = 0.45$ ). We further see in the figure that the high-turnout equilibrium gives a substantially higher expected utility than the low-turnout one.

In the preceding example the underdog supporters face a coordination problem, and they would prefer to coordinate on the high-turnout equilibrium. A question of interest is whether such coordination problems — i.e., co-existence of equilibria with substantially different turnouts, where one equilibrium is preferred to the other(s) — are common. We here examine the necessary conditions for global deviations not to exist. This will provide some



Figure 7: Utility from deviating from each equilibrium:  $b_1 \approx 0.49, b_2 \approx 0.12$ 

insights about parameter values that might give rise to such multiplicity of equilibria. We do this for the case  $\rho b_v > a_v$ .

Thus, consider some turnout rate  $b \in (b_0, b)$ . For b to be an equilibrium, an individual voter must not wish to deviate to any  $b' \neq b$ . Considering first downward deviations b' < b, the following condition must hold:

$$(\rho b_v - a_v) \left[ h(\beta(a_0, b)) - h(\beta^{\kappa}(a_0, b, a_0, b')) \right] \ge C_B(b) - C_B(b') \quad \forall b' \in [b_0, b), \tag{51}$$

where

$$\beta(a_0, b) = \frac{b - a_0}{a_0 + b} \quad \text{and} \quad \beta^{\kappa}(a_0, b, a_0, b') = \frac{(1 - \kappa)b + \kappa b' - a_0}{a_0 + (1 - \kappa)b + \kappa b'}.$$
(52)

Any downward deviation b' < b reduces the cost, i.e., the right-hand side of (51) is strictly positive. For any b' < b the left-hand side is equal to zero if  $\kappa = 0$ , and it is increasing in  $\kappa$ : the utility loss that the voter incurs from a decline in its preferred candidate's margin gets larger as her degree of universalization gets larger. Hence, any value of  $\kappa > 0$  imposes an upper bound on the turnout rate that can be sustained in equilibrium. In particular, the voter must not be tempted by abstention  $(b' = b_0)$ , the deviation that would maximize the cost saving  $C_B(b) - C_B(b')$ , and we note that the deviation to abstention generates a cost saving that is larger the smaller is the base  $b_0$ . Taken together, these observations suggest that the underdog supporters can achieve a victory only if  $\kappa$  is large enough, and that this constraint on  $\kappa$  is stronger the weaker is the base  $b_0$ . Noting further that  $C_B$  is decreasing in the size of the cost-sensitive electorate  $b_v$  (see (17)), ceteris paribus the constraint on  $\kappa$  is also stronger the smaller is  $b_v$ . Finally, (51) clearly implies that the stake for the B-supporters ( $\rho$ ) must be large for an equilibrium with a higher turnout to be sustained.

Considering now upward deviations b' > b, the following condition must hold for an individual not to wish to deviate:

$$C_B(b') - C_B(b) \ge (\rho b_v - a_v) \left[ h(\beta^{\kappa}(a_0, b, a_0, b')) - h(\beta(a_0, b)) \right] \quad \forall b' \in (b, \bar{b}].$$
(53)

Any upward deviation b' > b raises the cost, i.e., the left-hand side is strictly positive. But it also raises the utility gain that the voter obtains from an increase in its preferred candidate's margin, as long as her degree of universalization is strictly positive: the right-hand side equals zero if  $\kappa = 0$  and is increasing in  $\kappa$ . Hence, for any  $\kappa > 0$  there is a lower bound on the turnout rate that can be sustained in equilibrium. In particular, if the underdog has a small base  $b_0$  and  $\kappa$  is close enough to 1 — so that the right-hand side of (53) is large — we should expect existence of equilibria with a turnout rate close to  $b_0$  only if voting costs are high enough. Since  $C_B$  is decreasing in the size of the cost-sensitive electorate  $(b_v)$ , ceteris paribus low turnout equilibria also require  $b_v$  to be small enough. Finally, (53) clearly implies that low turnout equilibria are more likely to be sustained the smaller is the stake  $\rho$ .

Taken together, the preceding arguments suggest that the aforementioned coordination problem should be expected only if  $\kappa$  is neither too large nor too small,  $a_0 - b_0$  is large enough, and  $\rho b_v - a_v$  is neither too large nor too small.

Recalling that the same arguments apply to the case  $a_v > \rho b_v$ , the leader's supporters may also face a coordination problem: if the leader's base  $a_0$  is small enough compared to that of the underdog  $b_0$ , and  $\kappa$  is moderate, then there may exist two equilibria, one with a high turnout and with a low turnout, and the leader may suffer a sizeable loss in the latter.

Further examples are provided in Section 4.2 of the Online Appendix, and Section 4.3 therein provides sufficient conditions for there to be a unique equilibrium.

### 4.4 Non-partisan ethics: the winner-take-all limit

Finally, we adopt the same approximation as in the partian setting to analyze the winnertake-all limit.

**Proposition 10** (Non-partian ethics). Only two situations can be sustained as limit equilibria in the ex ante, limit "winner-take-all" case. Either cost-sensitive voters incur no cost and the

side with the largest base wins, or the side with the largest base pays no cost and the side with the smallest base pays to match the other base.

Example 6. The two equilibrium types can co-exist. An illustration is provided in Figure 8.



Figure 8: Equilibrium b for varying m in the case  $\rho b_v > a_v$ 

### 5 Discussion and conclusions

In this paper we have tried to understand what follows if some people base their turnout decisions on an argument of the form "Voting is the right thing to do because there would be bad consequences if too many people abstained," formalized through the *Homo moralis* preferences (Alger and Weibull, 2013), which capture well such partial universalization. The point is particularly relevant in circumstances where voting is costly and each single vote has a negligible effect on the relative number of votes obtained by the candidates, a feature that we capture by modeling the electorate as a continuum.

We find, first, that any extent of *Homo moralis* universalization ethics, i.e., any positive  $\kappa$  in the model, justifies participation in large electorates in most cases. It is generally true as long as voters perceive some benefit to any increase in the favorite candidate's margin. This corresponds to the power sharing setting of our model, where both the winning and the losing side stand to gain from further increasing their share of the expressed votes. By contrast, *Homo moralis* universalization ethics do not generally justify participation in large electorates

in the winner-take-all limit case of our model, where there is a second reason for why votes have a negligible impact: the marginal benefit from further increasing the share of expressed votes is nil except at the point where the two candidates tie precisely.

Second, our analysis reveals why it is important for a candidate to have a large base, that is, a large share of voters who always turn out to vote for them. The key effect of such a base is that it can motivate the cost-sensitive voters to vote. This occurs when a large base reduces the cost that a cost-sensitive voter needs to incur in order to realize that participation would have a large impact on the benefit. In these cases, the base is a complement to the turnout of cost-sensitive voters. We show that a large enough base for the underdog compared to that of the topdog can even trigger a large enough turnout among the cost-sensitive voters for the underdog to win the election. While this can happen even if the underdog's supporters do not perceive a particularly high stake in the election (i.e., even if the stake parameter  $\rho = 1$ ), these supporters are even more motivated to incur a cost to vote if the stake is not neutral ( $\rho > 1$ ). That being said, if the base is too large, it becomes a substitute for the cost-sensitive voters' turnout, since it reduces the marginal benefit of higher turnout rates.

A third pattern that emerges from our analysis is that high values of  $\kappa$  do not necessarily guarantee high turnout rates, because voters may face coordination problems. Indeed, similar to the base of one's group, an increase in the share of other cost-sensitive voters who are expected to vote dampens the cost that an individual cost-sensitive voter needs to incur to reach a certain benefit. While this explains why there may exist equilibria with high turnout rates, it also explains why such equilibria can sometimes co-exist with equilibria with very low turnout rates.

Going forward, many questions remain. In particular, it would be interesting to allow for heterogeneity in the degrees of universalization. On the empirical side, while several motivations behind turnout decisions have already been documented and studied (Aytaç and Stokes, 2019; Blais, 2000; Blais and Daoust, 2020; Downs, 1957; Gerber et al., 2008; Hatemi and McDermott, 2011), it appears that no study has sought to detect universalization ethics as a driver of turnout decisions.

### References

- Alger, I., & Laslier, J.-F. (2022). Homo moralis goes to the voting booth: Coordination and information aggregation. Journal of Theoretical Politics, 34(2), 280–312.
- Alger, I., & Weibull, J. W. (2013). *Homo moralis*—preference evolution under incomplete information and assortative matching. *Econometrica*, 81(6), 2269–2302.
- Alger, I., & Weibull, J. W. (2017). Strategic behavior of moralists and altruists. *Games*, 8(3).
- Aytaç, S. E., & Stokes, S. C. (2019). Why Bother? rethinking Participation in Elections and Protests. Cambridge: Cambridge University Press.
- Bierbrauer, F., Tsyvinski, A., & Werquin, N. (2022). Taxes and turnout: When the decisive voter stays at home. American Economic Review, 112(2), 689–719.
- Blais, A. (2000). To Vote or Not to Vote? the Merits and Limits of Rational Choice Theory. Pittsburgh: University of Pittsburgh Press.
- Blais, A., & Achen, C. H. (2019). Civic duty and voter turnout. *Political Behavior*, 41, 473–497.
- Blais, A., & Daoust, J.-F. (2020). The Motivation to Vote: Explaining Electoral Participation. Vancouver: University of British Columbia Press.
- Braham, M., & van Hees, M. (2020). Kantian Kantian optimization. Erasmus Journal for Philosophy and Economics, 13, 30–42.
- Cancela, J., & Geys, B. (2016). Explaining voter turnout: A meta-analysis of national and subnational elections. *Electoral studies*, 42, 264–275.
- Coate, S., & Conlin, M. (2004). A group rule—utilitarian approach to voter turnout: Theory and evidence. *American Economic Review*, 94(5), 1476–1504.
- Conley, J. P., Toossi, A., & Wooders, M. (2006). Memetics and voting: How nature may make us public spirited. *International Journal of Game Theory*, 35, 71–90.
- DeNardo, J. (1980). Turnout and the vote: The joke's on the democrats. American Political Science Review, 74(2), 406–420.
- Dhillon, A., & Peralta, S. (2002). Economic theories of voter turnout. *The Economic Journal*, 112(480), F332–F352.
- Downs, A. (1957). An Economic Theory of Democracy. New York: Harper and Row.
- Feddersen, T., Gailmard, S., & Sandroni, A. (2009). Moral bias in large elections: Theory and experimental evidence. American Political Science Review, 103(2), 175–192.

- Feddersen, T., & Sandroni, A. (2006). A theory of participation in elections. American Economic Review, 96(4), 1271–1282.
- Fiorina, M. P. (1976). The voting decision: Instrumental and expressive aspects. The Journal of Politics, 38(2), 390–413.
- Frank, R. W., & Martínez i Coma, F. (2023). Correlates of voter turnout. *Political behavior*, 45(2), 607–633.
- Gerber, A. S., Green, D. P., & Larimer, C. W. (2008). Social pressure and voter turnout: Evidence from a large-scale field experiment. American political Science review, 102(1), 33–48.
- Gravel, N., Laslier, J.-F., & Trannoy, A. (2000). Consistency between tastes and values: A universalisation approach. *Social Choice and Welfare*, 17, 129–137.
- Harsanyi, J. C. (1977). Morality and the theory of rational behavior. Social Research: An International Quarterly, 44(4), 623–656.
- Harsanyi, J. C. (1980). Rule utilitarianism, rights, obligations and the theory of rational behavior. *Theory and decision*, 12(2), 115–133.
- Hatemi, P. K., & McDermott, R. (2011). Man is by Nature a Political Animal: Evolution, Biology, and Politics. Chicago: University of Chicago Press.
- Herrera, H., Morelli, M., & Nunnari, S. (2016). Turnout across democracies. American Journal of Political Science, 60(3), 607–624.
- Kant, I. (1785). Grundlegung zur Metaphysik der Sitten. [in English: Groundwork of the Metaphysics of Morals (1964). New York: Harper Torch Books].
- Krishna, V., & Morgan, J. (2015). Majority rule and utilitarian welfare. American Economic Journal: Microeconomics, 7(4), 339–375.
- Laffont, J.-J. (1975). Macroeconomic constraints, economic efficiency and ethics: An introduction to Kantian economics. *Economica*, 42(168), 430–437.
- Laslier, J.-F. (2023). Universalization and altruism. Social Choice and Welfare, 60, 579–594.
- Ledyard, J. O. (1984). The pure theory of large two-candidate elections. Public choice, 44(1), 7–41.
- Levine, D. K., & Mattozzi, A. (2020). Voter turnout with peer punishment. American Economic Review, 110(10), 3298–3314.
- Levine, S., Kleiman-Weber, M., Schultz, L., & Cushman, F. (2020). The logic of universalization guides moral judgment. PNAS, 117, 26158–26169.

- Lizzeri, A., & Persico, N. (2001). The provision of public goods under alternative electoral incentives. *American Economic Review*, 91(1), 225–239.
- Morton, R. B. (1987). A group majority voting model of public good provision. Social Choice and Welfare, 4, 117–131.
- Morton, R. B. (1991). Groups in rational turnout models. American Journal of Political Science, 758–776.
- Myerson, R. B. (2000). Large Poisson games. Journal of Economic Theory, 94(1), 7–45.
- Nagel, J. H., & McNulty, J. E. (1996). Partian effects off voter turnout in senatorial and gubernatorial elections. American Political Science Review, 90(4), 780–793.
- Palfrey, T. R., & Rosenthal, H. (1985). Voter participation and strategic uncertainty. American political science review, 79(1), 62–78.
- Riker, W. H., & Ordeshook, P. C. (1968). A theory of the calculus of voting. American political science review, 62(1), 25–42.
- Roemer, J. E. (2019). How We Cooperate. New Haven: Yale University Press.
- Rogers, T., Green, D. P., Ternovski, J., & Young, C. F. (2017). Social pressure and voting: A field experiment conducted in a high-salience election. *Electoral Studies*, 46, 87–100.
- Schuessler, A. A. (2000). Expressive voting. Rationality and Society, 12(1), 87–119.
- Smets, K., & Van Ham, C. (2013). The embarrassment of riches? A meta-analysis of individuallevel research on voter turnout. *Electoral studies*, 32(2), 344–359.
- Van Leeuwen, B., & Alger, I. (forthcoming). Estimating social preferences and Kantian morality in strategic interactions. *Journal of Political Economy Microeconomics*.

### A Proofs of the winner-take-all limit results

### A.1 Approximating sequences

**Definition 1.** Let  $(h_t)_{t=1,2...}$  be a sequence of functions that all satisfy the hypothesis of the model and such that, for any  $x \in [-1,1]$ ,  $\lim_{t\to\infty} h_t(x) = \operatorname{sign}(x)$ . Such a sequence  $(h_t)_{t=1,2,...}$  will be called an *approximating sequence*.

An example of such an approximating sequence is  $\left(\frac{1}{\arctan(m)} \arctan(mx)\right)_{m=1,2,\dots}$ .

To prepare the proofs, we establish some properties of h. First, for any  $\varepsilon > 0$ , h converges

uniformly to 1 on  $[\varepsilon, 1]$  (and by symmetry, it converges uniformly to -1 on  $[-1, -\varepsilon]$ ). To see this, notice that  $h_t$  is increasing. Therefore, for any  $x \in [\varepsilon, 1]$ ,  $h_t(\varepsilon) \leq h_t(x) \leq 1$ . Thus,  $\sup_{x \in [\varepsilon, 1]} |h_t(x) - h(x)| \leq 1 - h_t(\varepsilon)$  and the result follows by the pointwise convergence of  $h_t$ to one at  $\varepsilon$ . Second, the concavity of  $h_t$  on positive numbers implies that for any x > 0,

$$\lim_{t \to \infty} h_t'(x) = 0.$$

To see this, note that on intervals [y, x] and [x, z], concavity of  $h_t$  implies  $\frac{h_t(z)-h_t(x)}{z-x} < h'_t(x) < \frac{h_t(x)-h_t(y)}{x-y}$  and apply the sandwich lemma. The same result is likewise obtained for x < 0. Finally, since  $h'_t$  is decreasing for x > 0,  $h'_t$  converges uniformly to 0 on  $[\varepsilon, 1]$ , and likewise on  $[-1, -\varepsilon]$ .

**Definition 2.** We say that a pair (a, b) is sustained as a limit winner-take-all equilibrium under partial (resp. non partial) ethics if there exists a sequence  $(a_t, b_t, h_t)_{t \in \mathbb{N}}$  such that

- $(h_t)_{t=1,2...}$  is an approximating sequence,
- for all t,  $(a_t, b_t)$  is an equilibrium of the partial (resp. non partial) game when the political outcome function is  $h_t$ , and
- $\lim_{t\to\infty} (a_t, b_t) = (a, b).$

### A.2 Partisan ethics

Proof of Proposition 5: Let (a, b) be sustained as a limit winner-take-all equilibrium under partial ethics by a sequence  $(a_t, b_t, h_t)$ . The continuity of the function  $\alpha$  implies that, if  $a \neq b$ , then  $\alpha(a_t, b_t)$  converges to  $\alpha(a, b) \neq 0$ , hence  $h'_t(\alpha(a_t, b_t))$  tends to 0, using the uniform convergence established above. It follows from the equilibrium conditions (Equations 28 and 29) that  $C'_A\left(\frac{a_t-a_0}{a_v}\right)$  tends to 0. By continuity of the function  $C'_A$  this implies that  $a_t$  tends to  $a_0$ . The same argument holds for B.

We now assume that a = b with (a, b) such that  $a_0 \le a < a_0 + a_v$  and  $b_0 \le b < b_0 + b_v$ .

Notice that there must be infinitely many  $(a_t, b_t)$  such that  $b_t \leq a_t$  or infinitely many  $(a_t, b_t)$  such that  $a_t \leq b_t$  (both can be the case). We will assume that there are infinitely

many  $b_t \leq a_t$  since the argument below works analogously with infinitely many  $a_t \leq b_t$ . By extracting a subsequence, we will assume that the whole sequence is such that  $b_t \leq a_t$ .

Let  $\delta > 0$  and consider a deviation  $\hat{b}_t$  such that

$$\kappa \hat{b}_t + (1 - \kappa) \, b_t = a + \delta, \tag{54}$$

i.e.

$$\hat{b}_t = \frac{a+\delta - (1-\kappa)\,b_t}{\kappa} \to a + \frac{\delta}{\kappa}.\tag{55}$$

Since  $b_t \to a$  and since we assumed that  $a = b < b_0 + b_v$ , as long as  $\delta$  is small enough, there exists a  $T \in \mathbb{N}$  large enough such that  $\hat{b}_t \in [b_0, b_0 + b_v]$ , i.e. such that  $\hat{b}_t$  is a feasible deviation for all t > T.

Then, recalling  $(a_t, b_t) \rightarrow (a, a)$ , and by possibly increasing T, we can ensure that  $\beta(a_t, a + \delta) \in [\varepsilon, 1]$  for all t > T, for some  $\varepsilon > 0$  small enough.

We will now show that  $\hat{b}_t$  is a profitable deviation for large enough t. Indeed, for t > T, by the uniform convergence of  $h_t$  towards 1 on  $[\varepsilon, 1]$  and the continuity of  $C_B$ ,

$$U_{B,t}^{\kappa}\left(a_{t},b_{t},\hat{b}_{t}\right) - U_{B,t}^{\kappa}\left(a_{t},b_{t},b_{t}\right) = \rho \underbrace{h_{t}\left(\beta\left(a_{t},a+\delta\right)\right)}_{\rightarrow 1} - \rho \underbrace{h_{t}\left(\beta\left(a_{t},b_{t}\right)\right)}_{<0} + \underbrace{C_{B}\left(b_{t}\right) - C_{B}\left(\hat{b}_{t}\right)}_{\rightarrow C_{B}\left(a\right) - C_{B}\left(a+\frac{\delta}{\kappa}\right)}$$
(56)

is strictly positive for t large enough as well as  $\delta$  small enough. The continuity of  $C_B$  is used twice in the argument: first to establish the convergence of the cost terms, and second to argue that the cost difference is arbitrarily small for small enough  $\delta$ .

Having shown that there exist profitable deviations in the approximating sequence of equilibria for the individuals supporting at least one of the parties, we have reached a contradiction, i.e. there cannot be a limit winner-take-all equilibrium (a, a) with  $a_0 \leq a < a_0 + a_v$  and  $b_0 \leq b < b_0 + b_v$ .

Let us now assume that  $(\bar{b}, \bar{b})$  is sustained as a limit winner-take-all equilibrium and that  $\bar{a} > \bar{b}$  (where, by assumption,  $\bar{a} \ge \bar{b}$ , but the proof works analogously if one were to allow  $\bar{b} > \bar{a}$ ). Assume that  $h_t(\alpha(a_t, b_t))$  does not converge to 1. Then, there exists a  $\rho$  such that there exists a subsequence of  $(a_t, b_t)$  which satisfies  $h_t(\alpha(a_t, b_t)) < 1 - \rho$ . Similarly to

the sequence of eventually profitable deviations we constructed above for B, we can then construct a sequence of eventually profitable deviations for A so that we can conclude that  $h_t(\beta(a_t, b_t)) \rightarrow 1$ . This in turn implies that for t large enough, B-supporters benefit from deviating to a zero effort threshold, since the benefit of keeping a high turnout vanishes as  $t \rightarrow \infty$ .

Hence, except when  $\bar{a} = \bar{b}$ , there cannot be a limit winner-take-all equilibrium  $(\bar{b}, \bar{b})$ .

### A.3 Non-partisan ethics

Proof of Proposition 10: The other parameters being fixed, let  $(a_t, b_t)$  be a sequence of scores sustained at equilibrium for  $h_t$ . In view of Proposition 7 it is sufficient to deal with the case where  $\kappa > 0$  and  $a_v \neq \rho b_v$ .

We assume that  $a_v > \rho b_v$ , as the proof for the opposite case goes analogously. In view of Proposition 2, for all t,  $a_t > a_0$  and  $b_t = b_0$ , and  $a_t$  satisfies the first-order condition (see equation 44):

$$0 \le (a_v - \rho b_v) h'_t \left(\frac{a_t - b_0}{a_t + b_0}\right) \frac{2\kappa b_0}{a_t + b_0} - a_v C'_A(a_t),\tag{57}$$

where < may only hold for  $a_t = \bar{a}$ .

Let  $\varepsilon > 0$ . Assume, for a contradiction, that the sequence  $a_t$  has an infinite number of points within  $(a_0 + \varepsilon, \bar{a}]$  (in the case  $a_0 \ge b_0$ ) or within  $(a_0 + \varepsilon, b_0 - \varepsilon) \cup (b_0 + \varepsilon, \bar{a}]$  (in the case  $b_0 > a_0$ ). We can then extract a subsequence  $(a_{\tau})$  that converges to  $\tilde{a} \in [a_0 + \varepsilon, \bar{a}]$  (in the case  $a_0 \ge b_0$ ) or to  $\tilde{a} \in [a_0 + \varepsilon, b_0 - \varepsilon] \cup [b_0 + \varepsilon, \bar{a}]$  (in the case  $b_0 > a_0$ ). In any case,  $\frac{a_{\tau} - b_0}{a_{\tau} + b_0}$  tends to  $\frac{\tilde{a} - b_0}{\tilde{a} + b_0} \ne 0$ . By the uniform convergence established above,  $h'_t \left(\frac{a_{\tau} - b_0}{a_{\tau} + b_0}\right)$  tends to 0, whereas  $C'_A(a_{\tau})$  tends to  $C'_A(\tilde{a}) > 0$ , a contradiction with all  $a_{\tau}$  satisfying above first-order condition. It follows that  $\lim_{t\to\infty} a_t \in \{a_0, b_0\}$ .

## ONLINE APPENDIX

# 1 A comment on the benefit function used by Herrera, Morelli, and Nunnari (2016)

Using our notation, Herrera et al. (2016) posit the material benefit function  $a^{\gamma}/(a^{\gamma}+b^{\gamma})$  for the A-supporters and  $b^{\gamma}/(a^{\gamma}+b^{\gamma})$  for the B-supporters, where the parameter  $\gamma \in [1, +\infty)$ captures the power sharing rule. By setting

$$h(\alpha) = \frac{(1+\alpha)^{\gamma} - (1-\alpha)^{\gamma}}{(1+\alpha)^{\gamma} + (1-\alpha)^{\gamma}},\tag{1}$$

it is straightforward to show that

$$h(\alpha) = -1 + 2\frac{a^{\gamma}}{a^{\gamma} + b^{\gamma}},\tag{2}$$

and similarly for  $\beta$ . Indeed,

$$\frac{(1+\alpha)^{\gamma} - (1-\alpha)^{\gamma}}{(1+\alpha)^{\gamma} + (1-\alpha)^{\gamma}} = \frac{\frac{2a}{a+b}^{\gamma} - \frac{2b}{a+b}^{\gamma}}{\frac{2a}{a+b}^{\gamma} + \frac{2b}{a+b}^{\gamma}} = -1 + 2\frac{a^{\gamma}}{a^{\gamma} + b^{\gamma}}.$$
(3)

It remains to show that the function in (1) fits the assumptions of our model. Clearly, it takes values between -1 and 1 and is symmetric around  $\alpha = 0$ . Moreover, it is continuous and differentiable. Indeed, the first derivative is given by

$$h'(\alpha) = \frac{4\gamma \left( (1 - \alpha^2)^{\gamma - 1} \right)}{\left( (1 + \alpha)^{\gamma} + (1 - \alpha)^{\gamma} \right)^2} > 0, \tag{4}$$

and therefore, the second derivative is given by

$$h''(\alpha) = 4\gamma \frac{-2\alpha (\gamma - 1) (1 - \alpha^2)^{\gamma - 2} ((1 + \alpha)^{\gamma} + (1 - \alpha)^{\gamma})^2}{((1 + \alpha)^{\gamma} + (1 - \alpha)^{\gamma})^4} - 4\gamma \frac{2 \left((1 - \alpha^2)^{\gamma - 1}\right) ((1 + \alpha)^{\gamma} + (1 - \alpha)^{\gamma}) \gamma \left((1 + \alpha)^{\gamma - 1} - (1 - \alpha)^{\gamma - 1}\right)}{((1 + \alpha)^{\gamma} + (1 - \alpha)^{\gamma})^4} = -8\gamma (\gamma - 1) \alpha \frac{(1 - \alpha^2)^{\gamma - 2}}{((1 + \alpha)^{\gamma} + (1 - \alpha)^{\gamma})^2} - 8\gamma^2 \frac{(1 - \alpha^2)^{\gamma - 1} \left((1 + \alpha)^{\gamma - 1} - (1 - \alpha)^{\gamma - 1}\right)}{((1 + \alpha)^{\gamma} + (1 - \alpha)^{\gamma})^3}.$$
(5)

Clearly, this h satisfies our assumptions on the derivatives for any  $\gamma \in [1, +\infty)$ . Re-scaling the cost accordingly, this shows that our benefit term is more general.

# 2 The benefit function and cost distributions used in the examples

Throughout we will use the following specification for h to provide numerical examples to illustrate our general results and discussions:

$$h(x) = \frac{\arctan(mx)}{\arctan(m)}.$$
(6)

The parameter  $m \in \mathbb{R}_+$  changes the slope of h: the larger is m, the larger is the marginal benefit for small margins and the smaller is the marginal benefit for large margins. The linear case obtains (by continuity) for m = 0 and the step function for  $m \to \infty$ , giving ma similar role as the power-sharing parameter  $\gamma$  in the Herrera, Morelli, and Nunnari, 2016 benefit term. This is illustrated in Figure 1.

The examples will always use uniform cost distributions with support  $[0, \theta_A]$  and  $[0, \theta_A]$ for A- and B-supporters. The model is fully specified with the parameters  $m, \rho, \theta_A, \theta_B, \bar{a}$ ,



Figure 1: h as defined in equation (6) for different values of m

 $\overline{b}$ ,  $a_0$ ,  $b_0$ . Unless stated otherwise, we use the functions

$$C_A(a) = \frac{\theta_A}{2} \left(\frac{a-a_0}{a_v}\right)^2$$

$$C_B(b) = \frac{\theta_B}{2} \left(\frac{b-b_0}{b_v}\right)^2,$$
(7)

which correspond to a uniformly distributed cost on  $[0, \theta_A]$  for the A-supporters and a uniformly distributed cost on  $[0, \theta_B]$  for the B-supporters.

### 3 Partisan ethics

## 3.1 Computing equilibria with the arctan benefit function and uniform cost

We first describe how to compute A-consistent strategies. We explain how we may compute A-consistent strategies, where B-consistent strategies can be computed analogously. We look for an A-consistent strategy a given a strategy b played by B-supporters. The first-order condition for  $a, 0 = \frac{\partial}{\partial a^i} EU_A^{\kappa}(a, b, a^i)|_{a^i=a}$  is given by

$$0 = \frac{m}{\arctan(m)} \frac{1}{1 + \left(m\frac{a-b}{b+a}\right)^2} \frac{2\kappa b}{\left(b+a\right)^2} - \theta_A \frac{a-a_0}{a_v^2}.$$
(8)

After some algebra, we obtain a polynomial:

$$0 = a^{3} + \left(2\frac{1-m^{2}}{1+m^{2}}b - a_{0}\right)a^{2} + \left(b^{2} - 2\frac{1-m^{2}}{1+m^{2}}a_{0}b\right)a - b^{2}a_{0} - \frac{2m\kappa ba_{v}^{2}}{(1+m^{2})\theta_{A}\arctan\left(m\right)}$$
(9)

Solving the polynomial gives candidate A-consistent strategies, to which we have to add  $\bar{a}$  (but  $a_0$  cannot be A-consistent).

Then, in order to rule out a profitable deviation, it is sufficient to compare the utility level associated to such a candidate a with the utility at any solution of  $\frac{\partial}{\partial a^i}U^{\kappa}(a, b^*, a^i) = 0$ and with the utility at  $\bar{a}$ . The equation  $\frac{\partial}{\partial a^i}U^{\kappa}(a, b^*, a^i) = 0$  can be rewritten as another degree three polynomial equation.

In order to find equilibria, we first find pairs (a, b) that simultaneously solve the first order conditions, i.e.  $0 = \frac{\partial}{\partial a^i} EU_A^{\kappa}(a, b, a^i) \Big|_{a^i=a}$  and  $0 = \frac{\partial}{\partial b^i} EU_B^{\kappa}(a, b, a^i) \Big|_{b^i=b}$ . As above, these can both be rewritten as polynomials in (a, b). We can solve the system of polynomials numerically using the resultant method, where we use SymPy to compute the resultant and NumPy to compute roots.

Other candidate equilibria are  $(\bar{a}, \bar{b})$ ,  $(a, \bar{b})$  with a a candidate A-consistent strategy given  $\bar{b}$  and  $(\bar{a}, b)$  with b a candidate B-consistent strategy given  $\bar{a}$ . For each candidate equilibrium, we check for profitable deviations as described above.

#### 3.2 Examples

**Example 1** (a setting with no equilibrium). Equilibria may fail to exist. This is illustrated in Figure 2a, where the curve showing the *A*-consistent turnouts does not intersect with the curve showing the *B*-consistent turnouts.

**Example 2** (a setting with multiple equilibria). There may exist more than one equilibrium. In Figure 2b we show an example with five equilibria: two of them exhibit low turnouts and a victory by the leader, while the other three exhibit high turnouts and a victory by the underdog.



Figure 2: Two extreme cases on multiplicity of equilibria

### 3.3 Sufficient conditions for equilibrium existence and uniqueness

Here we identify sufficient conditions for there to exist a unique equilibrium  $(a^*, b^*)$  of the population game studied above. To prepare the ground for the statements and proofs, we define the auxiliary functions

$$\Phi_A(a,b) = \kappa h(\alpha(a,b)) - C_A(a), \qquad (10)$$

$$\Phi_B(a,b) = \rho \kappa h\left(-\alpha\left(a,b\right)\right) - C_B(b).$$
(11)

We also define the *auxiliary game*: this is a simultaneous-move game between two players, call them Alice and Bob, who have strategy sets  $[a_0, \bar{a}]$  and  $[b_0, \bar{b}]$ , and payoff functions  $\Phi_A$  and  $\Phi_B$ , respectively.

In the following statements, by single-peaked, we mean that a function defined on  $[a_0, \bar{a}]$ (or  $[b_0, \bar{b}]$ ) is strictly increasing up to some  $a \in (a_0, \bar{a})$  (or  $b \in (b_0, \bar{b})$ ), and strictly decreasing thereafter. In case it is differentiable, this amounts to its first-derivative being first strictly positive, crossing zero once from above, and then being strictly negative.

Assumption 1. Assume that for all (a,b),  $a^i \mapsto EU^{\kappa}_A(a,b,a^i)$  and  $b^i \mapsto EU^{\kappa}_B(a,b,b^i)$  are

single-peaked. Moreover, assume that for all b,  $a \mapsto \Phi_A(a, b)$  is single-peaked, and for all a,  $b \mapsto \Phi_B(a, b)$  is single-peaked.

**Lemma 1.** Under Assumption 1,  $(a^*, b^*)$  is an equilibrium of the population game if, and only if, it is a Nash equilibrium of the auxiliary game.

*Proof.* Claim: for any b, there exists a unique A-consistent strategy. To prove this, let us define  $\phi : [a_0, \bar{a}] \to [a_0, \bar{a}]$  by

$$\phi(a) = \operatorname*{arg\,max}_{a^{i}} EU^{\kappa}_{A}\left(a, b, a^{i}\right). \tag{12}$$

This is indeed well-defined, since the argmax exists and is unique due to the single-peakedness assumption on  $EU_A^{\kappa}$ . By Berge's maximum theorem,  $\phi$  is continuous. Therefore, Brouwer's fixed point theorem applies and there exists at least one fixed point, i.e. at least one Aconsistent strategy. By the assumption that for all a, b, the unique maximum of  $a^i \mapsto$  $EU_A^{\kappa}(a, b, a^i)$  lies in  $(a_0, \bar{a})$ , we can conclude that any such A-consistent strategy lies in  $(a_0, \bar{a})$  (is interior). Hence, it satisfies the first-order condition

$$0 = \frac{\partial}{\partial a^{i}} E U^{\kappa}_{A} \left( a, b, a^{i} \right) \Big|_{a^{i} = a}.$$
(13)

Since

$$\frac{\partial}{\partial a}\Phi_A(a,b) = \frac{2\kappa bh'(\alpha(a,b))}{(a+b)^2} - C'_A(a), \tag{14}$$

and recalling the first-order condition

$$\frac{\partial}{\partial a^{i}} U_{A}^{\kappa}\left(a,b,a^{i}\right)|_{a^{i}=a^{*},b=b^{*}} = \frac{2\kappa b^{*}h'(\alpha(a^{*},b^{*}))}{(a^{*}+b^{*})^{2}} - C_{A}'\left(a^{*}\right) \begin{cases} = 0 \text{ if } a^{*} \in (a_{0},\bar{a})\\ \ge 0 \text{ if } a^{*}=\bar{a}, \end{cases}$$
(15)

we conclude that any fixed point of (12) satisfies

$$0 = \frac{\partial}{\partial a^{i}} E U^{\kappa}_{A}\left(a, b, a^{i}\right) \Big|_{a^{i}=a} = \frac{\partial}{\partial a} \Phi_{A}\left(a, b\right).$$
(16)

Since the single-peakedness assumption on  $\Phi_A$  implies that there is a unique *a* that maximizes  $\Phi_A(a, b)$ , this completes the proof of the claim.

By repeating the same argument for *B*-consistent strategies, we conclude that  $(a^*, b^*)$  is an equilibrium of the population game if and only if

- 1.  $a^*$  maximizes  $a \mapsto \Phi_A(a, b^*)$ , and
- 2.  $b^*$  maximizes  $b \mapsto \Phi_B(a^*, b)$ .

By reducing the analysis to that of a standard two-player game, Lemma 1 facilitates identification of sufficient conditions for there to exist a unique equilibrium of the population game.

Assumption 2. Let  $h(x) = \frac{\arctan(mx)}{\arctan(m)}$ , and assume that:

1. 
$$\kappa \in (0, 1],$$
  
2.  $\frac{f_k(c)c}{F_k(c)}, k = A, B, \text{ is decreasing,}$   
3.  $m \leq 1 \text{ or for some } r < \frac{2m}{(m-1)^2},$   
 $\lim_{c \to 0} \frac{F_A(c)}{c^r} > 0,$ 
(17)

4.  $m \leq 1$  or for some  $r < \frac{2m}{\rho(m-1)^2}$ ,

$$\lim_{c \to 0} \frac{F_B(c)}{c^r} > 0, \tag{18}$$

5.  $\bar{s}_B \ge \frac{\rho \bar{a}(m^2+1)}{2\kappa b_v m \arctan(m)}$ , and 6.  $\bar{s}_A \ge \frac{\bar{b}(m^2+1)}{2\kappa a_v m \arctan(m)}$ .

**Proposition 1.** Under Assumption 1, there exists a unique equilibrium of the population game. Moreover, Assumption 1 holds under Assumption 2.

*Proof.* Proving first the first claim, let us define a function  $\psi : [a_0, \bar{a}] \times [b_0, \bar{b}] \to [a_0, \bar{a}] \times [b_0, \bar{b}]$  by

$$\psi(a,b) = \begin{pmatrix} \arg\max_{\tilde{a}} \Phi_A(\tilde{a},b) \\ \arg\max_{\tilde{b}} \Phi_B(a,\tilde{b}) \end{pmatrix},$$
(19)

which is well-defined by the assumptions on  $\Phi_A$  and  $\Phi_B$ . Applying Berge's maximum theorem, we conclude that  $\psi$  is continuous, allowing us to apply Brouwer's theorem. We deduce that  $\psi$  has at least one fixed point, proving equilibrium existence.

In order to prove uniqueness, we again rely on the auxiliary two-player game. Assume, for a contradiction, that  $(a_1, b_1)$  and  $(a_2, b_2)$  are both equilibria of that game. Then,

> $\Phi_A(a_1, b_1) \geq \Phi_A(a_2, b_1),$   $\Phi_A(a_2, b_2) \geq \Phi_A(a_1, b_2).$ (20)

$$\Phi_A(a_2, b_2) \geq \Phi_A(a_1, b_2), \qquad (21)$$

$$\Phi_B(a_1, b_1) \geq \Phi_B(a_1, b_2), \qquad (22)$$

$$\Phi_B(a_2, b_2) \geq \Phi_B(a_2, b_1).$$
(23)

Writing these expressions out,

$$\kappa h\left(\alpha\left(a_{1},b_{1}\right)\right)-C_{A}\left(a_{1}\right) \geq \kappa h\left(\alpha\left(a_{2},b_{1}\right)\right)-C_{A}\left(a_{2}\right),$$
(24)

$$\kappa h\left(\alpha\left(a_{2},b_{2}\right)\right)-C_{A}\left(a_{2}\right) \geq \kappa h\left(\alpha\left(a_{1},b_{2}\right)\right)-C_{A}\left(a_{1}\right),$$
(25)

$$-\rho\kappa h\left(\alpha\left(a_{1},b_{1}\right)\right)-C_{B}\left(b_{1}\right) \geq -\rho\kappa h\left(\alpha\left(a_{1},b_{2}\right)\right)-C_{B}\left(b_{2}\right),$$
(26)

$$-\rho\kappa h\left(\alpha\left(a_{2},b_{2}\right)\right)-C_{B}\left(b_{2}\right) \geq -\rho\kappa h\left(\alpha\left(a_{2},b_{1}\right)\right)-C_{B}\left(b_{1}\right).$$

$$(27)$$

Rewriting,

$$\kappa h\left(\alpha\left(a_{1},b_{1}\right)\right)-\kappa h\left(\alpha\left(a_{2},b_{1}\right)\right) \geq C_{A}\left(a_{1}\right)-C_{A}\left(a_{2}\right),$$
(28)

$$C_A(a_1) - C_A(a_2) \geq \kappa h\left(\alpha\left(a_1, b_2\right)\right) - \kappa h\left(\alpha\left(a_2, b_2\right)\right),$$
(29)

$$\rho \kappa h\left(\alpha\left(a_{1}, b_{2}\right)\right) - \rho \kappa h\left(\alpha\left(a_{1}, b_{1}\right)\right) \geq C_{B}\left(b_{1}\right) - C_{B}\left(b_{2}\right), \qquad (30)$$

$$C_B(b_1) - C_B(b_2) \geq \rho \kappa h(\alpha(a_2, b_2)) - \rho \kappa h(\alpha(a_2, b_1)).$$
(31)

Combining and eliminating constant positive factors,

$$h(\alpha(a_1, b_1)) - h(\alpha(a_2, b_1)) \geq h(\alpha(a_1, b_2)) - h(\alpha(a_2, b_2)),$$
(32)

$$h(\alpha(a_1, b_2)) - h(\alpha(a_1, b_1)) \geq h(\alpha(a_2, b_2)) - h(\alpha(a_2, b_1)).$$
(33)

Rewriting once more,

$$h(\alpha(a_1, b_1)) + h(\alpha(a_2, b_2)) \geq h(\alpha(a_1, b_2)) + h(\alpha(a_2, b_1)),$$
(34)

$$h(\alpha(a_1, b_2)) + h(\alpha(a_2, b_1)) \geq h(\alpha(a_2, b_2)) + h(\alpha(a_1, b_1)).$$
(35)

Combining the two inequalities, we have equality throughout:

$$h(\alpha(a_1, b_1)) + h(\alpha(a_2, b_2)) = h(\alpha(a_1, b_2)) + h(\alpha(a_2, b_1)).$$
(36)

Multiplying with  $\kappa$  and subtracting  $C_A(a_1)$  as well as  $C_A(a_2)$  on both sides,

$$\Phi_A(a_1, b_1) + \Phi_A(a_2, b_2) = \Phi_A(a_1, b_2) + \Phi_A(a_2, b_1).$$
(37)

Since  $\Phi_A(a_1, b_1) \ge \Phi_A(a_2, b_1)$  and  $\Phi_A(a_2, b_2) \ge \Phi_A(a_1, b_2)$ , we have

$$\Phi_A(a_1, b_1) = \Phi_A(a_2, b_1) \text{ and } \Phi_A(a_2, b_2) = \Phi_A(a_1, b_2).$$
(38)

Since we assumed that  $a \mapsto \Phi_A(a, b)$  is single-peaked for any b, we deduce  $a_1 = a_2$ . By repeating the same argument on  $\Phi_B$ , we deduce  $b_1 = b_2$ , thus proving equilibrium uniqueness of the auxiliary game. Lemma 1 then implies that this is also the unique equilibrium of the population game. This completes the proof of the first claim of the proposition.

We turn now to the second claim of the proposition. To begin, for any turnout levels (a, b) let us write the expected utility of *B*-supporter *i* as a function of the cutoff strategy  $s_B^i$ :

$$EU_B^{\kappa}\left(a, b, s_B^i\right) = \rho h\left(\beta^{\kappa}\left(a, b, s_B^i\right)\right) - \int_0^{s_B^i} cf\left(c\right) dc,\tag{39}$$

where

$$\beta^{\kappa} \left( a, b, s_{B}^{i} \right) = \frac{(1-\kappa) b + \kappa \left( b_{v} F_{B} \left( s_{B}^{i} \right) + b_{0} \right) - a}{(1-\kappa) b + \kappa \left( b_{v} F_{B} \left( s_{B}^{i} \right) + b_{0} \right) + a}.$$
(40)

Likewise, write the associated auxiliary function as a function of  $s_B$ :

$$\Phi_B(a, s_B) = \rho \kappa h\left(\beta\left(a, s_B\right)\right) - \int_0^{s_B} cf\left(c\right) dc.$$
(41)

Clearly, since  $F_B$  is strictly increasing, single-peakedness of  $EU_B^{\kappa}(a, b, s_B^i)$  in  $s_B^i$  holds if and

only if single-peakedness of  $EU_B^{\kappa}(a, b, b^i)$  in  $b^i$  holds. Likewise, single-peakedness of  $\Phi(a, s_B)$  in  $s_B$  holds if and only if single-peakedness of  $\Phi_B(a, b)$  in b holds.

We will show that for all (a, b),  $s_B^i \mapsto EU_B^{\kappa}(a, b, s_B^i)$  and  $s_B \mapsto \Phi_B(a, s_B)$  are singlepeaked, as the proof goes analogously for  $EU_A^{\kappa}$  and  $\Phi_A$  (with  $\rho = 1$ ).

In order to ease notation, let

$$M^{\kappa} \left( s_{B}^{i} \right) = (1 - \kappa) b + \kappa \left( b_{v} F_{B} \left( s_{B}^{i} \right) + b_{0} \right) - a, \text{ and}$$
  

$$T^{\kappa} \left( s_{B}^{i} \right) = (1 - \kappa) b + \kappa \left( b_{v} F_{B} \left( s_{B}^{i} \right) + b_{0} \right) + a.$$
(42)

We then have

$$\frac{\partial}{\partial s_B^i} \beta^{\kappa} \left( a, b, s_B^i \right) = \frac{2\kappa a b_v f_B \left( s_B^i \right)}{\left( T^{\kappa} \left( s_B^i \right) \right)^2} \tag{43}$$

so that

$$\frac{\partial}{\partial s_B^i} E U_B^\kappa \left( a, b, s_B^i \right) = \rho h' \left( \beta^\kappa \left( a, b, s_B^i \right) \right) \frac{2\kappa a b_v f_B \left( s_B^i \right)}{\left( T^\kappa \left( s_B^i \right) \right)^2} - s_B^i f_B \left( s_B^i \right). \tag{44}$$

Hence, for  $h(x) = \frac{\arctan(mx)}{\arctan(m)}$ ,

$$\frac{\partial}{\partial s_B^i} EU_B^{\kappa} \left( a, b, s_B^i \right) = \rho \frac{2m\kappa a b_v f_B \left( s_B^i \right)}{\arctan\left( m \right)} \frac{1}{\left( T^{\kappa} \left( s_B^i \right) \right)^2} \frac{1}{1 + m^2 \frac{\left( M^{\kappa} \left( s_B^i \right) \right)^2}{\left( T^{\kappa} \left( s_B^i \right) \right)^2}} - s_B^i f_B \left( s_B^i \right)} \\
= f_B \left( s_B^i \right) \left( \frac{2m\kappa \rho a b_v}{\arctan\left( m \right)} \frac{1}{\left( T^{\kappa} \left( s_B^i \right) \right)^2 + m^2 \left( M^{\kappa} \left( s_B^i \right) \right)^2} - s_B^i \right)} \\
= \frac{f_B \left( s_B^i \right)}{\left( \frac{T^{\kappa} \left( s_B^i \right) \right)^2 + m^2 \left( M^{\kappa} \left( s_B^i \right) \right)^2}{>0}} \left( \frac{2m\kappa \rho a b_v}{\arctan\left( m \right)} - \left( \left( T^{\kappa} \left( s_B^i \right) \right)^2 + m^2 \left( M^{\kappa} \left( s_B^i \right) \right)^2 \right) s_B^i \right)} \\$$
(45)

Consider now the auxiliary function in (41). Since

$$\frac{\partial}{\partial s_B} \beta\left(a, s_B\right) = \frac{2ab_v f_B\left(s_B\right)}{\left(T^1\left(s_B\right)\right)^2},\tag{46}$$

for  $h(x) = \frac{\arctan(mx)}{\arctan(m)}$  we obtain

$$\frac{\partial}{\partial s_B} \Phi_B(a, s_B) = \rho \kappa h' \left(\beta \left(a, s_B\right)\right) \frac{2\kappa a b_v f_B(s_B)}{\left(T^1(s_B)\right)^2} - s_B f_B(s_B) \\
= \underbrace{\frac{f_B(s_B)}{\left(T^1(s_B)\right)^2 + m^2 \left(M^1(s_B)\right)^2}}_{>0} \left(\frac{2m\kappa \rho a b_v}{\arctan\left(m\right)} - \left(\left(T^1(s_B)\right)^2 + m^2 \left(M^1(s_B)\right)^2\right) s_B\right).$$
(47)

Therefore, to show the single-peakedness of  $EU_B^{\kappa}(a, b, s_A^i)$  in  $s_B^i$  and of  $\Phi_B(a, s_B)$  in  $s_B$ , it is sufficient that  $\phi_B^{\tilde{\kappa}}(s_B) \stackrel{def}{=} \left( \left( T^{\tilde{\kappa}} \right)^2 + m^2 \left( M^{\tilde{\kappa}} \right)^2 \right) s_B$  is, for both  $\tilde{\kappa} = \kappa$  and  $\tilde{\kappa} = 1$ ,

- (a) strictly increasing, and
- (b) eventually greater than  $\frac{2m\kappa\rho ab_v}{\arctan(m)}$ .

To prove (a) it is sufficient to prove that prove that  $\left(\phi_B^{\tilde{\kappa}}\right)'(s_B) > 0$ , where

$$\left(\phi_B^{\tilde{\kappa}}\right)'(s_B) = \left(T^{\tilde{\kappa}}\right)^2 + m^2 \left(M^{\tilde{\kappa}}\right)^2 + 2s_B \tilde{\kappa} b_v f_B(s_B) \left(T^{\tilde{\kappa}} + m^2 M^{\tilde{\kappa}}\right).$$
(48)

It is straightforward to see that  $(\phi_B^{\tilde{\kappa}})'(s_B) > 0$  holds for  $m \leq 1$ . For m > 1, writing  $\tilde{b} = b - b_0$ , and minimizing the expression over  $a, \tilde{b}$  and  $b_0$  using SymPy (the code is included in Section 5 below), we show that  $(\phi_B^{\tilde{\kappa}})'(s_B) > 0$  if

$$s_B < \frac{2F_B(s_B)m}{\rho f_B(s_B)(m-1)^2}$$
 (49)

or, equivalently,

$$\frac{f_B(s_B) s_B}{F_B(s_B)} < \frac{2m}{\rho(m-1)^2}.$$
(50)

Since  $f_B(c)c/F_B(c)$  is decreasing (by assumption 2), it is sufficient to have

$$\lim_{c \to 0} \frac{f_B(c) c}{F_B(c)} < \frac{2m}{\rho(m-1)^2}.$$
(51)

For this, in turn, it is sufficient to have, for some  $r < \frac{2m}{\rho(m-1)^2}$ ,

$$\lim_{c \to 0} \frac{F_B(c)}{c^r} > 0.$$
(52)

Let us now turn to (b). It is sufficient to give a condition on  $\bar{s}_B$  such that

$$\bar{s}_B\left(\left(T^{\tilde{\kappa}}\right)^2 + m^2\left(M^{\tilde{\kappa}}\right)^2\right) > \frac{2m\tilde{\kappa}\rho ab_v}{\arctan\left(m\right)},\tag{53}$$

where  $M^{\kappa}$  and  $T^{\kappa}$  are evaluated at  $s_B^i = \bar{s}_B$ , for both  $\tilde{\kappa} = \kappa$  and  $\tilde{\kappa} = 1$ .

Using SymPy, we minimize  $\psi = \left( \left( T^{\tilde{\kappa}} \right)^2 + m^2 \left( M^{\tilde{\kappa}} \right)^2 \right)$  over  $a, \tilde{b}$  and  $b_0$ ; we also maximize the right-hand side by plugging in  $a = \bar{a}$ . We find that (53) holds if

$$\bar{s}_B \frac{4\tilde{\kappa}^2 b_v^2 m^2}{m^2 + 1} \ge \frac{2m\tilde{\kappa}\rho\bar{a}b_v}{\arctan m},\tag{54}$$

or equivalently,

$$\bar{s}_B \ge \frac{\rho \bar{a} \left(m^2 + 1\right)}{2\tilde{\kappa} b_v m \arctan\left(m\right)}.$$
(55)

We also observe that this condition holds for both  $\tilde{\kappa} \in \{\kappa, 1\}$  if

$$\bar{s}_B \ge \frac{\rho \bar{a} \left(m^2 + 1\right)}{2\kappa b_v m \arctan\left(m\right)}.$$
(56)

Conditions 2-6 of Assumption 2 are reminiscent of those that Herrera et al. (2016) adopt to ensure equilibrium existence and uniqueness in their model (see their "decreasing generalized reversed hazard rate (DGRHR) property" and their Condition 1). These conditions ensure that the density for low costs is large enough to avoid possible multiple peaks for low turnouts levels.

Observe that, for arbitrarily large m, part 3 and 4 of Assumption 2 require  $F_A$  and  $F_B$  to be arbitrarily steep at 0. Therefore, there cannot be a single continuous cost distribution on  $[0, \infty)$  that satisfies Assumption 2 for all m > 0. A similar observation holds for arbitrarily large  $\gamma$  in Condition 1 of Herrera et al. (2016). Under both our and their assumptions, it is therefore impossible to guarantee existence and uniqueness while taking the limit  $m \to \infty$  (or  $\gamma \to \infty$ , respectively). The next section deals with this limit whilst dropping Assumption 2. In fact, in case  $a_0 = b_0$  and  $\bar{a} \neq \bar{b}$ , part 4 of Proposition 5 in the main text suggests that there cannot be a sufficient condition that implies existence independently of m.

### 4 Non-partisan ethics

## 4.1 Computing equilibria with the arctan benefit function and uniform cost

We assume, without loss of generality, that  $\rho b_v - a_v > 0$ : indeed, we have established that in this case,  $a = a_0$ . Finding an equilibrium therefore amounts to finding  $b > b_0$ . In case the opposite inequality holds, one needs to find the equilibrium a for  $b = b_0$ .

Let us write out the first-order condition  $0 = \frac{\partial}{\partial b^i} E U^{\kappa}(a, b, a^i, b^i) |_{b^i = b, a^i = a = a_0}$ :

$$0 = \frac{m\left(\rho b_v - a_v\right)}{\arctan\left(m\right)} \frac{1}{1 + \left(m\frac{b-a_0}{b+a_0}\right)^2} \frac{2\kappa b}{\left(b+a_0\right)^2} - \theta \frac{b-b_0}{b_v}.$$
(57)

It is then straightforward to rewrite this equation as a polynomial equation in b. Finding roots of the polynomial yields candidate equilibria.

Finally, for some candidate equilibrium b, one can write out  $\frac{\partial}{\partial b^i} EU^{\kappa}(a, b, a^i, b^i)|_{a^i=a=a_0}$ , observe that it can be rewritten as a polynomial in  $b^i$  (we use SymPy) and check if any solution or  $\bar{b}$  is associated with a higher expected utility, in order to rule out profitable deviations.

### 4.2 Further examples

**Example 3.** Figure 3 shows the set of equilibrium turnouts for the leader supporters, as a function of  $a_0$ , and for three values of  $\kappa$ . For  $\kappa = 1$ , we see that there is a unique equilibrium for any value of  $a_0$ , while for  $\kappa = 0.8$  and  $\kappa = 0.5$ , there are two equilibria for small values of  $a_0$  and a unique equilibrium for large enough values of  $a_0$ . The leader wins at equilibria

above the dashed line, which corresponds to  $a = b_0$ . The figure thus shows that if the base  $a_0$  is small, the leader supporters face a coordination problem: they may win or lose. By contrast, a victory for the leader is guaranteed if the base  $a_0$  is large enough.



Figure 3: Set of equilibrium turnouts a for different values of  $a_0$ 

We now examine whether there may be even more than two equilibria.

**Example 4.** Returning to settings where  $\rho b_v - a_v > 0$ , Figure 4 shows an example with three equilibria. Like for the example with two equilibria in the main text, here the expected utility is higher the higher is the equilibrium turnout.



Figure 4: Utility from deviation for each equilibrium candidate

By contrast to the partian setting, however, in our numerical examples we did not identify any parameter values for which there are more than three equilibria.

**Example 5.** In Figure 5, we still examine the case  $\rho b_v > a_v$  and we vary two parameters at a time. Then, we plot the number of equilibria in panel (a) and the number of equilibria such that the underdog wins in panel (b).

The first line of figures shows how the set of equilibria varies with the degree of universalization  $\kappa$  and the stake  $\rho$ . For high (resp. low) enough values of  $\rho$  and  $\kappa$  there is a unique equilibrium, in which the underdog wins (resp. loses). The coordination problem appears either if  $\kappa$  is not very high but  $\rho$  is, or the reverse, and it is the combination of a modest  $\kappa$ and a high  $\rho$  that favors the appearance of more than two equilibria.

The second line of figures then shows how the set of equilibria varies with the degree of universalization  $\kappa$  and m, the curvature parameter for the h function (see (6)). For low enough values of m, the expected utility is concave and equilibrium uniqueness obtains. Multiplicity of equilibria appears for a value of m around 5.

Note that the first two lines of figures confirm one of the conclusions from our analysis of global deviations above: multiplicity of equilibria appears only for values of  $\kappa$  neither too close to 0, nor too close to 1. One exception appears in the second line, however, where a value of  $\rho$  slightly below 2 corresponds to a knife-edge case with two equilibria for  $\kappa = 1$ .



Figure 5: Multiplicity of equilibria, depending on  $(\kappa, m)$  (first line),  $(\kappa, \rho)$  (second line),  $(\kappa, b_0)$  (third line), and  $(a_0, b_0)$  (fourth line)

#### 4.3 Sufficient conditions for equilibrium uniqueness

Sufficient conditions for uniqueness are analogous to the partian case described in Section 3.3. We will show that uniqueness holds if the auxiliary function from the proof of Proposition 7 is single-peaked in a suitable sense. Recall

$$\Phi(a,b) = \kappa a_v h(\alpha(a,b)) + \rho \kappa b_v h(\beta(a,b)) - a_v C_A(a) - b_v C_B(b)$$
  
=  $\kappa (a_v - \rho b_v) h(\alpha(a,b)) - a_v C_A(a) - b_v C_B(b)$  (58)  
=  $\kappa (\rho b_v - a_v) h(\beta(a,b)) - a_v C_A(a) - b_v C_B(b)$ 

As opposed to the partial case (see Section 3.3) it is sufficient to assume singlepeakedness in the following sense: a univariate function is called single-peaked if it is strictly increasing until reaching its unique maximum, where the latter could be equal to  $\bar{b}$ . Recall also Proposition 8 in the main text: if  $\rho b_v > a_v$ , any equilibrium is such that  $a = a_0$ , and vice-versa, if  $a_v > \rho b_v$ , any equilibrium is such that  $b = b_0$ .

**Proposition 2.** Let  $\kappa > 0$ . If  $\rho b_v > a_v$  and  $b \mapsto \Phi(a_0, b)$  is single-peaked, there exists a unique equilibrium. Similarly, if  $a_v > \rho b_v$  and  $a \mapsto \Phi(a, b_0)$  is single-peaked, there exists a unique equilibrium.

*Proof.* We restrict ourselves to the case  $\rho b_v > a_v$ , as the proof in the opposite case goes analogously. By Proposition 8 in the main text,  $a = a_0$ , so that any equilibrium is entirely described by b, and  $b > b_0$ .

Let b be an equilibrium. It satisfies

$$\frac{\partial}{\partial b^{i}} E U^{\kappa} \left( a_{0}, b, a_{0}, b^{i} \right) \bigg|_{b^{i} = b} = \frac{\partial}{\partial b} \Phi \left( a_{0}, b \right) = 0$$
(59)

if  $b \in (b_0, \overline{b})$  and

$$\frac{\partial}{\partial b^{i}} E U^{\kappa} \left( a_{0}, b, a_{0}, b^{i} \right) \bigg|_{b^{i} = b} = \frac{\partial}{\partial b} \Phi \left( a_{0}, b \right) \ge 0$$
(60)

if  $b = \overline{b}$ . In both cases, the single-peakedness assumption implies that b is a maximum of  $b \mapsto \Phi(a_0, b)$ .

Now, assume for a contradiction that there exist two equilibria  $b_1 \neq b_2$ . Then, both are

Note that this proposition generalizes Proposition 9 of the main text: indeed, if, say,  $a_v > \rho b_v$  and  $a_0 \ge b_0$ , then  $\alpha(a, b_0) \ge 0$  for all  $a \in [a_0, \bar{a}]$  and therefore  $h''(a, b_0) \ge 0$  by assumption. Recalling that the cost term is strictly convex,  $a \mapsto \Phi(a, b_0)$  is strictly concave.

Similar to the partian case (see Section 3.3), we can pin down sufficient conditions for single-peakedness for the specifc function we use in our illustrating examples.

**Lemma 2.** Let  $\kappa > 0$  and let  $h(x) = \frac{\arctan(mx)}{\arctan(m)}$ .

1. Let 
$$\lambda = a_v - \rho b_v > 0$$
. If

•  $\frac{f_A(c)c}{F_A(c)}$  is decreasing,

• for some 
$$r < \frac{2a_v m}{\lambda(m^2 - 2m + 1)}$$
,  
$$\lim_{c \to 0} \frac{F_A(c)}{c^r} > 0,$$
(61)

• and  $\bar{s}_A \geq \frac{\lambda b_0(m^2+1)}{2a_v^2m \arctan(m)}$ ,

single-peakedness of  $a \mapsto \Phi(a, b_0)$  holds.

2. Let 
$$\lambda = \rho b_v - a_v > 0$$
. If

•  $\frac{f_B(c)c}{F_B(c)}$  is decreasing,

• for some 
$$r < \frac{2b_v m}{\lambda(m^2 - 2m + 1)}$$
,  
$$\lim_{c \to 0} \frac{F_B(c)}{c^r} > 0,$$
(62)

• and 
$$\bar{s}_B \ge \frac{\lambda a_0(m^2+1)}{2b_v^2 m \arctan(m)}$$
,

single-peakedness of  $b \mapsto \Phi(a_0, b)$  holds.

*Proof.* We restrict ourselves to the case  $\lambda = a_v - \rho b_v > 0$ , as the proof for the other case goes analogously. By an abuse of notation, we write  $\Phi(s_A, b_0)$  instead of  $\Phi(a_0 + a_v F_A(s_A), b_0)$ .

Then, writing  $M(s_A) = a_0 + a_v F_A(s_A) - b_0$  and  $T(s_A) = a_0 + a_v F_A(s_A) + b_0$ ,

$$\frac{\partial}{\partial s_A} \Phi\left(a_0, s_B\right) = \lambda \kappa h' \left(\alpha\left(s_A, b_0\right)\right) \frac{2\kappa b_0 a_v f_A\left(s_A\right)}{T\left(s_A\right)^2} - a_v s_A f_A\left(s_A\right) \\
= \underbrace{a_v \frac{f_A\left(s_A\right)}{T\left(s_A\right)^2 + m^2 M\left(s_A\right)^2}}_{>0} \lambda \kappa h' \left(\alpha\left(s_A, b_0\right)\right) \left(\frac{2m\kappa\lambda b_0}{\arctan\left(m\right)} - \left(T\left(s_A\right)^2 + m^2 M\left(s_A\right)^2\right) s_A\right).$$
(63)

Note that  $a \mapsto \Phi(a, b_0)$  is single-peaked if and only if  $s_A \mapsto \Phi(s_A, b_0)$  is single-peaked. Therefore, it is sufficient to show that  $\phi(s_A) = (T(s_A)^2 + m^2 M(s_A)^2)$  is strictly increasing, and eventually greater than  $\frac{2m\kappa\lambda b_0}{\arctan(m)}$ . This follows from the conditions in the same way as in the proof of Proposition 1.

### 5 SymPy calculations

```
[1]: from sympy import *
```

```
[2]: m,rho, sbi,bars,bv, kap = symbols(r'm \rho s_B \bar{s}_B b_vu

→\tilde{\kappa}',positive=True)

b = Symbol(r"\tilde{b}")

a = Symbol("a")

abar = Symbol(""\bar{a}",positive=True)

b0 = Symbol("b_0")

FB = Function("F_B")(sbi)

fB = Function("f_B")(sbi)

FBsymb = Symbol("F_B")

fBsymb = Symbol("f_B")
```

```
\begin{array}{l} \textbf{Analyzing } \phi_B \\ \textbf{[9]:} & \textbf{Tkap = kap*bv*FB + (1-kap)*b + b0 + a} \\ & \textbf{Mkap = kap*bv*FB + (1-kap) * b + b0 - a} \\ & \textbf{phi = Tkap**2 + m**2 * Mkap**2 + 2*sbi*kap*rho *bv*fB *(Tkap + m**2*Mkap)} \end{array}
```

#### display(collect(expand(phi),[a\*\*2,a]))

 $-2\rho\tilde{\kappa}^{2}\tilde{b}b_{v}m^{2}s_{B}^{i}f_{B}(s_{B}^{i}) - 2\rho\tilde{\kappa}^{2}\tilde{b}b_{v}s_{B}^{i}f_{B}(s_{B}^{i}) + 2\rho\tilde{\kappa}^{2}b_{v}^{2}m^{2}s_{B}^{i}F_{B}(s_{B}^{i})f_{B}(s_{B}^{i}) + 2\rho\tilde{\kappa}\tilde{b}b_{v}m^{2}s_{B}^{i}f_{B}(s_{B}^{i}) + 2\rho\tilde{\kappa}\tilde{b}b_{v}s_{B}^{i}f_{B}(s_{B}^{i}) + 2\rho\tilde{\kappa}b_{0}b_{v}m^{2}s_{B}^{i}f_{B}(s_{B}^{i}) + 2\rho\tilde{\kappa}b_{0}b_{v}m^{2}s_{B}^{i}f_{B}(s_{B}^{i}) + 2\rho\tilde{\kappa}b_{0}b_{v}m^{2}s_{B}^{i}f_{B}(s_{B}^{i}) + 2\rho\tilde{\kappa}b_{0}b_{v}m^{2}s_{B}^{i}f_{B}(s_{B}^{i}) + 2\rho\tilde{\kappa}b_{0}b_{v}m^{2}s_{B}^{i}f_{B}(s_{B}^{i}) + 2\rho\tilde{\kappa}b_{0}b_{v}m^{2}F_{B}(s_{B}^{i}) - 2\tilde{\kappa}^{2}\tilde{b}b_{v}F_{B}(s_{B}^{i}) + \tilde{\kappa}^{2}b_{v}^{2}m^{2}F_{B}^{2}(s_{B}^{i}) + \tilde{\kappa}^{2}b_{v}^{2}m^{2}F_{B}^{2}(s_{B}^{i}) - 2\tilde{\kappa}\tilde{b}b_{v}m^{2}F_{B}(s_{B}^{i}) + 2\tilde{\kappa}\tilde{b}b_{v}r^{2}F_{B}^{2}(s_{B}^{i}) + 2\tilde{\kappa}\tilde{b}b_{v}r^{2}F_{B}^{2}(s_{B}^{i}) + 2\tilde{\kappa}\tilde{b}b_{v}r^{2}F_{B}^{2}(s_{B}^{i}) + 2\tilde{\kappa}\tilde{b}b_{v}r^{2}F_{B}(s_{B}^{i}) + 2\tilde{\kappa}\tilde{b}b_{v}F_{B}(s_{B}^{i}) + 2\tilde{\kappa}b_{0}b_{v}F_{B}(s_{B}^{i}) + 2\tilde{\kappa}b_{0}b_{v}r^{2}F_{B}(s_{B}^{i}) + 2\tilde{\kappa}b_{v}r^{2}F_{B}(s_{B}^{i}) + 2\tilde{\kappa}b_{v}r^{2}$ 

Indeed, the leading coefficient is positive.

[10]: asol = simplify(solve(diff(phi,a),a)[0])
phi = simplify(phi.subs(a,asol))\*(m\*\*2 +1)
display(collect(expand(phi),[b\*\*2,b]))

 $-\rho^{2}\tilde{\kappa}^{2}b_{v}^{2}m^{4}\left(s_{B}^{i}\right)^{2}f_{B}^{2}\left(s_{B}^{i}\right) + 2\rho^{2}\tilde{\kappa}^{2}b_{v}^{2}m^{2}\left(s_{B}^{i}\right)^{2}f_{B}^{2}\left(s_{B}^{i}\right) - \rho^{2}\tilde{\kappa}^{2}b_{v}^{2}\left(s_{B}^{i}\right)^{2}f_{B}^{2}\left(s_{B}^{i}\right) + 8\rho\tilde{\kappa}b_{0}b_{v}m^{2}s_{B}^{i}f_{B}\left(s_{B}^{i}\right) + 4\tilde{\kappa}^{2}b_{v}^{2}m^{2}F_{B}^{2}\left(s_{B}^{i}\right) + 8\tilde{\kappa}b_{0}b_{v}m^{2}F_{B}\left(s_{B}^{i}\right) + \tilde{b}^{2} \cdot \left(4\tilde{\kappa}^{2}m^{2} - 8\tilde{\kappa}m^{2} + 4m^{2}\right) + \tilde{b}\left(-8\rho\tilde{\kappa}^{2}b_{v}m^{2}s_{B}^{i}f_{B}\left(s_{B}^{i}\right) + 8\rho\tilde{\kappa}b_{v}m^{2}s_{B}^{i}f_{B}\left(s_{B}^{i}\right) - 8\tilde{\kappa}^{2}b_{v}m^{2}F_{B}\left(s_{B}^{i}\right) - 8\tilde{\kappa}b_{v}m^{2}F_{B}\left(s_{B}^{i}\right) + 8b_{0}m^{2}\right) + 4b_{0}^{2}m^{2}$ 

Notice that  $\tilde{\kappa}^2 - 2\tilde{\kappa} + 1 = (\tilde{\kappa} - 1)^2 > 0$  for  $\tilde{\kappa} \neq 1$ , showing that the leading coefficient is positive. Moreover, observe that for  $\tilde{\kappa} = 1$ , the polynomial is actually constant in  $\tilde{b}$ , i.e. of degree zero.

bsol = simplify(solve(Eq(diff(phi,b),0),b)[0])
display(bsol)

$$\frac{\rho \tilde{\kappa} b_v s_B^i f_B(s_B^i) + \tilde{\kappa} b_v F_B(s_B^i) + b_0}{\tilde{\kappa} - 1}$$

If  $\tilde{\kappa} \neq 1$ , after minimizing over  $\tilde{b}$ , we conclude that the expression is minimal for a negative  $\tilde{b}$ . For  $\tilde{\kappa} = 1$ , the expression does not change with  $\tilde{b}$ . In either case, we can plug in  $\tilde{b} = 0$  because it minimizes the expression over  $\tilde{b}$  in our admissible range  $[0, b_v]$ .

[12]:

phi = collect(expand(simplify(phi.subs(b,0))),b0)
display(phi)

$$-\rho^{2}\tilde{\kappa}^{2}b_{v}^{2}m^{4}\left(s_{B}^{i}\right)^{2}f_{B}^{2}\left(s_{B}^{i}\right) + 2\rho^{2}\tilde{\kappa}^{2}b_{v}^{2}m^{2}\left(s_{B}^{i}\right)^{2}f_{B}^{2}\left(s_{B}^{i}\right) - \rho^{2}\tilde{\kappa}^{2}b_{v}^{2}\left(s_{B}^{i}\right)^{2}f_{B}^{2}\left(s_{B}^{i}\right) + 8\rho\tilde{\kappa}^{2}b_{v}^{2}m^{2}s_{B}^{i}F_{B}\left(s_{B}^{i}\right)f_{B}\left(s_{B}^{i}\right) + 4\tilde{\kappa}^{2}b_{v}^{2}m^{2}F_{B}^{2}\left(s_{B}^{i}\right) + 4b_{0}^{2}m^{2} + b_{0} \cdot \left(8\rho\tilde{\kappa}b_{v}m^{2}s_{B}^{i}f_{B}\left(s_{B}^{i}\right) + 8\tilde{\kappa}b_{v}m^{2}F_{B}\left(s_{B}^{i}\right)\right)$$

Observe that the coefficient in front of  $b_0$  is strictly positive, allowing us to minimize easily over  $b_0$ .

[13]:

b0sol = simplify(solve(Eq(diff(phi,b0),0),b0)[0])
display(b0sol)

 $-\tilde{\kappa}b_v\left(\rho s_B^i f_B\left(s_B^i\right) + F_B\left(s_B^i\right)\right)$ 

This expression is negative. Since we allow only positive values for  $b_0$ , our expression is minimal for  $b_0 = 0$ . The next step is to plug in  $b_0 = 0$  and to obtain a polynomial in  $s_B$ , regarding  $F_B$  and  $f_B$  as constants.

[14]:

phi = phi.subs(b0,0).subs(fB,fBsymb).subs(FB,FBsymb)
display(collect(expand(phi),sbi))

$$\frac{4F_B^2 \tilde{\kappa}^2 b_v^2 m^2 + 8F_B \rho \tilde{\kappa}^2 b_v^2 f_B m^2 s_B^i + (s_B^i)^2 \left(-\rho^2 \tilde{\kappa}^2 b_v^2 f_B^2 m^4 + 2\rho^2 \tilde{\kappa}^2 b_v^2 f_B^2 m^2 - \rho^2 \tilde{\kappa}^2 b_v^2 f_B^2\right)}{\rho f_B \left(m^2 - 2m + 1\right)} - \frac{2F_B m}{\rho f_B \left(m^2 + 2m + 1\right)}$$

We see here that that the leading coefficient is negative as long as  $m^4 - 2m^2 + 1 = (m^2 - 1)^2$ is positive, i.e. for  $m \neq 1, -1$ . Therefore, the polynomial expression is positive as long as  $s_B$  is between the roots of the polynomial expression. For m = 1, the expression is always positive for  $s_B \geq 0$ . We calculate the roots below.

[16]:

sols = solve(phi,sbi)
for sol in sols:
 display(simplify(sol))

$$\frac{2F_Bm}{\rho f_B \left(m^2-2m+1\right)} \\ -\frac{2F_Bm}{\rho f_B \left(m^2+2m+1\right)}$$

The second root being negative whereas  $s_B \ge 0$ , this allows us to find a positivity criterion by comparing  $s_B$  to the first root.

#### 

 $\tilde{\kappa}^{2}\tilde{b}^{2}m^{2} + \tilde{\kappa}^{2}\tilde{b}^{2} - 2\tilde{\kappa}^{2}\tilde{b}b_{v}m^{2}F_{B}(s_{B}^{i}) - 2\tilde{\kappa}^{2}\tilde{b}b_{v}F_{B}(s_{B}^{i}) + \tilde{\kappa}^{2}b_{v}^{2}m^{2}F_{B}^{2}(s_{B}^{i}) + \\ \tilde{\kappa}^{2}b_{v}^{2}F_{B}^{2}(s_{B}^{i}) - 2\tilde{\kappa}\tilde{b}^{2}m^{2} - 2\tilde{\kappa}\tilde{b}^{2} - 2\tilde{\kappa}\tilde{b}b_{0}m^{2} - 2\tilde{\kappa}\tilde{b}b_{0} + 2\tilde{\kappa}\tilde{b}b_{v}m^{2}F_{B}(s_{B}^{i}) + 2\tilde{\kappa}\tilde{b}b_{v}F_{B}(s_{B}^{i}) + \\ 2\tilde{\kappa}b_{0}b_{v}m^{2}F_{B}(s_{B}^{i}) + 2\tilde{\kappa}b_{0}b_{v}F_{B}(s_{B}^{i}) + \tilde{b}^{2}m^{2} + \tilde{b}^{2} + 2\tilde{b}b_{0}m^{2} + 2\tilde{b}b_{0} + a^{2}(m^{2}+1) + \\ a\left(2\tilde{\kappa}\tilde{b}m^{2} - 2\tilde{\kappa}\tilde{b} - 2\tilde{\kappa}b_{v}m^{2}F_{B}(s_{B}^{i}) + 2\tilde{\kappa}b_{v}F_{B}(s_{B}^{i}) - 2\tilde{b}m^{2} + 2\tilde{b} - 2b_{0}m^{2} + 2b_{0}\right) + b_{0}^{2}m^{2} + b_{0}^{2}$ 

The leading coefficient in a being positive, we can minimize easily in a. We plug the result into  $\psi_B$ .

[18]:

asol = solve(psi.diff(a),a)[0]
<pre>psi = simplify(psi.subs(a,asol))</pre>
<pre>display(collect(expand(psi),[b**2,b]))</pre>

$$\frac{4\tilde{\kappa}^2 b_v^2 m^2 F_B^2(s_B^i)}{m^2 + 1} + \frac{8\tilde{\kappa} b_0 b_v m^2 F_B(s_B^i)}{m^2 + 1} + \tilde{b}^2 \cdot \left(\frac{4\tilde{\kappa}^2 m^2}{m^2 + 1} - \frac{8\tilde{\kappa} m^2}{m^2 + 1} + \frac{4m^2}{m^2 + 1}\right) + \tilde{b}\left(-\frac{8\tilde{\kappa}^2 b_v m^2 F_B(s_B^i)}{m^2 + 1} - \frac{8\tilde{\kappa} b_0 m^2}{m^2 + 1} + \frac{8\tilde{\kappa} b_v m^2 F_B(s_B^i)}{m^2 + 1} + \frac{8b_0 m^2}{m^2 + 1}\right) + \frac{4b_0^2 m^2}{m^2 + 1} + \frac{4m^2}{m^2 + 1}\right) + \tilde{b} + \frac{4m^2}{m^2 + 1} + \frac{4m^2}{m^2 + 1} + \frac{4m^2}{m^2 + 1}\right) + \tilde{b} + \frac{4m^2}{m^2 + 1} +$$

This expression as a polynomial in  $\tilde{b}$  has a positive leading coefficient for  $\tilde{\kappa} \neq 1$ , and is otherwise constant in  $\tilde{b}$ . For  $\tilde{\kappa} \neq 1$ , we minimize over  $\tilde{b}$ .

[19]:

bsol = solve(psi.diff(b),b)[0]
display(bsol)

 $\frac{\tilde{\kappa}b_v F_B(s_B^i) + b_0}{\tilde{\kappa} - 1}$ 

This solution being negative for  $\tilde{\kappa} \neq 1$  and the aforementioned expression being constant in  $\tilde{b}$  for  $\tilde{\kappa} = 1$ , we may plug in  $\tilde{b} = 0$  as our lowest possible  $\tilde{b}$ .

[20]:

psi = simplify(psi.subs(b,0))
display(collect(expand(psi),[b0\*\*2,b0]))

$$\frac{4\tilde{\kappa}^2 b_v^2 m^2 F_B^2(s_B^i)}{m^2 + 1} + \frac{8\tilde{\kappa}b_0 b_v m^2 F_B(s_B^i)}{m^2 + 1} + \frac{4b_0^2 m^2}{m^2 + 1}$$

We minimize this expression over  $b_0$ , which is straightforward due to the positive leading coefficient.

[21]:

b0sol= solve(psi.diff(b0),b0)[0]
display(b0sol)

 $-\tilde{\kappa}b_vF_B(s_B^i)$ 

This expression being negative, we may substitute  $b_0 = 0$ . Moreover, recall that we assumed  $s_B = \bar{s}_B$ , so that  $F_B(s_B) = 1$ , yielding the minimal  $\psi_B$  for  $s_B = \bar{s}_B$ .

[23]:

psi = psi.subs(b0,0)
psi = psi.subs(FB,1)
display(psi)

 $\frac{4\tilde{\kappa}^2 b_v^2 m^2}{m^2+1}$